AHEH®

# AGRO-HORTICULTURAL ENERGY HYGIENE FOUNDATIONS

## Because Food Also Needs Energy Hygiene

The Journey from Soil, Seed, Water and the Growing Environment to Food and Human Wellbeing

**Er. Srinivas Baba Mannem • Dr. Kanaka Mahalakshmi Mannem**

Aura Research Foundation • Hyderabad • 2026



# AGRO-HORTICULTURAL ENERGY HYGIENE FOUNDATIONS

**Because Food Also Needs Energy Hygiene**

AHEH®

# AGRO-HORTICULTURAL ENERGY HYGIENE FOUNDATIONS

## Because Food Also Needs Energy Hygiene

The Journey from Soil, Seed, Water and the Growing Environment to Food and Human Wellbeing

**Reader-Oriented Foundations Book • Version 2.0**

**Er. Srinivas Baba Mannem**
**Dr. Kanaka Mahalakshmi Mannem**

Aura Research Foundation
Hyderabad, Telangana, India
2026

# Copyright, Intellectual Property and Scientific Position

Copyright © 2026 Er. Srinivas Baba Mannem and Dr. Kanaka Mahalakshmi Mannem. All rights reserved.

Published by Aura Research Foundation, Hyderabad, Telangana, India.

No part of this publication may be reproduced, stored or transmitted in any form without written permission, except for brief quotations used in review, scholarship or research as permitted by law.

## Intellectual-property notice

AHEH, its terminology, diagrams, research constructs, protocols, apparatus references and associated educational material may be subject to copyright, patent, trademark, design, confidentiality or contractual protection. Reference to such protection records provenance and ownership; it does not constitute independent scientific validation.

## Research and responsible-use notice

> **Important.** This is a reader-oriented account of an investigational research framework. It does not diagnose plant, food or human conditions; certify food; replace agronomy, soil or water testing; replace pesticide, residue or food-safety standards; or replace nutritional or medical advice.

*The proposed 400–752 Hz interval, Foundation measurements, THz-to-Hz interpretation and related AHEH constructs remain subject to measurement qualification, controlled experimentation and independent replication.*

# Version 2.0 — Reader-Edition Alignment Note

> **Purpose of this edition.** To let a non-specialist understand the whole food journey before meeting its technical language.

This edition does not begin with instruments or protocols. It begins with a familiar meal and asks where its quality journey truly began. The narrative then moves backwards to the seed and forward again through every stage that may shape the plant and the food.

The Book is one member of a three-document suite:

- The Foundations Book tells the connected story for general readers, students, farmers, educators and interested professionals.
- The Research Monograph preserves the full hypotheses, operational definitions, measurements, protocols, statistics, ethics and validation programme.
- The Executive White Paper presents the institutional proposition and the invitation to collaborate.

Across all three documents, AHEH remains an upstream food-quality research extension within Food and Nutrition under Pillar 3—Lifestyle Energy Hygiene. It is not a fourth pillar.

> **Editorial rule.** Scientific qualification must remain visible without making the reader lose the story.

## DEDICATION

*To every farmer who begins with a seed,*
*every family that trusts the food on its table,*
*every student who asks a better question,*
*and every scientist willing to test an unfamiliar idea fairly.*

**May the complete journey from living earth to human nourishment be understood, protected and studied responsibly.**

# Founders' Note

A meal appears simple when it reaches the table. Yet no food begins on the plate. Behind it stand the earth that held the root, the seed that carried a beginning, the water that moved through the plant, the inputs that touched it, the environment in which it grew, and every hand and condition involved in harvest, processing and storage.

Aura Research Foundation began examining this longer journey through field observations and an operator-mediated assessment method. Those observations led us to ask whether plants and plant-derived food may also be considered through the lens of Energy Hygiene.

AHEH proposes an inclusive 400–752 Hz operational adaptive-frequency interval for plants, corresponding to the same proposed interval used in the human Energy Hygiene framework, while recognising that plants and humans are biologically different. It further asks whether deficits within that interval, or responses classified by the Foundation below 400 Hz and above 752 Hz, may be associated with disturbance. These are propositions for research—not settled facts.

We offer this book so that the idea can be understood before it is judged, documented before it is promoted, and tested before it is treated as established.

**Er. Srinivas Baba Mannem • Dr. Kanaka Mahalakshmi Mannem**

# Opening Manifesto — Because Food Also Needs Energy Hygiene

## WE WASH FOOD.

## WE TEST ITS NUTRIENTS.

## WE CHECK ITS SAFETY.

### BUT DO WE UNDERSTAND ITS COMPLETE ENERGY HISTORY?

AHEH asks the reader to see food as the final expression of a living journey. Soil alone is not the journey. Seed alone is not the journey. The complete path includes Soil/Earth, Seed, Water, Inputs, Environment, Plant, Harvest, Processing, Storage, Food and the Human who consumes it.

> **The central invitation.** Let us ask whether every stage preserves, weakens or disturbs the proposed adaptive-frequency condition of the plant and its produce—and let independent research decide.

# Preface — Begin with the Meal

Imagine a family sitting down to eat. They see rice, vegetables, fruit or pulses. They may know where the food was purchased, but rarely know the seed from which it began, the water that carried its growth, the inputs it encountered, the stresses of its environment or the conditions under which it was stored.

This book begins at that table because the table belongs to everyone. From there, the reader travels backwards—past the market, the storage room, the harvest, the field and the plant—until a single seed is reached. The story then turns and follows that seed forward.

At each stage, two questions stay beside us:

- What does established soil, plant, post-harvest, food-safety and nutrition science already tell us?
- What additional question does AHEH propose for careful measurement and independent testing?

The reader is never asked to substitute belief for evidence. The aim is to make the proposal clear enough to examine, and the boundaries strong enough to prevent misunderstanding.

> **Reader promise.** No stage will be hidden behind technical abbreviations, and no Foundation observation will be presented as though it were already independently proven.

# The Meal Has a History





*Figure FM-1. The complete AHEH pathway that the reader will follow throughout the Book.*

Urban readers often meet food only at the market, kitchen or plate. The AHEH story therefore makes the invisible stages visible. It shows that food quality is not a single event but a chain of biological, environmental, agricultural and post-harvest conditions.

> **Continuity principle.** AHEH asks whether the proposed adaptive-frequency condition can be influenced at any point in this chain, and whether later stages can preserve or disturb what earlier stages produced.

This continuity is a research proposition. Conventional composition, contaminant, safety, agronomic and nutritional outcomes remain essential and cannot be replaced by an AHEH reading.

# What Agro-Horticultural Energy Hygiene Means

**Working definition.** Agro-Horticultural Energy Hygiene (AHEH) is an investigational framework for studying whether the complete Soil-to-Food pathway preserves, supports, weakens or disturbs a proposed adaptive-frequency condition in plants and plant-derived food.

## The pathway under study

- Soil/Earth condition and the plant's root environment
- The seed's baseline and germination response
- Water, fertilisers, manures, pesticides and other inputs
- The growing environment, including biological and physical stressors
- Plant regulation, development, yield and produce
- Harvest, handling, processing, transport and storage
- Food composition, safety, nutrition and staged Food-to-Human research

## What AHEH does not mean

It does not mean that one reading determines whether food is healthy. Nor does it mean that natural, organic, biological, synthetic or integrated inputs can be classified as beneficial or harmful without testing the named product, dose, timing, exposure and conventional outcomes.

**Plain-language idea.** Food has physical hygiene, chemical safety and nutritional quality. AHEH asks whether food may also have an energy-hygiene history worthy of research.

# Where AHEH Belongs in the Energy Hygiene Framework





*Figure FM-2. AHEH belongs within Food and Nutrition under Pillar 3—Lifestyle Energy Hygiene.*

The three pillars remain Environmental Energy Hygiene, Personal Energy Hygiene and Lifestyle Energy Hygiene. Food and Nutrition are part of the third pillar. AHEH studies the upstream agricultural and post-harvest journey that produces the food later consumed within that lifestyle.

> **Non-negotiable placement.** AHEH is not a separate fourth pillar. It is the upstream food-quality research bridge within Nutrition.

# The Proposed 400–752 Hz Concept





*Figure FM-3. The Foundation-defined operational classification used consistently in the AHEH suite.*

AHEH proposes that plants utilise the same inclusive 400–752 Hz operational adaptive interval described for humans, while plant and human biology remain distinct. A response at a nominated frequency within the interval may also be reduced; AHEH describes this as a within-band deficit rather than as an outside-band frequency.

Responses below 400 Hz and above 752 Hz are described by the Foundation as proposed non-adaptive classifications. They are not established toxic exposures, recognised plant-disease diagnoses or substitutes for calibrated physical measurement.

> **THz-to-Hz hypothesis.** AHEH explores whether higher-frequency biological activity may be reflected or modulated into lower operational responses measured in hertz. The mechanism remains a hypothesis requiring physical qualification and biological validation.

# How Evidence Is Described





*Figure FM-4. Four voices are kept visibly separate throughout the reader edition.*

Established science is cited for recognised plant physiology, soil science, agronomy, post-harvest science, food safety, nutrition and measurement principles. Foundation observations are identified as observations made under the Foundation’s method. AHEH interpretations are written as proposals or hypotheses. Unanswered matters become Research Windows.

> **The reader should always know:** What is already established? What did the Foundation observe? What does AHEH propose? What must research test next?

Positive, negative, mixed, null, inconclusive and adverse findings must all remain reportable. Patents, copyrights, training, commercial practice or repeated observation do not themselves amount to independent validation.

# How to Read This Book

The Book is designed as one connected journey rather than a technical manual. Each chapter begins with a human-scale scene or question and then opens the scientific and investigational layers gradually.

## Recurring chapter elements

- Opening scene — a meal, seed, field, harvest, store or research setting that gives the chapter a lived beginning.
- Reader's question — the ordinary question that moves the story forward.
- Science anchor — what recognised knowledge already explains.
- AHEH lens — the additional proposition being introduced.
- Foundation observation — clearly attributed material from the observation programme.
- Reader takeaway — the one idea to carry into the next chapter.
- Research Window — a short statement of what still needs to be tested.

## Three ways to use the Book

Read continuously for the full story; return to the figures for a quick conceptual map; or use the glossary and selected sources when an unfamiliar term appears.

> **For technical depth.** The Research Monograph—not this reader edition—is the controlling source for operational definitions, protocols, statistics, ethics and validation gates.

# Responsible Use and Boundaries

AHEH is intended to generate disciplined questions about the energy history of plants and plant-derived food. It must not bypass the sciences and safeguards that already protect crops, food systems and people.

## The Book does not authorise the reader to

- diagnose plant disease, soil condition, food safety, nutritional status or human illness from an AHEH reading;
- replace soil, water, pathology, pesticide-residue, contaminant, composition or microbiological testing;
- classify an agricultural input as safe or unsafe without product-specific evidence and regulatory compliance;
- make therapeutic, preventive or guaranteed-health claims for food;
- conduct Food-to-Human studies without prior measurement, food-safety, ethics and informed-consent gates.

## The responsible pathway

Observe carefully. Record methods and conditions. Compare matched, off-target, sham and untreated conditions where appropriate. Measure conventional outcomes alongside investigational outcomes. Invite independent replication. Report every result honestly.

> **Safety comes first.** Energy Hygiene language supplements a research question; it never replaces agronomy, food regulation, nutrition or medicine.

# Contents

> **Pagination note.** Roman page numbers identify the Front Matter; the Arabic page numbers below match the final assembled A5 book.

Version 2.0 — Reader-Edition Alignment Note ..... iv
Dedication ..... v
Founders' Note ..... vi
Opening Manifesto — Because Food Also Needs Energy Hygiene ..... vii
Preface — Begin with the Meal ..... viii
The Meal Has a History ..... ix
What Agro-Horticultural Energy Hygiene Means ..... x
Where AHEH Belongs in the Energy Hygiene Framework ..... xi
The Proposed 400–752 Hz Concept ..... xii
How Evidence Is Described ..... xiii
How to Read This Book ..... xiv
Responsible Use and Boundaries ..... xv
Contents ..... xvi
List of Illustrations ..... xviii
The Story Begins ..... xix

**Part I — Why Food Quality Begins Before the Plate ..... 1**

Chapter 1 — The Question Hidden Inside Every Meal ..... 1
Chapter 2 — AHEH within the Three-Pillar Energy Hygiene Framework ..... 12
Chapter 3 — The Soil–Seed–Water–Plant–Food–Human Journey ..... 22

**Part II — The Living Plant and the Frequency Question ..... 32**

Chapter 4 — Plants as Living, Regulating Systems ..... 32
Chapter 5 — Plants and Humans: One Proposed Adaptive Interval ..... 42
Chapter 6 — When an Adaptive Frequency Becomes Weak ..... 52
Chapter 7 — Non-Adaptive Frequencies and Plant Disturbance ..... 62
Chapter 8 — From THz Activity to Hz Responses ..... 72

# Contents — Continued


## Part III — Every Stage Before the Plant Bears Food .....82

Chapter 9 — Soil and Earth.....82
Chapter 10 — Seed.....92
Chapter 11 — Water as an Adaptive-Frequency Carrier.....102
Chapter 12 — Fertilisers, Manures, Pesticides and Other Inputs.....112
Chapter 13 — The Growing Environment.....122

## Part IV — What the Foundation Observed.....132

Chapter 14 — The Foundation Observation Programme.....132
Chapter 15 — OMRDA and the Operator-Mediated Assessment.....144
Chapter 16 — Matched Support and Three Intervention Pathways.....154

## Part V — From Produce to the Human Table. .164

Chapter 17 — Harvest.....164
Chapter 18 — Processing and Storage.....174
Chapter 19 — Because Food Also Needs Energy Hygiene.....184
Chapter 20 — Food-to-Human Translation.....194

## Part VI — From Observation to Responsible Research.....204

Chapter 21 — Two Families of Research Outcomes.....204
Chapter 22 — Why Universities and Multiple Disciplines Are Needed.....214
Chapter 23 — Responsible Adoption, Communication and Boundaries.....224
Chapter 24 — A Beginning, Not a Conclusion.....234

## Closing and Reader Reference Sections.....244

Epilogue.....244
Founders' Closing Note.....248
Appendices A–F.....250
Selected Sources and Further Reading.....270
Index.....280

# List of Illustrations

Cover visual — The complete AHEH journey from living earth to the human meal..... cover
Figure FM-1 — The complete AHEH pathway.....ix
Figure FM-2 — AHEH within the Three-Pillar Energy Hygiene Framework…xi
Figure FM-3 — The proposed inclusive 400–752 Hz operational interval.....xii
Figure FM-4 — Four separate evidence voices.....xiii

## Visual standards for the reader edition

- Pictures must explain a place, stage, comparison or research boundary —not merely decorate the page.
- Photographs of actual Foundation work must be distinguished from illustrations and carry source and context captions.
- All 400–752 Hz diagrams must use the same inclusive boundaries and the same within-band-deficit distinction.
- Generated or composite scenes must be identified when they could be mistaken for documentary evidence.
- Mystical glows, medical imagery and unlabelled colour fields must not be used as though they were measured evidence.

> **Accessibility standard.** Each illustration requires meaningful alternative text, a readable caption, strong contrast and text large enough for the A5 printed page.

THE STORY BEGINS

# WITH A MEAL.

## THEN IT TRAVELS BACK TO A SEED.

*From that seed, the reader will follow every influence—*

**Soil/Earth • Water • Inputs • Environment • Plant**

**Harvest • Processing • Storage • Food • Human**

**The question carried into Chapter 1.** What if the quality of food includes an energy history that begins long before we see it?

UNDERSTAND • GROW • PRESERVE • MEASURE • DOCUMENT • RESEARCH

PART I • WHY FOOD QUALITY BEGINS BEFORE THE PLATE

CHAPTER 1

# The Question Hidden Inside Every Meal

*Every plate has a past.*





*Figure 1.1. A meal is the visible end of a much longer agricultural and biological story.*

A family sits down to eat. The rice is warm. The vegetables are bright. A bowl of pulses is passed from one person to another. Someone notices the colour of the tomatoes; someone else asks whether the greens were washed. The meal looks clean, fresh and nourishing.

# A Familiar Table, an Unseen Journey

Nobody at the table can see the food's full history. They cannot see the seed from which it began, the condition of the earth around its roots, the water that entered the growing system, or the fertilisers, manures, pesticides and other inputs that touched the crop. They cannot see the heat, light, rain, wind, pests or stresses that surrounded the plant. Nor can they see every condition of harvest, transport, processing and storage.

Yet all of those stages came before the plate. The meal is not the beginning of food quality. It is the final visible moment of a journey that may have lasted weeks, months or even seasons.

> **Reader's question.** Where does the quality of plant-derived food really begin?

If we answer only, "in the kitchen," we overlook the farm. If we answer only, "in the soil," we overlook the seed, water, inputs, growing environment and post-harvest chain. If we answer only, "in the plant," we overlook how the produce was handled after the plant released it.

This book therefore begins with the whole journey. It moves backward from the plate until every hidden stage becomes visible. Then it will turn around and follow one seed forward again, asking what each stage can contribute to the food that finally enters human life.

> **Reader Takeaway.** The meal is the last chapter of a much longer story—not an isolated product appearing at the market or on the plate.

# What We Already Ask About Food

People already ask many sensible questions. Is the food fresh? Was it washed? Is it free from harmful contamination? Does it contain pesticide residues within permitted limits? What nutrients does it provide? How much should be eaten? How was it cooked? Can its source be traced?





*Figure 1.2. The AHEH question sits beside established food-quality questions; it does not replace them.*

> **Established Science.** Food quality is already examined through recognised disciplines including soil and plant science, agronomy, post-harvest science, food chemistry, microbiology, toxicology, food safety and nutrition.

These disciplines help us describe composition, contamination, freshness, shelf life, dietary value and many links between production conditions and food outcomes. Their tests, standards and professional judgements remain essential.

A food cannot become acceptable merely because an unfamiliar measurement looks favourable. Unsafe food remains unsafe. Poor nutrition is not corrected by a frequency label. AHEH begins only after this boundary is understood.

# Walking Backwards from the Plate

Let us take one tomato from the family's meal and walk backward. Before it was sliced, it may have been washed and stored. Before storage, it was transported and harvested. Before harvest, it ripened on a plant. That plant grew within a particular environment and received particular inputs. Water moved through its roots and tissues. The seed carried the biological beginning of that variety. Soil or another growing medium surrounded the root system and supported a community of living organisms.

## Every stage asks a different question

- Storage and processing: What changed after harvest—temperature, moisture, time, handling or preparation?
- Harvest and plant: What was the crop's condition, maturity and response when produce was collected?
- Environment and inputs: What stresses, supports and treatments surrounded the plant?
- Water and seed: What water quality and seed baseline shaped the beginning and continuation of growth?
- Soil/Earth: What physical, chemical and biological conditions formed the root environment?

The sequence matters because "food quality" can be influenced at more than one point. A later stage may preserve an earlier advantage, diminish it, or introduce an entirely new problem. Traceability is therefore more than knowing the farm's name. It is the disciplined reconstruction of a product's history.

> **Boundary Note.** The AHEH pathway includes Soil/Earth, but it is not a soil-only model. Seed, water, inputs, environment and post-harvest handling remain visible throughout.

# The Additional Question Proposed by AHEH

Aura Research Foundation’s enquiry began with repeated field observations made while examining plants, water, soil-related conditions, agricultural inputs, growing environments and food-to-human responses through its own operator-mediated method. The observations were not treated as the end of the enquiry. They became the reason to ask a broader question.

> **AHEH Hypothesis.** Could the complete production and post-harvest journey also preserve, support, weaken or disturb a proposed energy-hygiene condition in plants and plant-derived food?

Agro-Horticultural Energy Hygiene—AHEH—is the name given to this investigational framework. It regards food as a recurring human input and asks whether the history of that input can be studied across the entire Soil-to-Food pathway.

The phrase “Energy Hygiene of food” is not a substitute for cleanliness, nutrition, freshness or safety. It names an additional proposed dimension. To be scientifically useful, that dimension must be defined operationally, measured reliably, compared with conventional outcomes and tested independently.

This distinction protects both curiosity and responsibility. Curiosity allows a new question to be asked. Responsibility prevents the question from becoming a claim before the required evidence exists.

> **Foundation Observation.** Chapter 1 records the origin of the enquiry, not a numbered finding. The Foundation’s specific observations are introduced later with their evidence status and identifiers.

# A First Glimpse of the Frequency Idea

At the centre of the AHEH model is a proposed inclusive 400–752 Hz adaptive-frequency interval. Aura Research Foundation proposes that plants may utilise and show responses within this operational interval. The same numerical interval is used in the Foundation's Human Energy Hygiene framework, but the model does not claim that plants and humans have identical biology, sources, receptors or outcomes.

Within the Foundation's terminology, a reduced response at a nominated frequency inside 400–752 Hz is described as a within-band deficit. Responses classified below 400 Hz or above 752 Hz are described as proposed non-adaptive responses. These terms organise the Foundation's observations and hypotheses; they are not established categories of plant physiology or food certification.

> **Boundary Note.** The proposed interval is an operational research construct. It must not be treated as a recognised nutrient scale, a plant-disease diagnosis, a toxic-exposure threshold or proof of human-health benefit.

The Foundation also proposes a THz-to-Hz interpretation: higher-frequency biological or photonic activity may be reflected or modulated into lower-frequency operational responses. The physical carrier, modulation pathway, measurand and biological meaning remain unvalidated and require independent investigation.

For now, the reader needs only the central idea: AHEH asks whether every stage before the plate can be examined for its relationship to a proposed adaptive condition—and whether that question can be tested without confusing it with what established science already measures.

# Four Voices Keep the Story Honest





*Figure 1.3. The reader should always be able to tell which voice is speaking.*

A new idea becomes confusing when observations, explanations and established facts are blended into one voice. This book keeps them apart.

Established Science describes recognised knowledge supported by independent research. Foundation Observation identifies what Aura Research Foundation reports under its method. AHEH Hypothesis states a proposed explanation or prediction. Research Window identifies the unknown and the next fair test.

The language changes with the evidence. We say “is established” only when independent science supports the statement. We say “was observed” for a Foundation record, “is proposed” for the AHEH interpretation, and “requires validation” for what remains unresolved.

**Why this matters.** The value of a research question does not depend on pretending that the answer is already known. Clear evidence labels allow readers, farmers and scientists to examine the idea fairly.

# One Observation Can Have Many Explanations

Suppose two batches of produce appear different, or an operator records a different response after a treatment. The difference may relate to the proposed AHEH factor—but it may also arise from variety, soil fertility, water chemistry, temperature, light, pest pressure, maturity, sampling, storage time, operator expectation, instrument behaviour or simple chance.

That is why comparison matters. A fair study needs clearly defined treatments, untreated and sham conditions where appropriate, coding and blinding, environmental records, conventional plant and food measurements, adequate replication and complete reporting of positive, negative, mixed and null results.

## The ordinary measures stay beside the new question

- Plant outcomes may include germination, growth, stress indicators, disease, yield and produce quality.
- Food outcomes may include composition, contaminants, residues, microbial safety, sensory quality and storage stability.
- AHEH outcomes remain investigational until the measurement method itself is qualified and reproduced.

> **Boundary Note.** AHEH must never be used to bypass approved agronomy, food-safety standards, residue limits, nutrition guidance or medical care.

This is not a barrier to exploration. It is the route by which exploration can become dependable knowledge. If the proposed effect disappears under stronger controls, the model must be revised. If it remains, the finding must still be replicated by independent teams.

# Why the Hidden Question Matters

For the consumer, the question widens the meaning of traceability. A vegetable is not only a product with a price and appearance; it is the result of a chain. Understanding that chain can help people ask better questions without assuming that any single label guarantees quality.

For the farmer, AHEH proposes a way to document the complete growing system rather than judging one input in isolation. Natural, biological, organic, synthetic and integrated practices must still be compared by named product, dose, timing, conditions, safety and measurable crop outcomes. No category is automatically adaptive or non-adaptive.

For the scientist, the proposal creates a testable problem. Can the operational response be measured reliably? Does it agree between operators and apparatus? Does it relate consistently to soil, plant, food or human outcomes? Do matched, off-target, sham and untreated comparisons separate the proposed effect from expectation and confounding?

For the university, AHEH is an invitation to connect measurement science with plant physiology, agronomy, soil and water science, post-harvest technology, food chemistry, nutrition, statistics and ethics. Participation in research is not endorsement of the theory; it is a disciplined way to determine what the evidence supports.

> **Reader Takeaway.** AHEH does not ask us to choose between familiar food-quality science and a new question. It asks whether the new question can be defined and tested alongside the familiar ones.

# The Question We Carry Forward

Return to the family meal. Nothing on the plate has changed merely because we have told its story. Yet the way we see it has changed. The rice, vegetables, pulses and fruit now have a visible history. Behind each food stand Soil/Earth, Seed, Water, Inputs, Environment, Plant, Harvest, Processing and Storage.

Established science already gives us powerful ways to examine many parts of this history. AHEH adds a proposed question about whether the complete journey may also be reflected in an operational adaptive-frequency condition. That proposition includes the 400–752 Hz interval, within-band deficits and responses classified by the Foundation below or above the interval—but every part requires careful measurement and independent validation.

> **Research Window.** Can ordinary food-quality measures and the additional AHEH question be defined together without confusing one for the other?

## Three things to remember

- The plate is the end of a chain; food quality begins long before the meal.
- Safety, nutrition and recognised agricultural science remain non-negotiable.
- AHEH is a proposed research lens whose measurements, mechanisms and claimed relationships require validation.

## Context sources

Codex Alimentarius Commission, General Principles of Food Hygiene (CXC 1-1969); Food and Agriculture Organization and World Health Organization, Sustainable Healthy Diets—Guiding Principles (2019); AHEH Integrated Three-Document Alignment Master Design; AHEH Research Monograph, Chapters 1, 3, 4 and 16.

> **Bridge to Chapter 2.** If AHEH follows food from its agricultural beginnings into human nutrition, where does it belong within the wider Energy Hygiene Framework—is it a separate pillar, or part of an existing one?

CHAPTER 2

# AHEH within the Three-Pillar Energy Hygiene Framework

*Three environments. One connected life.*





*Figure 2.1. The three pillars describe connected influences without merging their distinct roles.*

Step outside a home and notice the place around you. Step inside and notice the person who lives there. Then follow one ordinary day—the water used, the food eaten, the sleep taken, the movement made and the habits repeated. The Energy Hygiene Framework arranges these experiences into three connected environments.

# Three Pillars, Not Three Isolated Boxes

The first environment is around us: earth conditions, buildings, rooms, objects and other surroundings. The second is the individual: the person's proposed energy-state factors. The third is the pattern of daily life: food and nutrition, water, sleep, physical activity and other sustaining practices.

These environments meet constantly. A person sleeps in a room, drinks water, eats food and moves through different spaces. Yet connection does not mean sameness. A building question is not automatically a personal question. A nutrition question is not automatically an environmental assessment. The pillars help us identify the main domain in which a question should be studied.

> **Reader's question.** If AHEH begins in Soil/Earth, passes through the growing environment and ends with food entering a person, is AHEH a separate fourth pillar?

The short answer is no. AHEH touches the environmental and personal pillars, but its home is within Food and Nutrition under Pillar 3—Lifestyle Energy Hygiene. It studies the upstream agricultural and post-harvest journey that produces a recurring lifestyle input: food.

> **Reader Takeaway.** The pillars tell us where an enquiry principally belongs. AHEH belongs within Food and Nutrition even though its pathway connects with the environment and the person.

# The Framework at a Glance





*Figure 2.2. AHEH is the upstream Soil-to-Food research pathway within Food and Nutrition in Pillar 3.*

> **Established Science.** Environment, behaviour, food and human physiology interact, but recognised disciplines examine them through different methods, outcomes and professional boundaries.

Environmental health and building science examine surroundings and exposures. Physiology, psychology and clinical disciplines examine the person. Agronomy, food science, nutrition and public health examine production, safety, composition, dietary patterns and health-related outcomes. Their methods can meet in multidisciplinary research without losing their identities.

The three-pillar structure follows the same principle. It offers a map for organising questions. It does not claim that every influence has the same mechanism, measurement or level of evidence.

# Pillar 1 — The Environment around Life

Environmental Energy Hygiene concerns the spaces and material surroundings in which people live and work. Within the Foundation framework, this includes Earth-related, structural, external, internal and object-related influences. These proposed energy classifications remain investigational and are not substitutes for recognised environmental measurements.

AHEH meets Pillar 1 because plants also grow within an environment. Soil or another root medium, water sources, climate, light, temperature, humidity, wind, nearby structures, pests and field management can all form part of the plant's surroundings. Established plant science already investigates many of these factors through measurable biological and agronomic outcomes.

> **AHEH connection.** The growing environment is one link in the Soil-to-Food chain. AHEH asks whether that environment may also support, leave unchanged, weaken or disturb a proposed adaptive-frequency condition in the plant and produce.

This connection does not move AHEH into Pillar 1. The environmental factor is being followed because it may influence the food pathway. If the primary question instead concerns a home, office or other built space and its occupants, the enquiry belongs principally to Environmental Energy Hygiene.

## A simple placement test

- Question about a field condition affecting a crop and produce: AHEH within Food and Nutrition.
- Question about a building condition affecting occupants: Environmental Energy Hygiene.

> **Boundary Note.** AHEH never replaces soil testing, water testing, agronomy, environmental monitoring or food-safety controls.

# Pillar 2 — The Person Who Receives the Food

Personal Energy Hygiene concerns the proposed energy state of the individual. In the wider Foundation framework, personal assessment may include adaptive-frequency deficits, non-adaptive responses and other operational constructs. These are Foundation-defined classifications requiring independent measurement qualification and clinical separation.

AHEH meets Pillar 2 at the human end of the journey. Food is eaten, digested and incorporated into daily life. That creates an important research question: if plant-derived foods differ in their proposed AHEH profile, is any consistent difference later observed in the person?

> **AHEH Hypothesis.** A staged Food-to-Human programme may test whether qualified differences in plant-derived food are followed by reproducible differences in investigational human responses, alongside conventional nutrition and physiology outcomes.

The word staged is essential. A field observation does not establish a human benefit. Before human research, the food must be safe, traceable and nutritionally characterised. The plant-side measurement must be reliable. Studies then require ethics approval, informed consent, coding, suitable comparisons and medical boundaries.

Even if an investigational human response changes after eating a food, that alone does not prove improved health. Alternative explanations include nutrient content, expectation, meal composition, timing, hydration, sleep, medication, illness and normal biological variation.

> **Boundary Note.** AHEH does not diagnose, treat or prevent disease, and it does not replace nutritional or medical advice. Human-health claims require appropriate independent evidence.

# Pillar 3 — Daily Practices That Sustain Life

Lifestyle Energy Hygiene concerns recurring practices through which a person sustains everyday life. Food and Nutrition, Water, Sleep, Physical Activity and other habits belong here because they repeatedly enter or shape the person's daily state.

Food is unlike a one-time object placed in a room. It is selected, prepared and consumed again and again. For this reason, the agricultural story behind food becomes relevant to Lifestyle Energy Hygiene. AHEH follows that story upstream—from the plate to harvest, plant, growing environment, inputs, water, seed and Soil/Earth.





*Figure 2.3. AHEH is the upstream research bridge feeding the Food and Nutrition domain.*

> **Controlled placement.** AHEH is an upstream food-quality research extension within Food and Nutrition under Pillar 3—Lifestyle Energy Hygiene.

The word upstream keeps the full pathway visible. The word food-quality keeps the subject connected to recognised safety, composition and nutrition. The word research prevents an investigational construct from being mistaken for a certification or settled scientific category.

# Why AHEH Is Not a Fourth Pillar

A new framework can become difficult to understand if every specialised enquiry is promoted into a new pillar. AHEH has a wide pathway, but width does not create a separate foundation. Its purpose is to study the upstream history of food, and Food and Nutrition already have a clear place within Lifestyle Energy Hygiene.

## The classification protects clarity

- It prevents Soil/Earth from making AHEH appear to be only an environmental-space practice.
- It prevents Food-to-Human research from making AHEH appear to be a personal diagnostic system.
- It keeps food safety, nutrition and agronomy beside the AHEH hypothesis rather than beneath it.
- It lets universities assign the right disciplines, controls and outcome measures to each research question.

> **Framework rule.** AHEH may connect with Pillars 1 and 2. Its principal domain remains Food and Nutrition in Pillar 3.

The distinction also helps with public communication. A reader should not infer that changing one farm input automatically changes a person's health, or that a personal reading can certify a food. The pathway contains several separate links. Each link must be tested before claims are carried across it.

In this way, the three-pillar map does more than organise a book. It limits overstatement. It shows where AHEH begins, where it connects, where it ends and which professional safeguards must remain active along the route.

# One Tomato, Three Pillars

Imagine again the tomato from Chapter 1. In the field, its plant encounters soil conditions, water, inputs, sunlight, temperature and pests. Those surroundings create an environmental connection. Because the enquiry follows how the crop and produce were shaped, the question remains within AHEH's upstream Food and Nutrition pathway.

At the table, the tomato becomes part of a meal. Its freshness, microbial safety, residues, composition, portion and preparation belong to recognised food and nutrition assessment. AHEH adds the proposed question of whether its adaptive-frequency profile was preserved or disturbed across the complete chain.

After the meal, a research team might observe the person. Conventional outcomes could include dietary intake, tolerance or physiological measures appropriate to the protocol. Investigational Foundation outcomes would be analysed separately. This creates a personal connection, but the food study still originates within Food and Nutrition.

**Alternative explanations.** A difference associated with the tomato may arise from variety, ripeness, soil fertility, water chemistry, storage, preparation, meal composition, expectation or ordinary variation—not necessarily from the proposed AHEH factor.

## Ask where the main question lives

- What surrounded the plant while it became food? AHEH, with an environmental connection.
- What is the food's safety, composition and dietary role? Food science and Nutrition within Pillar 3.
- What is the individual's proposed energy state? Personal Energy Hygiene, with appropriate boundaries.

**Reader Takeaway.** Connected questions can be studied together without being labelled as the same question.

# The Same Operational Interval, Different Living Systems

The AHEH and Human Energy Hygiene frameworks use the same proposed inclusive 400–752 Hz adaptive-frequency interval. This shared numerical language supports a continuity hypothesis: a plant-derived food begins in one living system and later enters another.

But continuity is not identity. A plant has roots, leaves, photosynthetic processes and its own regulatory biology. A human has organs, nervous and endocrine systems, metabolism and different forms of regulation. The use of the same operational interval does not establish the same physical source, receptor, mechanism or physiological meaning in both systems.

> **Boundary Note.** The 400–752 Hz interval is a Foundation-defined investigational classification. It is not an established plant or human physiological bandwidth.

Within the Foundation model, reduced responses at nominated frequencies inside the interval are described as within-band deficits. Responses below 400 Hz or above 752 Hz are classified as proposed non-adaptive responses. The THz-to-Hz interpretation remains a hypothesis about how higher-frequency biological activity might be reflected or modulated into low-frequency operational responses.

Placing AHEH correctly within the three pillars prevents this shared terminology from creating an automatic health claim. Plant findings belong first to plant and food research. Human implications require a separate, staged and ethically governed Food-to-Human programme.

> **Foundation Observation.** This chapter records the Foundation’s controlled framework placement and terminology. It does not introduce a new numbered plant or human finding.

# A Clear Home for a Connected Enquiry

The three pillars now give AHEH a clear address. Environmental Energy Hygiene concerns the surroundings around human life. Personal Energy Hygiene concerns the proposed energy state of the individual. Lifestyle Energy Hygiene concerns recurring practices, including Food and Nutrition.

AHEH begins upstream of the meal, where Soil/Earth, Seed, Water, Inputs, Environment, Plant, Harvest, Processing and Storage contribute to plant-derived food. It can connect with environmental factors and later human research, but its principal home remains Food and Nutrition in Pillar 3.

**Research Window.** Can independent readers consistently place real AHEH examples in the correct pillar and domain—and explain why AHEH is not a fourth pillar?

## Three things to remember

- The three pillars are connected environments with distinct roles and evidence boundaries.
- AHEH is the upstream Soil-to-Food research pathway within Food and Nutrition under Pillar 3.
- Plant, food and human findings must not be carried across the pathway without separate tests.

## Context sources

AHEH Foundations Book Reader-Story Master Design; AHEH Integrated Three-Document Alignment Master Design; Energy Hygiene Integrated Three-Document Master Design; AHEH Research Monograph, Chapters 2–4.

**Bridge to Chapter 3.** Now that AHEH has a clear place within the framework, we can follow one seed through the complete Soil–Seed–Water–Plant–Food–Human journey and see how every link remains connected.

PART I • WHY FOOD QUALITY BEGINS BEFORE THE PLATE

## CHAPTER 3

# The Soil–Seed–Water–Plant–Food–Human Journey

***One seed becomes our travelling companion.***





*Figure 3.1. A food's history begins before germination and continues beyond harvest.*

Hold one seed in your hand. It appears quiet and self-contained. Yet it carries a variety, a biological starting condition and a future that will depend on what happens next. Once planted, it will meet Soil/Earth, water, agricultural inputs, weather, light, pests, people and decisions. If it becomes food, its journey will continue through harvest, handling, processing, storage, preparation and finally the human plate.

# How Can One Food Carry a Whole History?

Imagine that our seed becomes a tomato plant. Months later, a ripe tomato sits in a market basket. The seed is no longer visible. Neither are the irrigation events, soil conditions, fertiliser applications, pest pressures, days of heat, handling steps or hours in storage. The food is present; most of its history is hidden.

> **Reader's question.** How can one food carry the history of an entire growing system?

Recognised traceability answers part of this question. Records can connect a food with its variety, source, field or production unit, inputs, dates, harvest lot, processing steps, storage conditions and movement through the supply chain. Traceability does not mean that every factor caused a later outcome. It means the pathway can be reconstructed well enough to investigate what happened.

AHEH begins with this traceable chain and adds a further proposition: the final produce may reflect the cumulative Energy Hygiene of the complete Soil-to-Produce journey. That proposition is not established by the record itself. It becomes testable only when the stages, treatments, comparisons and outcomes are defined in advance.

> **Reader Takeaway.** Food is not an isolated object; it is the visible end of an invisible chain.

We will therefore move forward one link at a time. At each stop, we will ask what established science can already measure, what the Foundation has observed, and what AHEH still proposes for independent testing.

# The Complete Continuum





*Figure 3.2. The canonical AHEH continuum keeps every production, post-harvest and human handoff visible.*

The arrows do not claim a single mechanism. They show sequence and custody. Matter moves: water and nutrients enter the plant; harvested produce moves through handling and storage; food enters a meal. Information also moves: identities, dates, conditions and measurements can be linked across the chain.

> **AHEH proposition.** At every stage, a condition or intervention may support, leave unchanged, deplete or disturb the proposed adaptive-frequency profile that is later examined in the plant or produce.

Within the Foundation model, 400–752 Hz is the proposed inclusive plant adaptive interval. A reduced response at a nominated frequency inside that interval is recorded as a within-band deficit; responses below 400 Hz or above 752 Hz are classified as proposed non-adaptive responses. These are investigational classifications—not recognised plant-physiology bands or food-quality grades.

# First Encounters — Soil/Earth and Seed

Before the first root appears, two histories meet. The seed brings genetics, vigour, maturity, health and prior storage conditions. The Soil/Earth setting brings physical structure, moisture, aeration, chemistry, biology and a particular site. In soilless systems, the root medium and nutrient environment perform related production roles and must be described just as carefully.

> **Established Science.** Seed quality and the root-zone environment can influence germination, establishment, nutrient access, stress and later crop performance. These relationships are measured through recognised seed, soil, substrate and plant methods.

AHEH adds separate questions. Does the untreated seed show a qualified proposed adaptive profile? Does the root-zone setting carry responses that the Foundation classifies as supportive, deficient or non-adaptive? If a treatment is applied, is any subsequent change reproducible when seed lot, variety, moisture, temperature and handling are controlled?

The Foundation has reported preliminary observations involving Seed and Soil/Earth-related conditions. Later chapters will present the observation groups and their evidence status. Here they serve only as a reason to keep both links in the journey rather than reducing AHEH to soil alone.

## What the journey record must retain

- Seed identity, source, lot, age, storage, treatment and baseline germination information.
- Site or medium identity, sampling location, recognised soil or substrate measures and management history.

> **Boundary Note.** No proposed AHEH response replaces seed certification, soil analysis, pathogen testing or agronomic judgement.

# Resources and Protection — Water and Inputs

As the seed germinates, the journey accelerates. Water supports imbibition, transport, photosynthesis, cooling and growth. Nutrient inputs may correct limitations. Pest and disease management may protect the crop. Biological, natural, synthetic and integrated products can each vary greatly in composition, dose, timing and effect.

Recognised assessment asks practical questions: What is in the water? Is it microbiologically and chemically suitable? Which product was used, at what dose, on what date and under what conditions? What happened to plant growth, injury, pest pressure, yield, residues and the surrounding environment?

> **AHEH question.** Does a named water or input condition produce a reproducible change in the proposed plant response when compared with untreated, sham, matched and off-target conditions?

The Foundation has reported preliminary observations involving water and agricultural inputs, including changes after selected adaptive-frequency procedures. Such reports identify experiments to be performed; they do not show that all natural inputs are supportive or that all synthetic inputs are non-adaptive.

## Comparison before conclusion

- Name the water source, treatment, apparatus, frequency, timing and storage interval.
- Name the fertiliser, pesticide or biological input, formulation, dose and application route.
- Measure recognised crop, safety and environmental outcomes beside investigational AHEH outcomes.

> **Boundary Note.** Input safety, legal use, residue limits, water quality and crop-protection standards remain non-negotiable.

# Where the Journey Becomes a Living Plant

The plant does not receive each influence as a separate box. Roots integrate water, minerals, oxygen and biological interactions. Leaves receive light and exchange gases. Temperature, humidity, wind, pests, disease, spacing and management alter demand. Signals and resources move across the organism while growth and repair continue.

> **Established Science.** Plants regulate water relations, metabolism, development and stress responses through interacting physiological and molecular processes. The outcome depends on timing, intensity, duration, genotype and prior condition.

This living integration is why a simple list of inputs is not enough. Two plants given the same product may respond differently because their root zones, weather, developmental stages or stress histories differ. AHEH studies must therefore record the environment and the plant's recognised biological condition, not only an operator-mediated reading.

Within the AHEH model, the plant is proposed to utilise and respond across the inclusive 400–752 Hz interval. But the numerical interval does not explain plant biology by itself. The physical measurand, carrier, modulation pathway and relationship to physiology remain to be independently established.

> **Foundation observation preview.** The Foundation's plant and growing-environment observations suggest response changes worth testing under blinded, controlled and replicated conditions. Detailed observation narratives appear later in the Book.

The plant is therefore more than another station on the route. It is the living integrator through which earlier conditions may—or may not—become visible in growth, resilience, yield and harvested produce.

# The Journey Does Not End at Harvest

Harvest is a biological and logistical turning point. Produce is separated from the plant, but it may continue to respire, lose water, ripen, soften or deteriorate. Temperature, humidity, time, hygiene, physical injury, packaging, transport and atmosphere can affect shelf life, safety, appearance and composition.

Processing may wash, cut, dry, mill, ferment, cook, freeze or otherwise transform food. Storage may protect quality or allow losses. Each operation can be necessary and beneficial when properly designed; each must also be documented if later differences are to be interpreted.

> **Established Science.** Post-harvest and food science evaluate microbial safety, contaminants, residues, composition, sensory quality, physical damage, temperature history and storage stability using recognised methods.

AHEH asks whether the proposed adaptive profile measured at harvest remains stable, changes or becomes accompanied by responses classified as non-adaptive during processing and storage. The question must never be answered by appearance alone. Nor can an AHEH reading certify that food is microbiologically safe or nutritionally superior.

## Protect the chain of identity

- Assign harvest lots and preserve links to field, variety, treatment and date.
- Record washing, processing, packaging, temperature, duration, transport and storage conditions.
- Use coded samples so assessors and laboratories can work without knowing the treatment identity.

> **Boundary Note.** A product must meet applicable food-safety requirements regardless of its proposed AHEH profile.

# A Cumulative Story, Not a Single Cause





*Figure 3.3. Every classification requires a qualified measurement and a defined comparison.*

The diagram gives the same question to every stage, but it does not turn the journey into a simple score. A supportive observation at one handoff may not erase a later disturbance. A changed reading may be temporary. Different stages may interact, and ordinary biological or measurement variation may mimic a pattern.

> **Cumulative does not mean automatic.** The final produce is proposed to reflect the journey, but no single stage should be declared causal until alternatives have been controlled and the result has been replicated.

A useful experiment therefore preserves both timelines: the recognised production timeline and the proposed AHEH-response timeline. Researchers can then ask whether changes occur together, whether one precedes another, whether dose or timing matters, and whether the association survives blinding, sham controls and independent repetition.

Support, unchanged, deficit and non-adaptive are research descriptions within the Foundation model. They are not labels for organic, conventional, biological or integrated farming systems, and they are not consumer certification marks.

# From Visible Food to the Human Plate

At last, our seed's descendants appear as food. The tomato can now be weighed, inspected, analysed, cooked and eaten. Yet its arrival at the plate does not allow the journey to skip a scientific step. Plant evidence cannot be carried directly into a human-health conclusion.

The food must first be safe and traceable. Its composition, contaminants, residues, processing and storage must be characterised for the intended study. Any proposed AHEH measurement must have acceptable reliability. Only then can coded and ethically approved Food-to-Human research examine investigational responses beside conventional nutrition or physiological outcomes.

> **The human link.** Food and Nutrition remain within Pillar 3—Lifestyle Energy Hygiene. AHEH provides the upstream history; human research asks a later, separate question about what follows consumption.

The Foundation has reported preliminary Food-to-Human observations. These do not establish improved nutrition, prevention or treatment of disease. Expectation, meal composition, hydration, time of day, medication, health status and normal variation are among the alternative explanations that staged studies must address.

## The evidence gates

- Qualified apparatus and operator reliability before biological claims.
- Controlled plant and food findings before human translation.
- Safety, ethics, informed consent and independent analysis before health interpretation.

> **Boundary Note.** Energy Health Food is a proposed research designation only after safety, traceability and nutrition are addressed; it is not yet a validated public food standard.

# The Whole Journey Is Now Visible

Our travelling seed has shown why AHEH cannot be explained by soil alone. Seed quality shapes the beginning. Water and inputs accompany growth. The environment surrounds the living plant. Harvest changes custody. Processing and storage may preserve or alter the food. The human being receives the final product through Nutrition.

Recognised science already provides measurements at every part of this route. AHEH adds a proposed continuity question: is a qualified adaptive-frequency profile across 400–752 Hz preserved, depleted or disturbed as the food moves through the chain? The question becomes scientifically useful only when it is linked to traceable stages, suitable controls and established outcomes.

**Research Window.** Which links in this continuum already have accepted measurements, which contain Aura Research Foundation observations, and which remain AHEH hypotheses requiring new tests?

## Three things to remember

- Food is the visible outcome of connected production and post-harvest stages.
- The cumulative AHEH proposition does not make any one stage automatically causal.
- Plant, food and human claims require separate evidence gates and professional safeguards.

## Context sources

Codex Alimentarius Commission, Principles for Traceability/Product Tracing (CAC/GL 60-2006); ISO 22005:2007, Traceability in the Feed and Food Chain; Taiz et al., Plant Physiology and Development; AHEH Integrated Three-Document Alignment Master Design; AHEH Research Monograph, Chapters 3, 16 and 24.

**Bridge to Chapter 4.** The journey has revealed a living centre: the plant. We now pause beside it to understand how plants regulate water, resources, growth and stress before examining any proposed adaptive-frequency response.

PART II • THE PLANT ADAPTIVE-FREQUENCY STORY

CHAPTER 4

# Plants as Living, Regulating Systems

***At sunrise, a quiet field is already busy.***





*Figure 4.1. Regulation connects what happens around the plant with what happens within it.*

Light reaches the leaves. Stomata adjust. Water begins its upward journey. Roots exchange materials with the soil or growing medium. Sugars move toward developing tissues. Signals pass from one region to another. The plant appears rooted and still, yet its living processes are continuously responding.

# How Does a Plant Stay Alive While Everything Changes?

A morning may begin cool and humid, become bright and hot, then end with dry soil and a falling temperature. Light, water, nutrients, gases, wind, pests and injury do not remain constant. Even the plant changes as a seedling becomes a mature, flowering or fruiting organism.

**Reader's question.** How does a plant remain alive while its environment keeps changing?

The answer is not that the plant keeps everything fixed. It regulates. Cells sense change, signals coordinate activity, and tissues adjust water use, gas exchange, metabolism, growth and defence. Some adjustments occur within seconds; others unfold across hours, days or seasons.

**Established Science.** Plant homeostasis is dynamic regulation: maintaining workable internal conditions through continuing adjustment, not preserving one unchanging state.

Regulation has limits. A plant may compensate for a mild disturbance but be damaged by a severe or prolonged one. A response that protects survival today may reduce growth or yield tomorrow. The result depends on species, variety, age, timing, intensity, duration and prior experience.

This established biological story must be understood before any AHEH interpretation is added. Plant homeostasis supports the statement that plants regulate; it does not validate the Foundation's proposed frequency classifications, apparatus or mechanisms.

**Reader Takeaway.** A plant is not passive; it continuously manages change.

# Sensing, Signalling and Feedback





*Figure 4.2. A plant repeatedly reassesses whether an adjustment has restored function or whether strain remains.*

Plants have no brain or animal nervous system, but their cells communicate. Hormones, ions, calcium changes, reactive oxygen signals, electrical events, hydraulic changes and mobile molecules can help coordinate local and whole-plant responses. Different signals may travel at different speeds and interact.

Feedback gives regulation direction. If water loss falls after stomata partly close, leaf water status may recover. If the root zone remains dry, further adjustments may follow: slower leaf expansion, altered root growth, reduced photosynthesis or an earlier transition to reproductive development.

> **Important distinction.** A biological signal is not automatically an AHEH frequency. Its physical identity and measurement must be demonstrated rather than inferred from the word ‘signal.’

# Water — The Moving Thread

Water connects the root zone, vascular system, leaves and atmosphere. It helps cells maintain turgor, carries dissolved materials, participates in photosynthesis and enables cooling through transpiration. Its movement depends on gradients, tissue properties and environmental demand.

Stomata create a central balancing problem. Opening allows carbon dioxide to enter for photosynthesis, but water vapour escapes. Closing can conserve water, yet it may also restrict carbon gain and cooling. The plant continually adjusts this trade-off rather than choosing one permanent setting.

> **Established Science.** Water status can be examined through recognised measures such as soil moisture, plant or leaf water potential, stomatal conductance, transpiration, relative water content and growth response.

Root condition matters as much as visible leaf condition. Compaction, oxygen shortage, salinity, root damage, temperature and microbial interactions can change uptake. A leaf may wilt because the soil is dry, because roots are impaired, or because atmospheric demand exceeds the rate of supply.

## One symptom, several possible causes

- Temporary midday wilting may reverse when demand falls.
- Persistent loss of turgor may indicate continuing water or root-zone stress.
- Similar appearance does not prove the same underlying mechanism.

> **AHEH relevance.** Any proposed response change should be interpreted beside water and root-zone measurements, not in their absence.

# Light Is Both Resource and Information

Light supplies energy for photosynthesis, but plants also use light as information. Photoreceptors detect aspects of light quality, intensity, direction and duration. These cues influence germination, seedling form, leaf movement, flowering and other developmental processes.

Too little light can limit carbon gain. Excess light can exceed the capacity of photosynthetic processes and contribute to photoinhibition or damage, especially when combined with heat, cold or water stress. Plants use protective adjustments that dissipate energy, alter pigments and repair affected components.

> **Established Science.** Photobiology and circadian regulation help plants align metabolism and development with day–night cycles and seasonal cues.

A plant's response therefore depends on timing. The same irrigation, temperature or treatment may not have the same effect at dawn, midday or night. Developmental timing matters too: a seed, young leaf, flowering plant and ripening fruit have different demands and sensitivities.

## A day is a sequence, not one exposure

- Dawn: light rises and gas exchange may increase.
- Midday: heat and atmospheric demand may intensify water stress.
- Night: respiration, transport, growth and repair continue without photosynthesis.

> **Research implication.** AHEH records should preserve time of day, light conditions, developmental stage and recent stress history.

# Resources Must Be Acquired and Allocated

A plant needs mineral nutrients in appropriate forms and amounts, but uptake is only the beginning. Nutrients must be transported, incorporated into metabolism and directed toward competing needs. Sugars made in photosynthetic tissues must also move toward roots, young leaves, flowers, fruits, seeds, storage organs and repair sites.

This creates allocation choices. Under favourable conditions, growth may be rapid. Under stress, the plant may invest more in roots, protective compounds, maintenance or reproduction. These shifts can support survival while changing size, composition or yield.

> **Established Science.** Plant nutrition is assessed through root-zone chemistry, tissue analysis, deficiency symptoms, growth, yield and physiological measures. More input is not automatically better; imbalance, toxicity and antagonism are possible.

The plant also interacts with bacteria, fungi and other organisms around roots and leaves. Some interactions assist nutrient acquisition or protection; others cause disease or competition. Their effects depend on organism, host, environment and management.

For AHEH, this means an apparent improvement after an input cannot be attributed to a proposed adaptive-frequency action until ordinary explanations have been examined. Nutrient correction, hydration, microbial effects, changed pH, reduced pest pressure and experimental handling may all influence the plant.

> **Boundary Note.** AHEH never replaces nutrient diagnosis, fertiliser stewardship, soil biology, plant pathology or crop-management standards.

# Stress, Acclimation, Damage and Recovery

Stress is not one thing. Drought, flooding, salinity, heat, cold, high light, nutrient imbalance, pollutants, pests and physical injury challenge different processes. Several stresses may also occur together, producing an outcome that cannot be predicted by studying each one alone.

A plant may acclimate by changing gene expression, metabolism, anatomy, water use, root–shoot balance or protective chemistry. If the challenge is removed, some functions may recover quickly while others remain altered. Severe damage may be irreversible even when the leaves still look green.

> **Established Science.** Stress physiology distinguishes exposure, perception, response, acclimation, injury, recovery and longer-term adaptation. These terms should not be collapsed into a single label.

## Four questions reveal the plant's condition

- What changed, and for how long?
- Which process responded first?
- Did recognised function recover after the challenge ended?
- Was survival achieved at a cost to growth, yield or food quality?

AHEH uses words such as support, depletion and disturbance for its proposed operational responses. These must not be treated as synonyms for plant vigour, deficiency, toxicity or disease. The two vocabularies can be studied together only when each is measured independently.

> **Practical meaning.** A photograph or one-time reading may capture a moment; understanding regulation requires a timeline.

# How Do We Know a Plant Has Responded?

No single measurement describes the whole plant. Height may increase while tissue quality changes. Leaves may remain green while photosynthetic efficiency falls. Yield may be maintained for one season at the cost of reserves or later resilience. Researchers therefore select outcomes that match the biological question.

## Recognised outcome families

- Establishment: germination, emergence, survival and early vigour.
- Function: gas exchange, chlorophyll fluorescence, water status and nutrient status.
- Growth and development: leaf area, biomass, flowering, fruiting and maturity.
- Stress and damage: symptoms, membrane injury, disease, pest burden and recovery.
- Production: yield, marketable quality, composition and post-harvest behaviour.

> **Study principle.** Measure close to the proposed mechanism and also measure the outcome that matters. Record the experimental unit, baseline, timing and environmental conditions.

Repeated measurements can reveal whether a change is transient, cumulative or delayed. Untreated, sham and appropriate comparison groups help separate treatment effects from handling, expectation, drift and natural variation.

This measurement discipline creates the proper setting for AHEH. An investigational profile should be examined beside direct plant outcomes, not used as a substitute for them.

> **No borrowing of validation.** The scientific validity of photosynthesis, water potential or germination testing does not automatically validate Plant Aura or OMRDA assessment.

# Where the AHEH Question Enters





*Figure 4.3. AHEH becomes testable when its operational findings are kept separate and compared with direct plant measurements.*

Aura Research Foundation uses Plant Aura as a public-facing operational term for proposed whole-plant and frequency-specific responses assessed within its framework. The assessment is operator-mediated and investigational. Its repeatability, apparatus contribution, operator contribution and physical measurand require qualification.

**AHEH hypothesis.** If an AHEH response reflects a meaningful aspect of plant condition, qualified changes in that response should show reproducible relationships with direct measures of regulation, damage, recovery or resilience under controlled conditions.

FO-01 to FO-04 later describe the Foundation's early plant observation cluster. This chapter only foreshadows those reports. It does not use them as proof of plant homeostasis, nor use established plant science as proof of the AHEH construct.

Agreement would support further research, not establish identity or causation. Disagreement would also be informative: it could reveal timing differences, measurement error, confounding, an incomplete hypothesis or absence of the proposed relationship.

# The Living Centre of the AHEH Journey

Chapter 3 followed a seed through a chain. Chapter 4 has revealed what happens at the living centre of that chain. The plant senses changing conditions, communicates across tissues, balances water and carbon, acquires and allocates resources, protects itself, grows, reproduces and sometimes recovers from stress.

These established processes explain why plant condition cannot be reduced to one input or one moment. They also define the outcomes against which any AHEH proposition must be tested. Plant Aura may be an operational research profile, but it cannot stand in for plant physiology.

**Research Window.** Do qualified changes in Plant Aura correspond with direct measures of physiology, damage, recovery or resilience—and do those relationships remain under blinding, controls and independent replication?

## Three things to remember

- A plant is a living, regulating system—not a passive receiver of inputs.
- Homeostasis is dynamic and has limits; adjustment may carry biological costs.
- Established plant science provides context and comparison, not borrowed validation for AHEH.

## Context sources

Taiz et al., Plant Physiology and Development; Buchanan, Gruissem and Jones, Biochemistry & Molecular Biology of Plants; Jones, Plants and Microclimate; AHEH Foundations Book Reader-Story Master Design; AHEH Research Monograph, Chapters 5 and 18.

**Bridge to Chapter 5.** We now know that plants and humans regulate life in very different ways. The next chapter asks why the Foundation nevertheless uses one proposed inclusive 400–752 Hz interval for both living systems.

PART II • THE PLANT ADAPTIVE-FREQUENCY STORY

CHAPTER 5

# Plants and Humans: One Proposed Adaptive Interval

***The musician lifts a flute, then turns toward a cello.***





*Figure 5.1. A shared scale does not make two instruments identical.*

Both instruments can play the same named notes. Yet one shapes moving air through a metal tube; the other uses vibrating strings, wood and a bow. Their construction, tone and response are different. The shared scale is a map that lets the musicians coordinate—it is not a claim that the instruments work by one mechanism.

# Why Does One Interval Appear Twice?

**Reader's question.** Why does 400–752 Hz appear in both Plant and Human Energy Hygiene?

Aura Research Foundation uses a similar coordinating map. Within its model, 400–752 Hz inclusive is the proposed adaptive-frequency interval for both plants and humans. The two boundaries—400 Hz and 752 Hz—belong inside the interval.

The musical analogy helps us understand the limited claim. Plants and humans may be examined against the same nominated range, just as different instruments may use the same scale. But the analogy does not prove that a plant and a human generate, receive or use those frequencies through the same physical or biological process.

**AHEH idea.** One proposed operational interval provides a common research language across the plant–food–human journey. It does not establish a universal biological mechanism.

The word operational is important. It means the range is used to organise observations, classifications and tests. Before it can be accepted as a physical or biological quantity, researchers must identify what is being measured, how reliably it is measured and what recognised outcome it predicts.

This chapter therefore holds two thoughts together: the proposed interval is central to the Foundation's model, and its meaning remains an investigational question.

**Reader Takeaway.** Same proposed interval; different living systems.

# The Proposed 400–752 Hz Map





*Figure 5.2. The Foundation's proposed operational classification. It is a research model, not an established biological law.*

The centre band is written 400–752 Hz inclusive. This means every nominated test value from the lower boundary through the upper boundary belongs to the proposed adaptive interval. A response at exactly 400 Hz or exactly 752 Hz is not placed outside it.

In the Foundation framework, responses below 400 Hz and above 752 Hz are classified as proposed non-adaptive responses. This language describes an investigational classification. It must not be read as proof that every physical exposure outside the band is harmful, toxic or biologically active.

> **Boundary Note.** Below 400 Hz and above 752 Hz are proposed non-adaptive regions in the AHEH model; they are not established hazard limits for plants, humans, food or environments.

# Shared Map, Very Different Biology

Plants and humans are living organisms, but their bodies solve life's problems differently. A plant fixes carbon through photosynthesis, grows from meristems, exchanges water with the atmosphere through stomata and coordinates development without an animal nervous system. A human obtains energy and nutrients through food, uses specialised sensory organs and possesses neural, endocrine, immune and circulatory systems organised in another way.

## Differences that cannot be skipped

- Anatomy: roots, leaves and vascular tissues are not human organs.
- Receptors and signalling: each organism detects and coordinates change through its own structures and pathways.
- Metabolism: photosynthetic carbon gain and human digestion are fundamentally different processes.
- Outcomes: germination, gas exchange and yield cannot be replaced by human physiological or nutritional outcomes—and vice versa.

> **Established Science.** Similarity in a nominated numerical interval does not erase differences in anatomy, receptors, metabolism, development or physiology.

For this reason, a result obtained in a plant cannot automatically validate a human claim. Nor can a human observation be used to prove a plant mechanism. Each living system requires its own qualified measurements, controls and independent outcomes.

> **No borrowing of validation.** The established fact that plants and humans regulate their internal condition does not validate the proposed AHEH interval or the Foundation's assessment method.

# A Clear Public Vocabulary

A reader needs words that can be followed without confusing an observation with a mechanism. The revised AHEH framework therefore uses public-facing Aura terminology while keeping its investigational status visible.

**Plant Aura.** The public umbrella term for the Foundation's proposed plant response as assessed within its operational framework. It is not presented as a direct photograph, photon count or established physical field.

**Overall Plant Adaptive Aura.** A whole-profile summary associated with the proposed 400–752 Hz inclusive adaptive interval. A larger value is not automatically better growth, health, yield, nutrition or safety.

**Frequency-Specific Plant Aura.** The response associated with one nominated test frequency. It allows the Foundation to describe a stronger, weaker or changed response at that setting without claiming a known receptor or mechanism.

**Human Aura.** The corresponding public umbrella term used in Human Energy Hygiene. Sharing vocabulary and a proposed range does not mean that plant and human biology are identical.

These terms are labels for a research programme. Their usefulness depends on repeatability, transparent procedures, appropriate controls, calibrated measurement and relationships with outcomes that can be assessed independently.

# Why the Shared Interval Matters to Food

A plant does not remain in the field forever. It may become a grain, fruit, vegetable, pulse, oilseed, herb or other food. Harvested material then passes through handling, processing, transport, storage and cooking before it enters human Nutrition.

The Foundation’s shared-interval model creates a continuity hypothesis across this journey. It asks whether a qualified 400–752 Hz inclusive plant response can be followed into harvested produce, whether later stages preserve or disturb the proposed profile, and whether a coded food is followed by a reproducible human response.

> **Continuity hypothesis.** Plant → produce → food → human is a sequence to be tested, not an automatic transfer of a frequency, an Aura or a health benefit.

## Every arrow needs evidence

- Plant to produce: preserve identity, harvest stage and sampling history.
- Produce to food: record processing, storage, composition, contaminants and safety.
- Food to human: use coded foods, ethics, consent and recognised nutritional or physiological outcomes.

A reliable plant finding would be only the first link. A food claim would require separate food measurements. A human-health claim would require still stronger, ethically conducted evidence. The shared interval helps organise these questions; it does not answer them in advance.

> **Framework position.** AHEH remains an upstream food-quality research extension within Nutrition under Pillar 3—Lifestyle Energy Hygiene; it is not a fourth pillar.

# The Foundation Observation Behind the Question

The shared-interval proposition did not begin as a settled scientific law. It arose from the Foundation's observation programme. The first controlled item in that record is FO-01.

> **FO-01 — Repeated Foundation observation.** Plants produced distinguishable responses at tested frequencies within the proposed 400–752 Hz adaptive interval.

Repeated observation can justify a clearer question and a better experiment. It can reveal patterns worth preserving in a register. It does not, by itself, establish what physical quantity produced the pattern, whether the plant emitted a corresponding signal, whether a universal resonance exists or whether the result will recur outside the originating setting.

> **Mandatory boundary.** FO-01 does not establish emitted photons, universal resonance or a physical field mechanism.

FO-01 must therefore be read as the programme's point of origin. The next steps are procedural: define the test settings, qualify the apparatus and operator contribution, code the samples, introduce sham and comparison conditions, repeat the sequence, preserve all outcomes and invite independent replication.

Later chapters will place FO-01 beside the other twenty Foundation observations. Here its purpose is narrower: it explains why the Foundation asks whether plants and humans may be studied through one proposed operational interval.

> **Evidence status.** Originating observation—important for hypothesis generation, but not independent validation.

# One Interval Needs Two Tests





*Figure 5.3. The plant and human lanes remain separate until each has demonstrated reliable relationships with its own independent outcomes.*

The first requirement is measurement qualification. OMRDA is operator-mediated; it is not described as a direct photon detector or spectrum analyser. Studies must therefore examine repeatability, order effects, expectation, environmental variation, apparatus contribution and differences within and between operators.

The second requirement is biological correspondence. In plants, the proposed profile can be compared with direct measures such as germination, water status, gas exchange, chlorophyll fluorescence, damage, recovery and yield. Human studies require their own ethical designs and pre-specified recognised outcomes.

> **Decision rule.** A relationship must be reproducible within each biological lane before a plant–food–human continuity claim is considered.

# What the Shared Interval Does Not Mean

A strong framework is defined as much by its limits as by its central idea. The phrase one proposed adaptive interval must not be stretched into claims the evidence has not earned.

## It does not establish that…

- plants and humans emit an identical physical spectrum or use identical receptors;
- a nominal test setting is the same as a calibrated field, dose or exposure received by living tissue;
- a larger Overall Plant Adaptive Aura proves better homeostasis, yield, nutrient composition or food safety;
- below 400 Hz or above 752 Hz is automatically toxic, pathogenic or dangerous;
- a plant result predicts a human response, or a food response proves a health benefit;
- repetition by the originating Foundation substitutes for blinded independent replication.

> **Scientific position.** The 400–752 Hz range is Foundation-defined and operational until a calibrated physical measurand and reproducible biological meaning are demonstrated.

Null, mixed and contrary findings must remain visible. A failed replication may indicate measurement instability, a missing control, an incomplete model or absence of the proposed effect. Each possibility deserves examination without changing the interval or outcome after seeing the results.

> **Reader Takeaway.** A shared proposed interval creates a continuity hypothesis—not proof of a shared mechanism.

# One Map, Two Living Stories

The musician's two instruments have carried us to the correct interpretation. A common scale can support coordination while each instrument retains its own construction and sound. In the same way, the Foundation proposes 400–752 Hz inclusive as a common operational map for Plant and Human Energy Hygiene while recognising that plants and humans are biologically different.

That proposal matters because food connects the two living stories. Yet every part of the proposed path—plant response, produce stability, food characterisation and human response—must be measured and tested in its own right.

**Research Window.** Can the nominated 400–752 Hz inclusive interval be measured reliably and related to independent biological outcomes in each living system?

## Three things to remember

- The proposed adaptive interval includes both 400 Hz and 752 Hz.
- Plants and humans share a proposed operational range, not proven identical biology or mechanism.
- FO-01 begins the research question; qualification and independent replication must decide what the observation means.

## Context sources

AHEH Foundations Book Reader-Story Master Design, Chapter 5; AHEH Integrated Three-Document Alignment Master Design, FO-01 and controlled terminology; AHEH Research Monograph, Chapters 2 and 15.

**Bridge to Chapter 6.** An orchestra may contain every required note, yet one section can be too faint to support the full composition. The next chapter asks what the Foundation means by a weak response inside the proposed adaptive interval.

PART II • THE PLANT ADAPTIVE-FREQUENCY STORY

CHAPTER 6

# Plants and Humans: When an Adaptive Frequency Becomes Weak

***The orchestra begins—and one section is almost lost.***





*Figure 6.1. A section can remain part of the composition even when its contribution becomes faint.*

The melody is still recognisable. Every section is named on the score. Yet the brass can barely be heard, and the balance of the performance changes. The note is not outside the music; it is present within the composition but expressed at a lower level. This is the story-image for the Foundation's term adaptive-frequency deficit.

# A Faint Note, Not a Wrong Note

**Reader's question.** What does an adaptive-frequency deficit mean in a plant?

Within the Aura Research Foundation model, 400–752 Hz inclusive is the proposed adaptive interval. If the observed response at one nominated test setting inside that interval is lower than the declared comparison or reference, the Foundation records it operationally as an adaptive-frequency deficit.

**Working definition.** An adaptive-frequency deficit is a reduced observed response at a tested setting within 400–752 Hz inclusive.

The classification concerns magnitude: how much response is observed under the specified assessment procedure. It does not mean that the frequency has vanished, that a physical substance is missing, or that a plant cell has been shown to lack something essential.

It must also be separated from an outside-band response. A reduced response at, for example, a nominated setting inside 400–752 Hz is a within-band deficit. A response below 400 Hz or above 752 Hz belongs to the Foundation's proposed non-adaptive classification, which Chapter 7 will examine.

**Reader Takeaway.** A faint note is still inside the proposed adaptive band; a response outside the band is a different classification.

This distinction keeps the language descriptive. It prevents weak, non-adaptive, harmful and diseased from being treated as if they meant the same thing.

# Two Profiles, One Difference





*Figure 6.2. The proposed interval remains the same; one observed response is lower within it.*

The first profile is a simple comparison pattern. The second shows a lower observation at one internal test setting. The red point is not a diagnosis; it is a visual marker that tells the researcher where the measured difference occurred.

Real studies need more than one neat line. They need pre-specified settings, repeated observations, uncertainty estimates, coded samples and full reporting. The profile is useful only if the same classification can be reproduced under controlled conditions.

> **Important distinction.** Frequency-Specific Plant Aura describes the response at a nominated test setting. It does not identify the plant's biological cause or clinical condition.

# Weak Response Is Not Weak Life

In everyday speech, the word deficit sounds like a shortage, illness or failure. In this framework, it has a narrower meaning. It is the label assigned to a lower observed response at one proposed adaptive setting. The label does not tell us why the value was lower or whether recognised plant function changed.

## What must still be measured directly

- Plant condition: germination, water status, gas exchange, nutrient status, growth, damage, recovery and yield.
- Human condition: ethical, pre-specified nutritional, physiological or functional outcomes appropriate to the study.
- Measurement behaviour: repeatability, operator contribution, apparatus contribution, order effects and environmental variation.

> **Same term, separate biology.** The Foundation may use adaptive-frequency deficit in both Plant and Human Energy Hygiene, but a plant reading cannot diagnose a human condition, and a human reading cannot explain plant physiology.

A plant may show excellent recognised growth while an investigational response is recorded as lower. It may also show biological stress without the proposed deficit. Both possibilities must be allowed. Otherwise the AHEH observation would silently replace plant science rather than be tested beside it.

> **Boundary Note.** A deficit is not automatically nutrient deficiency, disease, impaired homeostasis or reduced food quality.

# How Is a Deficit Classification Recorded?

The Foundation uses OMRDA as an operator-mediated assessment method. It is not described as a direct photon detector or spectrum analyser. A recorded response therefore belongs to a complete measurement system that includes the reference, apparatus, operator, sample, setting, order, environment and recording procedure.

## A responsible observation sequence

- Identify and code the plant or sample before assessment.
- Declare the nominated within-band test settings and comparison rule.
- Record the response without changing the criterion after seeing it.
- Repeat under controlled order, time and environmental conditions.
- Preserve positive, negative, mixed and invalid observations.

> **Measurement question.** Would another eligible operator, another qualified apparatus and another day produce the same deficit classification without knowing the earlier result?

A single lower reading may reflect the sample, but it may also reflect handling, drift, operator expectation, sequence, fatigue, temperature, recent irrigation or chance variation. Blinding and repetition help separate these possibilities.

Only after the method is sufficiently reliable does it become meaningful to ask whether the recorded deficit predicts a direct plant outcome.

> **No shortcut.** Repeated field use cannot substitute for a qualified, blinded and reproducible measurement process.

# FO-02 — The Deficit Observation

The Foundation’s second controlled observation gives the operational deficit its place in the AHEH story. It follows FO-01, in which distinguishable plant responses were reported at tested settings within the proposed interval.

> **FO-02 — Repeated Foundation observation.** Some adaptive frequencies showed reduced response and were recorded operationally as deficits.

This observation supports a research question: do certain within-band test settings repeatedly show lower responses for the same plant or sample under comparable conditions? It does not yet answer whether the pattern comes from the plant, the operator–apparatus system, an uncontrolled condition or an interaction among them.

> **Mandatory boundary.** FO-02 does not prove cellular deficiency, disease or impaired homeostasis.

## What would strengthen the observation?

- The deficit is defined before the assessment and is not chosen after viewing the result.
- It recurs across coded replicates, days, eligible operators and qualified apparatuses.
- Its size and uncertainty are reported, including null and contradictory observations.
- It shows a pre-specified relationship with an independent plant outcome.

Until these conditions are met, FO-02 remains an originating Foundation observation—valuable for designing tests, but not independent validation.

# FO-03 — What Happened After Matched Support?

The Foundation did not stop after recording a lower response. It explored what happened when support was matched to the same nominated test setting. The word matched means that the setting corresponded prospectively to the identified deficit; it should not be assigned after the outcome is known.

**FO-03 — Repeated Foundation observation.** Support matched to an identified deficit was followed by increased response at the corresponding frequency.

The sequence is noteworthy, but it has several possible explanations. A change may arise from the intended support, ordinary handling, elapsed time, expectation, order, environmental change, apparatus behaviour or natural variation. A before-and-after increase alone cannot decide among them.

**Mandatory boundary.** FO-03 does not establish physical transfer into the plant or improved plant health.

## Response change and plant benefit are different questions

- First question: did the Frequency-Specific Plant Aura response change reliably?
- Second question: did a recognised plant outcome also change?
- Third question: was the matched result greater than off-target, sham and untreated comparisons?

Only a carefully controlled pattern across these questions can help move the observation toward a testable explanation.

**Responsible wording.** The response increased after matched support; the observation does not yet prove transfer, mechanism or biological benefit.

# Testing Matched Support Fairly





*Figure 6.3. Matched support becomes scientifically interpretable only when compared with credible alternatives.*

The matched arm tests specificity: does support at the declared deficit setting produce a larger and more reproducible change than the alternatives? The off-target arm tests whether any nominated setting gives the same result. The sham arm tests handling and expectation. The untreated arm shows the background pattern over time.

Allocation should be random where feasible, samples coded, assessors blinded to condition, and the timing fixed. The direct plant outcome must be selected before results are known. A higher investigational reading without a biological outcome remains a measurement finding, not proof of plant benefit.

> **Fair-test principle.** A matched effect should be frequency-specific, greater than comparison conditions and reproducible—not merely present once.

# When the Two Scorecards Disagree

Imagine that a recorded deficit becomes less pronounced after matched support, but the plant's water status, gas exchange and growth do not change. That result may still inform measurement research, but it cannot be described as improved plant health. Now imagine the reverse: recognised plant function improves while the proposed Aura response does not. That outcome also matters and must remain visible.

## Four possible result patterns

- Both the AHEH response and direct plant outcome change as predicted.
- The AHEH response changes, but the direct plant outcome does not.
- The direct plant outcome changes, but the AHEH response does not.
- Neither outcome changes, or the pattern is inconsistent.

**Interpretation rule.** The investigational and established scorecards are analysed separately, then compared. Neither is allowed to silently substitute for the other.

This discipline also preserves the difference between deficit and non-adaptive response. A lower value inside 400–752 Hz is a proposed deficit classification. A detected response below 400 Hz or above 752 Hz is an outside-band classification. Neither term by itself establishes the plant's biological condition.

**Looking ahead.** Chapter 7 examines the Foundation's outside-band, proposed non-adaptive classification and the many recognised causes of plant disturbance that must be controlled.

# Hearing the Faint Section Clearly

The orchestra analogy gives us the correct boundary. An adaptive-frequency deficit is like a section that remains inside the score but is observed at a lower level. In AHEH, the term is descriptive and operational: it identifies where a reduced response was recorded within the proposed 400–752 Hz inclusive interval.

FO-02 records the Foundation's repeated deficit observation. FO-03 records what followed when support was matched to an identified setting. Both observations create researchable questions; neither proves cellular deficiency, disease, physical transfer or improved plant health.

**Research Window.** Are deficit classifications repeatable across operators, apparatuses, days and blinded samples—and are they specific and predictive of independent plant outcomes?

## Three things to remember

- A deficit is a lower within-band response at a nominated setting; it is not a diagnosis.
- Matched support must be compared prospectively with off-target, sham and untreated conditions.
- Plant Aura and recognised plant outcomes remain separate scorecards until a reproducible relationship is demonstrated.

## Context sources

AHEH Foundations Book Reader-Story Master Design, Chapter 6; AHEH Integrated Three-Document Alignment Master Design, FO-02 and FO-03; AHEH Research Monograph, Chapters 13–15 and 20.

**Bridge to Chapter 7.** A faint note inside the intended scale is not the same as noise arriving from outside it. The next chapter asks how the Foundation classifies responses below 400 Hz or above 752 Hz—and how those proposed responses may be studied without confusing them with established causes of plant stress.

PART II • THE PLANT ADAPTIVE-FREQUENCY STORY

CHAPTER 7

# Plants and Humans: Non-Adaptive Frequencies and Plant Disturbance

***The radio finds its station—but noise presses in from outside.***





*Figure 7.1. The radio analogy separates the intended band from outside noise; it does not prove plant toxicity or mechanism.*

The speaker carries the intended programme, yet crackles and bursts make parts of the message harder to hear. The station has not disappeared. Something outside the tuned band appears to complicate reception. This is the story-image the Foundation uses when it asks about proposed non-adaptive responses and plant disturbance.

# Outside the Proposed Adaptive Interval

**Reader's question.** How may responses below 400 Hz or above 752 Hz relate to plant disturbance?

Within the Aura Research Foundation model, 400–752 Hz inclusive is the proposed adaptive interval. A response recorded below 400 Hz or above 752 Hz is classified operationally as proposed non-adaptive.

**Working definition.** Below 400 Hz and above 752 Hz are the Foundation's proposed non-adaptive response regions. Exactly 400 Hz and exactly 752 Hz remain inside the adaptive interval.

Chapter 6 described a different condition: a lower observed response at a nominated setting inside the proposed interval. That is an adaptive-frequency deficit. It is the faint section within the score. An outside-band response is the noise arriving beyond the tuned range.

## Two classifications—do not merge them

- Within-band deficit: reduced response at a tested setting inside the proposed adaptive interval.
- Outside-band response: recorded response below 400 Hz or above 752 Hz.

**Boundary Note.** Neither classification, by itself, establishes plant damage, disease, toxicity or impaired homeostasis.

The terms organise a research question. They do not replace direct observation of the plant or a measured description of the physical exposure.

# A Proposed Signal Beside Ordinary Causes





*Figure 7.2. Any proposed outside-band association must compete fairly with recognised explanations of plant disturbance.*

A plant can be disturbed for many well-established reasons. Heat may damage membranes and enzymes. Drought may reduce water status and gas exchange. Flooding may limit root oxygen. Salinity and nutrient imbalance may alter uptake. Pests, pathogens, pollutants and mechanical injury can each produce characteristic effects.

> **Established Science.** Plant stress must be investigated through direct biological and environmental measurements. An AHEH classification cannot substitute for those measurements.

The AHEH question is therefore additional: after ordinary variables are documented and controlled, does a qualified outside-band response provide repeatable information about plant condition or change?

# Same Proposed Boundary, Separate Living Systems

The Foundation applies the same proposed 400–752 Hz inclusive interval in Plant and Human Energy Hygiene. It also uses the below-400 and above-752 labels in both frameworks. As Chapter 5 explained, this creates a common operational map—not proof that plants and humans receive the same exposure or respond through the same biology.

## Plant evidence cannot be replaced by human evidence

- Plants require outcomes such as germination, water status, gas exchange, fluorescence, growth, damage, recovery and yield.
- Humans require ethical studies with appropriate physiological, nutritional or functional outcomes.
- A relationship in one living system does not establish the same relationship in the other.

> **AHEH hypothesis.** Within the Foundation model, reliably detected outside-band responses are hypothesised to disturb or deplete adaptive response. The mechanism and biological meaning remain to be demonstrated.

The word disturb is also operational here. It means that the proposed adaptive profile may change in association with an outside-band finding. It does not mean that cellular injury, disease or impaired function has already been established.

> **No borrowed mechanism.** The radio image is an analogy. It does not show that plants are literal radio receivers or that OMRDA directly measures an emitted spectrum.

# Response, Source and Exposure Are Different

A nominated frequency label is not yet a complete physical exposure description. Researchers must distinguish three questions that are easily blurred in ordinary language.

**1 Recorded response.** What did the operator-mediated assessment classify, and how repeatably?

**2 Candidate source.** Which plant, input, environment, object or comparison condition was associated with the finding?

**3 Physical exposure.** What measurable carrier, field, dose, waveform, duration and route—if any—reached the plant?

These are not interchangeable. An OMRDA response at a nominal setting does not by itself demonstrate that a product emits that frequency, that a plant absorbed it, or that a defined dose entered tissue. Instrument and operator qualification must come before physical or biological conclusions.

## What a complete record should preserve

- Plant identity, developmental stage and recent growing conditions.
- Input identity, formulation, dose, route, timing and reason for use.
- Assessment order, operator, apparatus, references and environmental conditions.
- Direct plant outcomes, adverse observations and all comparison results.

**Reader Takeaway.** A response label is not automatically a measured exposure or a biological effect.

# FO-11 — The Input Association

The Foundation's principal outside-band observation in the controlled register concerns selected agricultural inputs. It belongs to a named, testable comparison—not to a general judgement about entire categories of farming.

> **FO-11 — Repeated Foundation observation.** Some selected synthetic fertilisers and pesticides were associated with reduced adaptive responses or responses outside 400–752 Hz.

The wording associated with is deliberate. It records that the findings occurred together under the Foundation's assessment approach. It does not establish that the products caused the response, emitted a particular physical signal or harmed the plant.

> **Mandatory boundary.** FO-11 must not be generalised to all synthetic inputs; agronomic benefit and safety are product- and context-specific.

## Why named-product testing matters

- Fertilisers differ in nutrients, concentration, formulation, impurities and method of application.
- Pesticides differ in active ingredient, formulation, target pest, dose, timing and safety profile.
- Natural, biological, synthetic and integrated inputs can each help, fail or cause harm depending on their identity and use.

A fair study therefore compares specified products under agronomically meaningful conditions. It measures nutrient status, pest pressure, crop response, residues and safety where relevant—alongside, not underneath, the investigational AHEH outcome.

# From Association to a Testable Disturbance Hypothesis

FO-01 to FO-04 describe the Foundation's plant-profile observation cluster: distinguishable within-band responses, reduced responses, changes after matched support and changes in an overall summary. FO-11 adds selected input associations that sometimes included outside-band responses.

Together, these observations suggest a hypothesis: under specified conditions, a proposed non-adaptive association may be followed by a change in the adaptive plant profile. But a sequence of observations does not yet establish a causal pathway.

> **Causal question.** When a coded plant or input is placed in a pre-specified condition, does the outside-band classification appear reliably—and is it followed by a change greater than sham, off-target and untreated comparisons?

## What could produce an apparent association?

- The nominated condition has a specific effect.
- The input changes nutrition, hydration, pH, pest pressure or another ordinary variable.
- Handling, sequence, expectation, environmental drift or operator response changes the reading.
- Natural plant variation or chance creates a temporary pattern.

A study must be designed so these explanations can be distinguished. If the same result appears under every condition, frequency specificity is weakened. If the measurement is not reliable when blinded, biological interpretation should stop.

> **Evidence boundary.** Foundation repetition generates a stronger test; it does not become independent validation merely because it was observed more than once.

# Testing a Proposed Outside-Band Effect





*Figure 7.3. The proposed effect must be greater than credible comparison conditions and remain visible under coding and blinding.*

The nominated outside-band condition should be defined before the study begins. The off-target arm asks whether another setting produces the same result. The sham arm separates active exposure from handling and expectation. The untreated arm reveals background change.

Plants should be allocated fairly, assessors blinded where feasible, environmental conditions recorded and the experimental unit declared. Direct outcomes should match the proposed biological consequence and be analysed separately from Plant Aura.

> **Safety gate.** No research exposure should bypass agricultural, environmental, worker or food-safety requirements. An investigational classification does not justify unsafe testing.

# What Would the Results Mean?

A careful study can produce several patterns, and each one changes the interpretation. The most persuasive pattern would be a reliable, condition-specific outside-band response accompanied by a pre-specified direct plant change, larger than the same changes in comparison groups and reproduced independently.

## Results that support more research

- The assessment itself is reliable under coding, blinding and repeated measurement.
- The outside-band finding is greater in the nominated condition than in off-target, sham and untreated arms.
- A direct plant outcome changes in the predicted direction with plausible timing.
- The pattern survives ordinary covariate control and independent replication.

## Results that weaken the proposition

- Operators or apparatuses do not agree, or the classification disappears under blinding.
- Every condition produces a similar change, so specificity is absent.
- Recognised plant outcomes do not correspond, or ordinary causes explain the result.

> **Interpretation rule.** A Plant Aura change may be a measurement result; plant disturbance requires independent biological evidence.

Null, mixed and adverse results must be reported. They are not obstacles to the programme; they show where the model, measurement or intervention needs to stop, change or be rejected.

> **Reader Takeaway.** The classification is a research proposition that must compete fairly with ordinary explanations.

# Tuning the Research Question

The radio story gives us a useful distinction. A weak response inside the proposed adaptive interval is not the same as a response recorded outside it. Within the Foundation model, below 400 Hz and above 752 Hz are proposed non-adaptive regions; the boundary values 400 Hz and 752 Hz remain inside the adaptive interval.

The classification is only the beginning. Researchers must separate response from source and exposure, test named conditions fairly, measure the plant directly and preserve ordinary explanations. FO-11 provides an originating association for selected inputs, not a verdict on all synthetic fertilisers or pesticides.

**Research Window.** Do coded exposures change Plant Aura and independent plant outcomes more than sham, off-target and untreated conditions—and can the pattern be replicated independently?

## Three things to remember

- Below 400 Hz and above 752 Hz are proposed operational classifications, not established universal hazard limits.
- Plant disturbance has many recognised causes that must be measured and controlled.
- An outside-band Aura response does not by itself establish a physical exposure, toxicity or biological injury.

## Context sources

AHEH Foundations Book Reader-Story Master Design, Chapter 7; AHEH Integrated Three-Document Alignment Master Design, FO-11; AHEH Research Monograph, Chapters 15, 17 and 19; established plant stress physiology as scientific context.

**Bridge to Chapter 8.** Plants interact with light at enormously high physical frequencies, while the Foundation records nominal low-frequency settings in its operational assessment. The next chapter asks how the proposed THz-to-Hz connection can be stated as a testable hypothesis without treating it as an established literal conversion.

PART II • THE PLANT ADAPTIVE-FREQUENCY STORY

## CHAPTER 8

# From THz Activity to Hz Responses

***A leaf receives light on one scale; the Foundation asks a question on another.***





*Figure 8.1. The same plant appears in two discussions, but the physical frequency scales and measurements are not the same.*

Morning light reaches the leaf. Pigments absorb some wavelengths, photoreceptors sense others, and the plant adjusts growth and metabolism. Far below that physical frequency scale, the Foundation records nominal settings in hertz during an operational assessment. Chapter 8 asks whether a testable connection can be demonstrated between these two levels.

# The Same Numbers Do Not Mean the Same Frequency

**Reader's question.** How does the Foundation connect optical or photonic activity with low-frequency responses?

Frequency counts cycles per second. One hertz is one cycle per second. One terahertz is one trillion hertz. Therefore, 400 THz is 400,000,000,000,000 Hz—not 400 Hz.

**Scale fact.** 1 THz = $10^{12}$ Hz. The THz and Hz values are separated by a factor of one trillion.

Light near 400–752 THz corresponds approximately to wavelengths from 750 to 399 nanometres, spanning much of the visible range and approaching the ultraviolet boundary at the higher-frequency end. The number sequence 400–752 therefore appears on a light-frequency scale as well as in the Foundation's proposed 400–752 Hz adaptive interval.

## What the resemblance can—and cannot—do

- It can motivate a clearly stated research hypothesis about numerical correspondence or modulation.
- It cannot, by itself, show that THz activity has become Hz activity.
- It cannot identify a carrier, detector, receptor, biological pathway or physical measurand.

**Boundary Note.** A shared number is not a conversion law. Units, scale, energy and measurement method remain different.

# What Plant–Light Science Already Shows

Plants use light as energy and information. Chlorophyll and accessory pigments absorb photons for photosynthesis. Photoreceptors—including phytochromes, cryptochromes, phototropins and UVR8—help plants respond to wavelength, intensity, direction, duration and timing.

## Light can influence recognised plant processes

- Photosynthetic electron transfer and carbon assimilation.
- Seedling development, flowering time and circadian organisation.
- Leaf movement, phototropism and stomatal behaviour.
- Pigment production, acclimation and responses to excess light.

> **Established Science.** Plant photobiology measures incident light, wavelength, photon flux, absorption, photochemistry and biological responses using calibrated methods.

These facts establish that plants interact with optical radiation. They do not establish the AHEH 400–752 Hz interval, show that Plant Aura is an optical signal or validate an OMRDA mechanism. The established science provides context, not borrowed proof.

## A useful reading rule

Whenever this chapter moves from known photobiology to the Foundation model, it will say proposes, hypothesises or requires validation. Those words mark a change in evidence status.

> **Reader Takeaway.** Light biology is established; the proposed low-frequency connection is investigational.

# Plants Can Emit Extremely Faint Light

Living plant tissues can produce ultraweak photon emission, often abbreviated UPE. Sensitive photomultipliers or cooled cameras can detect this very faint optical emission under controlled dark conditions and suitable exposure times.

UPE research commonly relates the signal to electronically excited products formed during oxidative and metabolic reactions. Wounding, stress and changes in redox activity can alter the detected emission, so UPE can be investigated as a non-invasive research signal.

> **Important distinction.** UPE is measured in the optical domain with photon-sensitive instruments. It is not the same as a nominal hertz setting used in the Foundation's operator-mediated assessment.

## What UPE does not yet establish

- That the emitted photons form a coherent communication system.
- That their spectrum maps numerically onto 400–752 Hz responses.
- That OMRDA directly detects photons or their optical frequency.
- That a UPE change proves plant health, damage or a specific cause.

UPE may become one useful comparator in future AHEH studies. If Plant Aura classifications and independently measured UPE change together under blinded conditions, the relationship can be quantified. If they do not, the proposed link must be revised or rejected.

> **Measurement rule.** Signals detected by different instruments remain separate until their relationship is demonstrated.

# The Aura Research Foundation Hypothesis

The Foundation uses the numerical relationship as the starting point for a modulation hypothesis. The wording below is the controlled statement shared across the AHEH Book, Research Monograph and Executive White Paper.

> **Plant THz-to-Hz Modulation Hypothesis.** Aura Research Foundation proposes that optical/photonic-range activity in living systems may be reflected through numerically corresponding low-frequency adaptive responses. In plants, the proposed 400–752 Hz interval is assessed operationally; its carrier, modulation pathway, physical measurand and biological meaning require independent validation.

## Four phrases carry the scientific boundary

- May be reflected: a proposed relationship, not a demonstrated transfer.
- Numerically corresponding: matching leading values, not equal physical frequencies.
- Assessed operationally: a procedure and classification, not direct optical spectroscopy.
- Require independent validation: the mechanism and meaning remain open questions.

The word modulation is also provisional. In physics and engineering, modulation normally specifies how information alters a carrier’s amplitude, frequency, phase or timing. AHEH has not yet identified which, if any, such process links optical activity to its nominal low-frequency responses.

> **No literal conversion claim.** The hypothesis does not state that a 400 THz photon physically turns into a 400 Hz wave.

# A Bridge Marked ‘Requires Validation’





*Figure 8.2. Photobiology and UPE provide context above; the proposed AHEH response remains a separate level until the bridge is experimentally demonstrated.*

The upper level contains phenomena that can already be measured with optical instruments. The lower level contains the Foundation’s operational response classifications. A valid bridge would need more than simultaneous change: it would need reliable measurements, temporal order, specificity, dose or setting relationships, controls and a plausible physical or biological pathway.

> **Reader Takeaway.** The THz-to-Hz idea is a question for measurement science, not a settled conversion law.

# What Might ‘THz-to-Hz’ Eventually Mean?

Before experimentation, researchers should avoid committing to one mechanism. Several distinct possibilities can be framed as questions, and each requires a different test.

**Numerical mapping?** Are the same leading numbers only an operational indexing system chosen by the Foundation?

**Envelope or timing modulation?** Does a slower variation in intensity or timing accompany optical activity, and can calibrated detectors measure it?

**Nonlinear or subharmonic process?** Does a defined physical or biological system generate a lower-frequency component under reproducible conditions?

**Biological response rhythm?** Does light provoke a slower physiological response that happens to correlate with the operational setting?

These questions are not equivalent. A low-frequency envelope would not be the optical carrier. A physiological rhythm would not prove emitted low-frequency radiation. A numerical index might be useful operationally even if no physical down-conversion exists.

## Alternative explanations stay visible

- Operator expectation, neuromuscular response or procedural cueing.
- Environmental electromagnetic noise, instrument drift or reference instability.
- Changes in temperature, hydration, redox state or ordinary plant physiology.

**Research discipline.** Name the proposed pathway first; then design a study capable of distinguishing it from the alternatives.

# Building the Measurement Chain





*Figure 8.3. A claim about connection is only as strong as its weakest unmeasured link.*

A future study should record every instrument, reference source, setting, waveform, timing and uncertainty. Optical measurements require photon-sensitive equipment; electrical or magnetic claims require suitable calibrated sensors. OMRDA reliability must be examined separately through coding, blinding, repeated trials and agreement across operators and apparatuses.

> **Sequence rule.** First qualify the measurements. Then test whether the signals co-vary. Only after that should researchers ask about causality or biological meaning.

Direct plant outcomes should be chosen before data collection. Depending on the question, these may include chlorophyll fluorescence, gas exchange, water status, growth, germination, injury markers or yield. Plant Aura and conventional outcomes belong to separate outcome families.

# A Test That Can Say ‘No’

A useful hypothesis must risk non-support. The proposed connection should therefore be tested in stages, beginning with measurement reliability and ending only after independent replication.

## A staged experiment

- Measure optical conditions and, where feasible, UPE with calibrated instruments.
- Obtain coded OMRDA assessments without revealing treatment, sequence or expected result.
- Include sham, off-target and untreated comparisons with matched handling.
- Record pre-specified plant outcomes and environmental covariates.
- Test temporal relation, specificity, agreement and reproducibility.

## Findings that would weaken the connection

- The operational response is unreliable or disappears under blinding.
- The same pattern occurs regardless of optical condition or nominal setting.
- A proposed physical component cannot be detected above noise with suitable sensors.
- Ordinary plant or environmental variables explain the association.

> **Falsifiability rule.** If qualified measurements repeatedly fail to show the predicted, specific relationship, the THz-to-Hz proposition must be revised or rejected.

Negative and mixed results are therefore valuable. They prevent a numerical resemblance from being mistaken for a physical law and show which parts of the model remain useful, uncertain or unsupported.

# Two Scales, One Open Research Question

Plants unquestionably interact with light at optical frequencies measured in hundreds of terahertz. Plants can also produce ultraweak optical emission that sensitive instruments can detect. These established facts make light and photon measurements relevant scientific context.

The Foundation's 400–752 Hz interval belongs to a different, operational assessment scale. Aura Research Foundation proposes a numerical correspondence or modulation relationship between the levels, but no carrier, pathway, measurand or biological meaning has yet been independently established.

**Research Window.** What physical signal, carrier, receptor, modulation pathway or alternative explanation can be demonstrated—and does it relate reproducibly to both Plant Aura and independent plant outcomes?

## Three things to remember

- 400–752 THz and 400–752 Hz share numbers but differ by a factor of one trillion.
- Photobiology and UPE do not validate the AHEH interval or OMRDA mechanism.
- The proposed bridge must be tested with calibrated measurements, controls and independent replication.

## Context sources

AHEH Foundations Book Reader-Story Master Design, Chapter 8; AHEH Integrated Three-Document Alignment Master Design, mandatory THz-to-Hz wording; Paik and Huq (2019), Plant photoreceptors; Ptushenko and colleagues (2020), spectrum of light in plant function; Prasad and colleagues (2013), imaging ultraweak photon emission; Oros and Alves (2018), leaf-wound-induced ultraweak photon emission; AHEH Research Monograph, Chapters 6, 15, 19 and 20.

**Bridge to Part III and Chapter 9.** The story now leaves the abstract frequency bridge and returns to the plant's physical world. We begin below the surface, where roots meet Soil/Earth, minerals, water, air and living communities—the plant's first growing environment.

PART III • WHAT SHAPES THE ENERGY HYGIENE OF A PLANT

CHAPTER 9

# Soil and Earth: The Plant’s First Environment

***Kneel beside the plant. Its largest conversation may be happening out of sight.***





*Figure 9.1. The visible shoot depends on a hidden environment of physical, chemical and biological interactions.*

Leaves greet the sun, but roots live in another world. They explore pores, encounter water films, exchange ions, meet microorganisms and respond to changing oxygen, temperature and resistance. Part III begins here because Soil/Earth is the plant’s first growing environment—yet only the first of several links that shape the journey to food.

# The Place beneath the Plant

**Reader's question.** Can the place in which a plant is rooted influence its proposed adaptive profile?

In ordinary speech we may call it soil, ground or earth. In agriculture, soil is not simply brown material that holds a plant upright. It is a structured, changing system containing mineral particles, organic matter, organisms, water and gases.

## Roots experience the soil, not a label

- A clayey soil may hold water and nutrients differently from a sandy soil.
- Compaction can reduce pore space and make root penetration or aeration difficult.
- Water content changes oxygen supply, nutrient movement and microbial activity.
- The same field can vary over a few metres because of slope, management and history.

**Working distinction.** Soil describes the physical, chemical and biological root environment. Soil/Earth is the broader AHEH term when a coded location, proposed Subsurface Geophysical Influence Zone (SGIZ), geopathic-stress question or soil-directed condition is also investigated.

The broader term does not exempt the study from soil science. Before a coded Soil/Earth condition is interpreted, researchers must know what the roots actually encountered.

**Reader Takeaway.** A place may look uniform above ground while remaining highly variable below it.

# What Soil Science Measures First

No single number fully describes soil quality. The relevant measurements depend on the crop, site and function being studied. A root-zone assessment normally combines several families of evidence.

## Physical condition

Texture, aggregation, bulk density, porosity, infiltration, water retention, temperature and rooting depth help explain how roots obtain water, oxygen and physical space.

## Chemical condition

pH, electrical conductivity, salinity, organic carbon, nutrient availability, exchange capacity and contaminants help explain fertility, toxicity and nutrient access.

## Biological condition

Roots, microbes, soil fauna, organic matter turnover and rhizosphere processes influence nutrient cycling, soil structure, disease interactions and plant signalling.

> **Established Science.** Soil condition is interpreted through function-linked indicators, crop requirements and site context—not through one universal score.

## The site also travels into the result

- Topography, drainage, weather, light and irrigation pattern.
- Previous crops, cultivation, amendments, pesticide history and traffic.
- Spatial gradients in moisture, fertility, compaction and contamination.

> **Primary-evidence rule.** AHEH observations are additional; they do not replace recognised soil, site or plant measurements.

# One Root Zone, Two Evidence Layers





*Figure 9.2. The AHEH observation layer is examined only after ordinary soil and site variables are characterised.*

The upper layer describes known properties and exposures. The lower layer asks an additional question: after those properties are measured, does the coded Soil/Earth classification explain or predict anything that the primary layer does not?

This order matters. If moisture or salinity differs between two plots, a plant response may already have a direct explanation. The AHEH proposition becomes informative only if it adds reproducible value after such differences are controlled.

> **Boundary Note.** SGIZ is an operational AHEH location category, not proof of a geopathic mechanism. A location-associated response requires independently measured exposure, plant evidence and replication before causation is claimed.

# FO-08 — The Foundation's Earth-Point Observation

Aura Research Foundation has reported a preliminary field pattern under its stated OMRDA procedure: plants at different Soil/Earth locations did not always show the same response or growth behaviour.

> **FO-08 — Preliminary observation.** Some coded earth points were associated with adaptive-frequency depletion within the proposed 400–752 Hz interval and/or proposed non-adaptive responses below 400 Hz or above 752 Hz. At some such locations, plants showed weak or no growth, failed to establish, or died, while nearby plants did not show the same pattern.

Within the AHEH framework, these locations may be recorded as proposed SGIZ or geopathic-stress points. The words associated with remain essential: the observation does not yet show that the earth point caused the plant outcome.

> **Mandatory boundary.** Characterise soil texture, moisture, pH, electrical conductivity, nutrients, contaminants, microbiome, topography and the site environment first.

## What the observation allows

- A registered question about Plant Aura and frequency-specific variation across mapped earth points.
- A reason to compare plant survival, establishment and growth at coded and matched locations.
- A starting point for H17.1 and prospectively defined outcomes.

## What it does not allow

- Calling one site healthy or harmful without independent evidence.
- Treating geopathic stress or SGIZ as an independently established earth emission or mechanism.
- Ignoring soil fertility, drainage, contamination or agronomic management.

> **Evidence status.** Preliminary means suitable for a stronger test—not independently confirmed.

# How a Proposed SGIZ Enters the Plant Story

SGIZ means Subsurface Geophysical Influence Zone: an operational category for a mapped location where geological, hydrological, geomagnetic or other investigational factors are being examined. In the AHEH story, the proposed pathway must be tested one link at a time.





*Figure 9.3. The Foundation's reported pathway is a testable field proposition, not a demonstrated causal chain.*

## Ordinary explanations must compete

Root disease, seed quality, moisture, drainage, compaction, salinity, nutrient imbalance, contamination, shade, pests, temperature and management can also produce poor growth or death. A mapped earth point becomes informative only if the pattern remains after these alternatives are measured and controlled.

> **No shortcut.** A plant dying at a coded point is an important observation to document; it is not, by itself, proof that geopathic stress or a non-adaptive earth frequency caused the death.

# H17.1 — The Soil/Earth Condition Hypothesis

FO-08 becomes scientifically useful only when it is translated into a proposition that can succeed, fail or be explained by another cause. The controlled hypothesis register does this.

**H17.1 — Soil/Earth Condition Hypothesis.** Coded Soil/Earth conditions—including proposed SGIZ, adaptive-frequency depletion or non-adaptive earth-point classifications—or soil-directed support show reproducible AHEH contrasts that predict an independent soil or plant outcome after measured covariates are controlled.

## A fair primary comparison

- Matched site or soil condition, or a credible sham/neutral condition.
- Specified crop, genotype, seed lot, stage and soil volume or plot.
- Pre-specified classification, outcome, timing and analysis.
- Stratification or blocking for known site gradients.

## Two outcome families remain separate

- AHEH outcomes: coded Plant Aura and frequency-specific profile changes.
- Independent outcomes: germination, establishment, survival, roots, biomass, stress, disease, growth or yield, as appropriate.

**Support criterion.** A reliable coded contrast prospectively predicts the registered independent outcome after covariate control and is replicated.

**Non-support criterion.** The classification is unreliable, explained by known soil/site variables or fails to predict the registered outcome.

# How to Keep the Field Test Fair





*Figure 9.4. Matching and blocking reduce the chance that an ordinary field gradient is mistaken for an AHEH effect.*

Map suspected SGIZ/earth points before planting, then allocate matched coded plots so the person assessing Plant Aura does not know the condition. Where feasible, growers and analysts should also be blinded. Any soil-directed support or harmonisation intervention must be recorded in advance.

A credible design includes a matched sham, an untreated comparison and an off-target condition where appropriate. A recognised amendment may serve as a positive agronomic control when a conventional soil improvement is part of the question.

> **Experimental-unit rule.** When a treatment is applied to a whole plot, the plot—not every leaf or repeated reading—is the independent experimental unit.

# What Would the Results Mean?

A location can show an AHEH contrast without showing a plant consequence. A plant outcome can differ without supporting the AHEH explanation. The strongest result requires both measurement reliability and prospective correspondence.

## A pattern that supports more research

- Coded assessments agree across repeated trials, operators or apparatuses.
- The pre-specified Soil/Earth contrast remains after soil and site covariates are controlled.
- The registered independent plant or soil outcome changes in the predicted direction.
- A pre-specified poor-growth, failure-to-establish or mortality pattern corresponds prospectively with the coded point.
- The pattern is repeated with a new block, season, site or independent team.

## A pattern that weakens H17.1

- The classification disappears under coding or blinding.
- Seed, moisture, drainage, pH, salinity, nutrients, disease, contamination or microclimate explains the result.
- Plant Aura changes but the registered independent outcome does not.
- The effect is inconsistent, non-specific or fails independent replication.

> **Interpretation rule.** An AHEH contrast may be a measurement finding; a claim about plant benefit requires an independent plant outcome.

Null, contradictory and adverse findings must be reported. A study that shows only ordinary soil effects has still answered the question honestly and may improve agronomic understanding.

> **Reader Takeaway.** The proposed AHEH layer must add information beyond what the field already tells us.

# The First Link—Not the Whole Chain

Soil is a living, structured and spatially variable environment. Texture, structure, water, air, chemistry, nutrients, contaminants, organisms, topography and management can each influence the plant. Those recognised factors are measured first.

FO-08 now records the Foundation's fuller preliminary observation: some coded earth points were associated with proposed adaptive-frequency depletion or non-adaptive responses, and plants at some such points showed weak or no growth, failed to establish, or died. H17.1 asks whether this location classification reliably predicts an independent outcome after known variables are controlled.

**Research Window.** Does a coded SGIZ, adaptive-frequency depletion or non-adaptive earth-point classification predict plant survival and growth beyond measured soil, site and environmental variables—and can the result be reproduced independently?

## Three things to remember

- Recognised soil, site and plant measurements remain primary.
- FO-08 includes reported weak/no growth and plant death, but remains a preliminary association—not proof of a geopathic cause.
- H17.1 requires reliability, covariate control, an independent outcome and replication.

## Context sources

AHEH Foundations Book Reader-Story Master Design, Chapter 9; AHEH Integrated Three-Document Alignment Master Design; AHEH Foundation Findings Register, FO-08; AHEH Consolidated Hypothesis Register, H17.1; SGIZ and geopathic-stress terminology as investigational location categories; established soil-quality, rhizosphere, soil-health and field-experimental-design literature; AHEH Research Monograph, Chapters 7, 17 and 21.

**Bridge to Chapter 10.** Place matters, but every crop begins with something the soil receives: a seed carrying genetic identity, storage history, vigour and biological potential. The next chapter follows that beginning into germination.

PART III • WHAT SHAPES THE ENERGY HYGIENE OF A PLANT

CHAPTER 10

# Seed: The Beginning Carried Forward

***Two seeds can look alike while carrying very different beginnings.***





*Figure 10.1. The research question begins before any visible difference appears.*

Place two seeds side by side. Their colour and size may look nearly identical, yet one may germinate quickly and uniformly while the other is slow or fails. The difference may come from genetics, maturity, ageing, storage, moisture, health or earlier treatment. AHEH asks whether a carefully defined adaptive-frequency condition adds another testable part to this beginning.

# A Seed Is a History, Not a Blank Start

> **Reader's question.** Does the starting condition of the seed influence the future plant?

A seed contains an embryo, stored reserves and protective tissues. It also carries the consequences of how the parent crop grew, when the seed matured, how it was harvested and what happened during drying, storage and transport.

## Before treatment, record the seed itself

- Species, cultivar, production lot and source.
- Age, maturity, moisture content and storage temperature or humidity.
- Coating, disinfection, priming, chemical or biological treatment history.
- Baseline viability, dormancy, seed health and physical damage.
- Sampling, handling and time between treatment and sowing.

> **Established Science.** Seed performance can vary because of genotype, maternal environment, maturity, ageing, moisture, storage, dormancy, health and treatment history.

These variables are not background details. If treatment groups begin with different seeds, the later germination result cannot be attributed confidently to the tested condition.

> **Reader Takeaway.** The fairest experiment begins with one authenticated, well-characterised and homogenised seed lot.

# Germination Is More Than ‘Yes’ or ‘No’

Germination begins when a viable seed takes up water and resumes metabolic activity. The radicle emerges first. A normal seedling then develops the structures needed for continued growth under the test conditions.

## Viability and vigour answer different questions

- Viability asks whether the seed can produce a normal seedling under suitable conditions.
- Vigour concerns speed, uniformity and robustness of germination and establishment across conditions.

## Useful outcomes can include

- Final germination proportion or percentage.
- Time to germination, median time and emergence speed.
- Normal and abnormal seedlings, mortality and contamination.
- Early root and shoot length, dry mass, survival and uniformity.

> **Scoring rule.** Define a germinated seed, observation times, exclusions and abnormal seedlings before the group codes are revealed.

A treatment may change timing without changing the final proportion. It may increase early emergence but not later establishment. Following the complete trajectory prevents one favourable moment from being mistaken for a durable benefit.

> **Outcome boundary.** Plant Aura and accepted germination or vigour outcomes must be recorded and analysed separately.

# Follow the Same Groups through Time





*Figure 10.2. A coded seed study follows identity, treatment, germination timing and early establishment—not only the final count.*

The sequence should be photographed or scored at fixed times without changing the treatment labels. Independent scorers can judge radicle emergence and seedling normality from coded images. Where trays share water, light or substrate, the tray may be the experimental unit rather than each seed.

**Continuity question.** Does an early treatment difference persist into emergence and seedling development, or does it merely shift timing?

A result that appears at one stage but vanishes at the next should still be reported. Persistence is a separate claim that requires its own follow-up period and outcome.

# FO-12 — Different Baselines before Treatment

The first seed observation concerns the starting profile, before any adaptive-frequency treatment is interpreted.

**FO-12 — Preliminary observation.** Seed lots showed different baseline OMRDA response profiles.

This observation creates a reason to measure baseline rather than assume that every seed lot begins in the same proposed adaptive condition. It does not show what produced the difference.

**Interpretive boundary.** Baseline differences may arise from seed identity, condition, treatment, vigour or handling; they do not establish an energy mechanism.

## How to use FO-12 responsibly

- Authenticate and document each seed lot before comparing profiles.
- Measure accepted viability and vigour indicators alongside Plant Aura.
- Keep operator, apparatus, order and invalid trials in the record.
- Do not select only seeds that fit the expected profile.

Baseline prediction and treatment causation are different questions. A baseline profile may be tested for its ability to predict germination. A randomised treatment trial asks whether an intervention causes a difference.

**Evidence status.** FO-12 generates a prospective prediction; it is not independent confirmation of a seed energy mechanism.

# FO-13 — The High-Priority Germination Finding

The Foundation reports a result that can be tested without first accepting the proposed AHEH mechanism, because germination is a conventional, independently scorable outcome.

> **FO-13 — High-priority preliminary finding.** Adaptive-frequency-treated seeds showed greater adaptive response and increased germination percentage.

The two findings must remain distinct. Greater adaptive response is an investigational AHEH outcome. Germination percentage is a conventional biological outcome. Their co-occurrence makes FO-13 important, but not yet independently validated.

> **Mandatory boundary.** The finding requires adequate numbers, randomisation, sham handling, independent scoring and replication across seed lots.

## Why this test has high priority

- The primary germination outcome can be defined before treatment.
- Seed groups can be randomised from the same homogenised lot.
- Photographs and counts can be scored without knowing the treatment.
- The treatment can be compared with off-target, sham and untreated arms.

> **No mechanism shortcut.** A replicated germination difference would support an intervention effect; it would not by itself identify a carrier, frequency emission or cellular mechanism.

# FO-14 — Does the Difference Continue?

An early radicle is encouraging, but a crop is not judged at the radicle alone. The next observation asks whether a reported response continued into a later stage.

**FO-14 — Preliminary observation.** Reported response differences after seed treatment continued into germination or early seedling development.

**Interpretive boundary.** Persistence across growth stages, crops, seasons and independent laboratories is not established.

## A persistence study should ask

- Does the treated group retain a difference after germination timing converges?
- Do survival, normal development, roots, shoots or biomass also differ?
- Does the effect remain under a defined mild stress as well as ideal conditions?
- Can the result be reproduced with a new seed lot and an independent team?

A short-lived difference may still be real, but it should be described as a timing effect rather than lasting improvement. A favourable early result also cannot be carried forward automatically into claims about yield, food quality or human benefit.

**Chain rule.** Evidence at the seed stage permits the next test; it does not prove every later link in the Soil-to-Food-to-Human journey.

# H17.2 — Seed Baseline and Treatment Hypothesis

FO-12 to FO-14 are brought together in one component-specific hypothesis with a result that can support, weaken or fail to support the proposition.

**H17.2 — Formal hypothesis.** Within a homogenised seed lot, seeds with a registered baseline adaptive-frequency deficit that receive the pre-specified matched treatment will show a larger post-treatment adaptive response and improved germination or establishment performance than sham-treated and off-target-treated seeds under identical germination conditions.

## The central specificity test

- Matched treatment performs better than off-target active treatment.
- Both are distinguished from sham handling and untreated background change.
- Hydration, temperature, vessel, duration and delay to sowing are equivalent.

## Support and non-support

**Supports more research.** The matched arm shows a reliable adaptive-response contrast and a pre-specified germination or vigour benefit that replicates across retained seed lots.

**Weakens or does not support.** Handling or hydration explains the result, the off-target arm is similar, the AHEH response is unreliable or the germination benefit fails.

**Evidence boundary.** A successful seed trial does not by itself prove a THz-to-Hz pathway, emitted biological frequency, improved food quality or human-health benefit.

# A Seed Test That Can Be Repeated





*Figure 10.3. One seed lot and four coded arms allow treatment specificity, handling effects and background change to be distinguished.*

The treatment protocol should record the nominal code, apparatus, distance, geometry, duration, timing, vessel or tray and delay to sowing. Allocation should be concealed, and scorers should not know the code until the analysis plan is locked.

Sample size should be based on the smallest germination or vigour difference worth detecting. Shared trays, contamination and missing seeds require pre-specified rules. Positive, null, mixed and adverse results all belong in the report.

> **Experimental-unit rule.** Do not count seeds sharing one tray as fully independent when the treatment or growing conditions operate at tray level.

# A Beginning That Must Earn Its Future

The seed brings identity, history and biological potential into the soil. Before any AHEH interpretation, researchers must document source, lot, viability, vigour, moisture, storage and treatment history.

FO-12 reports baseline profile differences. FO-13 reports greater adaptive response and increased germination percentage after selected treatment and is therefore a high-priority preliminary finding. FO-14 asks whether reported differences continue into germination or early seedling development. H17.2 turns these observations into a randomised, falsifiable comparison.

**Research Window.** Can the reported effect survive randomisation, sham handling, off-target treatment, adequate sample size, blinded scoring and replication across seed lots?

## Three things to remember

- Seed identity, condition and history must be balanced before treatment claims are made.
- Plant Aura and conventional germination or vigour outcomes remain separate.
- An early effect must be followed to determine whether it persists into establishment.

## Context sources

AHEH Foundations Book Reader-Story Master Design, Chapter 10; AHEH Integrated Three-Document Alignment Master Design; AHEH Foundation Findings Register, FO-12 to FO-14; AHEH Consolidated Hypothesis Register, H17.2; established seed testing, viability, vigour, germination and experimental-design literature; AHEH Research Monograph, Chapters 8, 17 and 21.

**Bridge to Chapter 11.** The seed has been selected, coded and placed in its growing medium. Now it needs the substance that begins imbibition and carries nutrients through the plant: water. The next chapter asks whether conditioned water can carry a reproducible response without confusing that question with water quality or safety.

PART III • WHAT SHAPES THE ENERGY HYGIENE OF A PLANT

CHAPTER 11

# Water as an Adaptive-Frequency Carrier

***Every drop has a source, a composition and a history. Can it also carry a conditioned response to the plant?***





*Figure 11.1. Water joins the root environment to the living plant, while its proposed AHEH history remains an additional research question.*

Water dissolves and transports substances, shapes the root zone and supports nearly every plant process. AHEH asks one further question: after conventional water quality is held equivalent, can a documented conditioning procedure produce a repeatable water response that precedes a corresponding plant response?

# Water Has Two Stories

**Reader's question.** Can water carry a conditioned response to the plant?

The first story is established and measurable. Source water contains dissolved ions, gases, particles and microorganisms; its temperature, salinity and chemistry influence soil and roots. The second story is investigational: whether exposure to a documented AHEH test condition is followed by a reproducible OMRDA response and a corresponding plant response.

## The source comes before the setting

- Identify the source: rainwater, surface water, groundwater, municipal supply or another defined source.
- Record collection time, storage, vessel, temperature, light exposure and handling.
- Measure the conventional properties relevant to the crop and irrigation system.
- Use one homogenised source lot when treatment arms are compared.

**Working distinction.** AFCIW describes water exposed before irrigation to a documented AHEH test condition. It is a treatment-history label—not proof that water physically stores or emits that setting.

## Why this distinction matters

If two waters differ in salts, pH, microbes, temperature or storage, the plant may respond for ordinary reasons. The AHEH question becomes interpretable only when those differences are removed or measured.

**Reader Takeaway.** Before asking what a water treatment may have added, establish what the water already contained.

# What Water Science Measures First

No water is understood by appearance alone. The test panel should be selected for the source, crop, soil, irrigation method and intended use.

## Irrigation quality

- pH, electrical conductivity and total dissolved solids.
- Major ions, salinity and sodium-related infiltration risks.
- Nutrients, trace elements and source-specific contaminants.

## Biological and operational safety

- Microbiological quality and any crop- or use-specific pathogen requirements.
- Temperature, storage duration, vessel cleanliness and cross-contamination.
- Application volume, timing, distribution uniformity and soil-moisture response.

> **Established Science.** Roots absorb water from the soil–root interface; water then moves through recognised plant pathways including the xylem. Water availability and quality can directly affect plant physiology and growth.

> **Non-negotiable safety rule.** Conditioning never makes unsafe water safe. Irrigation, food-production and potable-water standards remain primary and must be met independently.

For any human or animal use, the water must independently satisfy the applicable quality and safety requirements. An AHEH response is not a test for potability, toxicity, pathogens or chemical compliance.

# How AFCIW Is Prepared for Research





*Figure 11.2. A reproducible AFCIW study begins with a complete preparation and handling record.*

The conditioning apparatus, nominal setting, exposure duration, distance, vessel, water volume and environmental conditions should be fixed in advance. The water is then coded so subsequent assessment and irrigation can be performed without revealing the assigned condition.

> **Frequency-language rule.** The proposed 400–752 Hz interval refers to nominal AHEH test settings and operator-mediated response classifications. It is not a confirmed physical emission from water without independent calibrated measurement.

Below 400 Hz and above 752 Hz are outside the proposed adaptive interval. That classification does not, by itself, mean the water is chemically unsafe, biologically contaminated or harmful to a plant.

# FO-05 — The Water-Response Observation

Aura Research Foundation reports a repeated observation made under its operational assessment procedure.

> **FO-05 — Repeated observation.** Water exposed to an adaptive-frequency input later produced a corresponding OMRDA response.

The observation is about correspondence between a documented test setting and a later operator-mediated response. It does not yet identify what changed in the water, whether anything physical persisted, or how long the response remained detectable.

## What must be controlled

- Source lot, dissolved constituents, vessel material and water volume.
- Temperature, light, movement, storage interval and sampling order.
- Operator, apparatus, coding, expectation and repeat-reading effects.
- Sham, off-target and untreated water handled in the same way.

## What the next study should ask

- Does the coded response separate reliably from controls?
- Is the response specific to the registered setting?
- How does it change with time, transfer, mixing or storage?

> **Evidence boundary.** OMRDA is an operator–apparatus–sample observation chain, not a direct detector of photons, electromagnetic radiation, water safety or molecular structure.

# FO-06 — From Conditioned Water to Plant

**FO-06 — Repeated observation.** Plants irrigated with AFCIW showed an increased corresponding response; combined adaptive field extent sometimes increased.





*Figure 11.3. Recognised water uptake and the proposed AHEH response are examined together but interpreted separately.*

Within the Foundation's working model, the temporal sequence is interpreted as a possible water-to-plant transfer. That interpretation remains a hypothesis. A later plant reading could also reflect soil moisture, handling, operator effects, plant development or another uncontrolled difference.

**Mandatory boundary.** FO-06 does not establish absorption of a frequency, entry into cells, improved homeostasis, stronger growth, better yield or food benefit. Those outcomes require their own measurements.

# FO-07 — The Wider Water Observation

The Foundation also recorded related human responses after differently conditioned waters, including a separate observation involving UV-treated mineral water. This wider observation explains why water appears in both AHEH and the Food-to-Human research pathway.

**FO-07 — Related observation.** Human responses were reported after differently conditioned waters; separate UV-treated mineral-water observations were recorded.

## Why the UV observation needs careful language

Ultraviolet treatment is an established water-disinfection method when correctly designed and operated. The Foundation's separate OMRDA observation does not show that UV disinfection is harmful, that compliant water is unsafe, or that disinfection should be reduced or avoided.

- Record the exact UV process, dose or equipment information when available.
- Confirm chemistry and microbiological safety independently.
- Compare UV-treated, sham-handled and other safely treated waters under coding.
- Keep plant, water and human outcome claims analytically separate.

**Safety takes priority.** No AHEH classification overrides disinfection, potability, irrigation-quality or food-safety requirements.

FO-07 is therefore a reason for careful comparative research—not a reason to label a recognised water-treatment technology as non-adaptive or harmful in general.

# H17.3 — The Matched-Frequency Water Hypothesis

FO-05 and FO-06 become testable when the intended setting, comparator waters, plant outcome and analysis are declared before the experiment begins.

**H17.3 — Matched-Frequency Water Hypothesis.** AFCIW prepared at an eligible, pre-specified deficit setting separates from sham, off-target and untreated water and precedes a corresponding plant response without an ordinary water-quality imbalance.

## A fair primary test requires

- A registered plant deficit setting identified before water preparation.
- One homogenised source-water lot divided among all treatment arms.
- Matched handling, vessels, temperature, timing and irrigation dose.
- Coded water assessment and blinded plant-outcome scoring.

## Two outcome families remain separate

- AHEH outcomes: water response, matching-frequency plant response and broader Plant Aura profile.
- Independent outcomes: soil moisture, emergence, water status, roots, biomass, stress, growth or yield.

**Support criterion.** The pre-specified AFCIW arm separates reliably, precedes the registered plant response and is replicated without conventional-quality imbalance.

**Non-support criterion.** The contrast is unreliable, non-specific, explained by ordinary water differences or fails to predict the registered plant outcome.

# How to Keep the Water Trial Fair





*Figure 11.4. Equivalent conventional quality and matched handling are essential to interpreting H17.3.*

Plants should be randomised to treatment positions, and position should be blocked when light, temperature or soil moisture varies. The person applying coded water need not know its assignment; the OMRDA assessor and independent plant scorer should remain blinded.

> **Experimental-unit rule.** If one container of water is shared across several plants, those plants may be subsamples of that water preparation—not fully independent treatment replicates.

Water and plant readings should be time-stamped. A short time course can test whether any response appears, persists or fades. A new source lot, season, operator or independent team should repeat the study before a general claim is made.

# A Carrier Is a Question, Not a Conclusion

The word carrier is useful only as a research proposition. FO-05 reports a corresponding water response after conditioning; FO-06 reports a later corresponding plant response; FO-07 records related water-to-human observations. None of these observations, alone or together, identifies a physical carrier or mechanism.

## What stronger evidence would look like

- Reliable coded separation of matched AFCIW from sham, off-target and untreated water.
- Temporal and frequency-specific correspondence in the plant.
- No explanatory difference in chemistry, microbiology, temperature, dose or handling.
- A prospectively registered independent plant outcome and successful replication.

**Research Window.** Can matched AFCIW separate from sham and off-target water when conventional quality is equivalent—and can it predict a repeatable plant response?

## Three things to remember

- AFCIW names a documented preparation history, not proven physical storage.
- Water chemistry, microbiological safety and irrigation suitability remain primary.
- H17.3 requires specificity, temporal order, independent outcomes and replication.

## Context sources

AHEH Foundations Book Reader-Story Master Design, Chapter 11; AHEH Integrated Three-Document Alignment Master Design; Foundation Findings Register, FO-05 to FO-07; Consolidated Hypothesis Register, H17.3; recognised water-quality, irrigation, plant-water-relation and experimental-design literature; AHEH Research Monograph, Chapters 7, 17 and 21.

**Bridge to Chapter 12.** Chapter 12 follows water into fertilisers, manures, pesticides and foliar products, asking how these inputs may affect the proposed adaptive profile.

PART III • WHAT SHAPES THE ENERGY HYGIENE OF A PLANT

## CHAPTER 12

# Fertilisers, Manures, Pesticides and Plant Inputs

***An input may feed, protect, stimulate or disturb a plant. Its label alone cannot tell the whole story.***





*Figure 12.1. A plant encounters the actual preparation applied—not the broad category printed above it.*

Fertilisers supply nutrients. Manures and composts add variable combinations of nutrients and organic matter. Biological preparations introduce organisms or biologically derived materials. Pesticides and other crop-protection inputs target pests, diseases or weeds. AHEH adds a second question: what proposed adaptive, deficit or outside-band response follows a precisely documented application?

# Labels Are Not Mechanisms

**Reader's question.** Do different inputs support or disturb adaptive frequencies?

It is tempting to place every input into a simple pair: natural is good, synthetic is bad. That shortcut is neither sound agronomy nor sound AHEH research. A natural product may be contaminated, immature, incorrectly dosed or unsuitable. A synthetic product may deliver a needed nutrient or effective pest control safely when correctly selected and applied.

## Name what the plant actually received

- Product name, manufacturer, batch or lot and expiry where relevant.
- Active ingredients, nutrient analysis, organism identity or declared composition.
- Formulation, carrier, dilution, dose, route, timing and number of applications.
- Crop, variety, stage, target problem and environmental conditions.

**Working rule.** Natural, organic, biological, synthetic and integrated are useful descriptors; none is a verdict on effectiveness, safety or proposed Energy Hygiene.

## The context travels with the product

The same material can behave differently with another dose, crop stage, soil, weather pattern or application route. A category-level claim therefore hides the variables needed to understand the response.

**Reader Takeaway.** Compare named products under named conditions—not moral labels.

# What Agronomy Measures First

Before an AHEH profile is interpreted, the input must be evaluated for the job it was intended to do and the risks it may create.

## For nutrient and soil inputs

- Nutrient supply, release pattern, soil pH or salinity effects and crop demand.
- Organic-matter quality, maturity, stability and possible pathogens or contaminants.
- Microbial identity, viability, carrier and compatibility for biological products.

## For pesticides and crop protection

- Target organism, active ingredient, formulation, efficacy and resistance-management role.
- Crop safety, non-target effects, residues, re-entry and pre-harvest intervals.
- Label directions, protective equipment, storage, disposal and applicable regulation.

> **Established Science.** Agronomic performance depends on product identity, formulation, dose, timing, route, crop condition, pest pressure, soil and weather—not merely on whether the input is called natural or synthetic.

> **Safety rule.** An AHEH response never authorises an unregistered use, excessive dose, unsafe mixture, reduced protective equipment or disregard of residue and environmental requirements.

# One Product Name Is Not Enough





*Figure 12.2. The centre of a fair comparison is the actual product and application record.*

AHEH assessment is added only after the agronomic record is complete. The proposed 400–752 Hz interval, a reduced response within it, or a response below 400 Hz or above 752 Hz must be recorded as an investigational profile—not as a substitute for efficacy or safety data.

> **Primary-evidence rule.** Nutrient delivery, pest control, toxicity, residues, growth and yield remain independent outcome families. A Plant Aura profile cannot stand in for them.

The key question is not whether one label sounds preferable. It is whether a pre-specified profile difference remains after the ordinary differences among products and applications are controlled.

# FO-09 — Inputs Produced Distinguishable Responses

Aura Research Foundation reports a repeated observation across several kinds of agricultural inputs under its stated OMRDA procedure.

> **FO-09 — Repeated observation.** Fertilisers, manures, pesticides and foliar sprays produced distinguishable plant responses.

Distinguishable does not mean that the product category caused the response or that one response was agronomically better. Product chemistry, formulation, nutrient concentration, carrier, dose, timing, crop condition and operator effects may all contribute.

## What a useful record contains

- Baseline plant profile and recognised plant condition before application.
- Exact input, dose, dilution, route, time and environmental conditions.
- Post-application AHEH profile at pre-specified intervals.
- Independent agronomic, safety and adverse-outcome measurements.

## What FO-09 allows

- A coded comparison of named inputs under matched conditions.
- A test of profile specificity, timing and reproducibility.

> **Mandatory boundary.** Chemical class alone is not causal. Product, formulation, dose, timing, crop condition and application context must be retained in every interpretation.

# FO-10 — Selected Natural and Biological Inputs

**FO-10 — Repeated observation.** Selected natural manures, biofertilisers, microbial preparations and organic sprays were generally associated with increased adaptive responses.

The words selected and generally are safeguards. They describe the Foundation's observed set; they do not convert a broad category into a universal rule.

## Why products within the same label differ

- Manure and compost vary with source, maturity, moisture, storage and contamination.
- Microbial products vary with strain identity, viable count, carrier and storage.
- Botanical and organic sprays vary with extraction, concentration, formulation and dose.
- Mixtures and integrated programmes create interactions that a single label cannot describe.

**What FO-10 does not mean.** It does not show that every natural, organic or biological input is effective, adaptive or safe. Nor does it establish improved growth, yield, food quality or mechanism.

## The fair next question

When selected products are coded and applied at safe, equivalent and agronomically meaningful conditions, do their proposed adaptive responses separate from vehicle, standard-practice and untreated comparisons—and do they predict an independent outcome?

**Reader Takeaway.** A promising category-level pattern becomes useful only through product-level replication.

# FO-11 — Selected Synthetic Inputs

**FO-11 — Repeated observation.** Some selected synthetic fertilisers and pesticides were associated with reduced adaptive responses or responses outside 400–752 Hz.





*Figure 12.3. An AHEH profile and an agronomic effect can coexist, diverge or show no relationship.*

A product may provide agronomic benefit while showing the reported AHEH pattern, or show no useful agronomic effect for unrelated reasons. Both outcome families must therefore remain visible.

**What FO-11 does not mean.** The finding must not be generalised to all synthetic fertilisers or pesticides. It does not prove toxicity, crop injury, unsafe food, environmental harm or a physical frequency mechanism.

# H17.4 — The Soil and Foliar Input Hypothesis

FO-09 to FO-11 become testable when products, comparators, safe doses, timing and outcome families are declared before application.

**H17.4 — Soil and Foliar Input Hypothesis.** Named biological, organic, synthetic or integrated inputs produce distinct reproducible profiles and independent agronomic outcomes under equivalent safe application.

## A fair primary comparison requires

- Named product, formulation, batch, dose, dilution, route and timing.
- Specified crop, genotype, stage, soil, water and baseline condition.
- Balanced nutrient delivery or pest pressure where the comparison requires it.
- Vehicle/sham, untreated and recognised-practice comparators as appropriate.

## Two outcomes remain separate

- AHEH: adaptive, deficit or outside-band Plant Aura profile.
- Independent: nutrient status, pest control, injury, residues, physiology, growth or yield.

**Support criterion.** A pre-specified product-level profile separates reliably, corresponds with a registered independent outcome and is replicated under equivalent safe application.

**Non-support criterion.** The profile is unreliable, explained by dose, formulation, nutrition, pest pressure, toxicity or context, or fails to predict the registered outcome.

# How to Keep the Input Trial Fair





*Figure 12.4. The comparison tests actual products while preserving agronomic meaning and safe use.*

Randomise plants or plots, block known field gradients and code the treatments wherever feasible. The OMRDA assessor should not know the assignment; independent scorers should evaluate plant injury, pest control, growth and other registered outcomes.

> **Experimental-unit rule.** If an input is applied to a whole plot, the plot—not every leaf, fruit or repeated reading—is the independent treatment unit.

For fertiliser comparisons, match nutrient delivery when the question concerns formulation rather than dose. For pesticide comparisons, record pest pressure and include an appropriate efficacy standard. Report null, mixed and adverse findings as carefully as favourable results.

# The Plant Meets Products, Not Categories

FO-09 records distinguishable responses across fertilisers, manures, pesticides and foliar sprays. FO-10 records generally increased adaptive responses with selected natural, biological and organic preparations. FO-11 records reduced or outside-band responses with some selected synthetic products. These are product- and context-bound observations, not universal category verdicts.

## What stronger evidence would look like

- Reliable coded product-level profiles under pre-specified conditions.
- Conventional nutrient delivery, pest pressure, dose, formulation and toxicity controlled.
- A registered independent agronomic or safety outcome.
- Replication across batches, crops, seasons, operators and independent teams.

> **Research Window.** Which profile differences remain after nutrient delivery, pest pressure, formulation, dose and toxicity are controlled?

## Three things to remember

- No natural, biological, organic, synthetic or integrated category is automatically adaptive, harmful, safe or effective.
- The proposed 400–752 Hz profile is additional to agronomy and safety—not a replacement.
- H17.4 requires named products, equivalent safe application, independent outcomes and replication.

## Context sources

AHEH Foundations Book Reader-Story Master Design, Chapter 12; AHEH Integrated Three-Document Alignment Master Design; Foundation Findings Register, FO-09 to FO-11; Consolidated Hypothesis Register, H17.4; recognised plant-nutrition, soil-amendment, pesticide-safety, integrated-pest-management and experimental-design literature; AHEH Research Monograph, Chapters 7, 17 and 21.

**Bridge to Chapter 13.** Inputs act within an environment of light, temperature, air, structure and surrounding influences. Chapter 13 turns from what reaches the plant to the space in which the plant grows.

PART III • WHAT SHAPES THE ENERGY HYGIENE OF A PLANT

## CHAPTER 13

# The Growing Environment around the Plant

***A plant is rooted in one place, but that place is never empty.***





*Figure 13.1. The growing environment is a combination of measurable conditions and proposed influences to investigate.*

Light crosses its leaves. Air moves around it. Temperature and humidity rise and fall. People walk, talk, work, play music, chant or meditate nearby. Buildings, electrical equipment, objects and the underlying site form part of the plant's surroundings. AHEH asks whether this complete environment may also support, deplete or disturb the plant's proposed adaptive profile.

# The Plant Lives inside a Changing Space

**Reader's question.** Can the space surrounding a seed or plant influence its adaptive profile?

Plant science already shows that the growing environment matters. Light drives photosynthesis and development. Temperature shapes biochemical rates and life-cycle timing. Humidity and air movement influence transpiration. Carbon dioxide affects carbon gain. Wind, touch and vibration can become mechanical signals. The plant integrates these conditions rather than responding to only one of them.

## The environmental record begins with

- Light intensity, spectrum and photoperiod; shading and time of day.
- Air and root-zone temperature; humidity, airflow, $CO_2$ and ventilation.
- Rain, irrigation events, soil moisture and nutrient availability.
- Wind, sound, vibration, handling, plant density and pest pressure.
- Nearby structures, electrical equipment, objects and management activity.

**Established Science.** Plant growth and regulation respond to measurable physical, chemical and biological conditions in the growing environment.

**AHEH lens.** After these conditions are logged, the Foundation proposes an additional classification: supported adaptive response, within-band deficit, or non-adaptive response outside 400–752 Hz.

# When the Surroundings Are Given an AHEH Profile

In the Foundation's framework, the environment around a seed or plant may be assessed in relation to the same proposed 400–752 Hz inclusive interval used throughout AHEH. A response within the interval is classed operationally as adaptive; a reduced response at a nominated value within it is recorded as a deficit; a response below 400 Hz or above 752 Hz is classed as non-adaptive.

## Possible environmental contributors to test

- The underlying Soil/Earth location and previously mapped site points.
- Greenhouse, shade-net, room or field structure and spatial position.
- Electrical installations, pumps, lights, control equipment and nearby sources.
- Objects, stored materials, tools and other features within the growing space.
- Sound, music, chanting, meditation sessions and patterns of human activity.

> **Important boundary.** This classification is investigational. It does not make every physical frequency below 400 Hz or above 752 Hz hazardous, and it does not establish an emitted plant or environmental signal.

The phrase supported environment describes a coded condition intended to influence the proposed profile. The words active, inactive, sham, adaptive and non-adaptive must follow a documented procedure; they must not be assigned simply because a place feels pleasant, quiet, spiritual or natural.

> **Reader Takeaway.** First describe the place. Then test the proposed profile. Never let the label replace the environmental record.

# Music: Sound Exposure and AHEH Profile





*Figure 13.2. Musical pitch and the Foundation's AHEH test setting are two different variables.*

Experiments with music or sound in plant-growing areas can be meaningful only when the exposure is described. The recording, loudspeaker, sound-pressure level, frequency spectrum, rhythm, duration, distance, time of day and background noise may all change the physical dose received by the plant.

> **Do not confuse the numbers.** A musical tone measured at 500 Hz is an acoustic vibration. It is not automatically the same as a 500 Hz adaptive response recorded within the Foundation's operational AHEH procedure.

AHEH asks a separate question: after the acoustic exposure and all ordinary conditions are recorded, does the growing environment show a repeatable adaptive, deficit or non-adaptive profile—and is that profile related to an independent plant outcome?

# Meditation, Chanting and Human Presence





*Figure 13.3. A session can change several conditions at once; the proposed AHEH contribution must be isolated.*

Some growers and researchers have placed music, chanting, prayer or meditation in plant-growing areas. AHEH proposes that such activity may alter the adaptive or non-adaptive frequency condition of the surroundings. That proposition must be tested; a calm human experience is not, by itself, proof of an adaptive plant environment.

People also add warmth, carbon dioxide, humidity, movement and sound. A session may change watering attention, handling, observation time or other care. Equipment may add light, heat, airflow or vibration. These ordinary pathways can influence a plant and must be logged or held equivalent.

> **Fair-test rule.** Compare coded active, acoustically matched, silent-equipment, sham and no-session conditions where feasible. Keep microclimate, watering, inputs, handling and observation timing equivalent.

# FO-15 — Changes after Environmental Support

Aura Research Foundation reports that the condition of the surrounding space formed part of its plant observation programme. Its controlled register states:

> **FO-15 — Repeated observation.** Growing-environment condition or harmonisation was followed by increased adaptive responses in some plants.

The words followed by describe sequence, not proven causation. A changed reading after an environmental intervention may also reflect temperature, humidity, light, structure, electrical conditions, apparatus position, handling, plant condition, time or operator contribution.

## What an environmental-support record needs

- Exact active condition, location, apparatus or procedure and exposure schedule.
- Inactive or sham comparison that resembles the active condition.
- Before-and-after microclimate, sound, light, electrical and management logs.
- Coded AHEH assessment and independent plant measurements.

> **Mandatory boundary.** Separate microclimate, structure, electrical environment, apparatus position and operator effects before attributing a change to growing-environment harmonisation.

> **Meaning for the reader.** FO-15 justifies a controlled environment experiment; it does not establish that every harmoniser, musical practice or meditative session benefits plants.

# FO-16 — Supported Environment and Germination

> **FO-16 — High-priority preliminary finding.** Seeds or plants in an adaptive-frequency-supported environment showed greater adaptive response and increased germination percentage.

This finding connects the growing environment with the earliest visible stage of plant life. It is important because germination percentage can be counted independently. Yet the preliminary label must stay attached: seed lot, temperature, moisture, light, substrate, container position, handling and scoring time can all change germination.

## Two outcome families

- Investigational: adaptive response, within-band deficit and outside-band response under the Foundation procedure.
- Recognised: germination percentage and timing, emergence, abnormal seedlings, early growth and survival.

## What a stronger test would show

- A complete exposure description and continuous environmental logging.
- Random allocation across active, inactive/sham and untreated conditions.
- Coded seed lots, blinded scoring and a pre-defined germination rule.
- Replication across runs, positions and independent teams.

> **Evidence boundary.** A higher germination percentage in a preliminary observation does not yet prove a frequency mechanism, universal crop benefit or improved food quality.

# Seed and Environment May Work Together

**FO-17 — Derived hypothesis.** Seed treatment and environmental support may act independently, additively or interactively.

FO-17 is a prediction derived from the Foundation's seed-treatment and supported-environment observations. It is not a separate established finding. The seed may carry one starting condition while the growing space supplies another continuing influence.

**H17.5 — Growing-Environment Adaptive Support.** A coded active environmental-support condition separates from inactive/sham when microclimate and management are equivalent.

**H17.6 — Seed × Environment Interaction.** The joint seed-treatment and environment-support effect differs prospectively from the sum of separate effects.

## Three possible stories

- Independent: only seed treatment or only environment support changes the registered outcome.
- Additive: both contribute and the joint result is consistent with their separate contributions.
- Interactive: the effect of one pathway depends on whether the other is present.

**Why this matters.** Without a factorial design, a joint result cannot reveal whether the seed, the environment or their interaction produced the difference.

# A Fair Seed × Environment Test





*Figure 13.4. Four groups separate the seed effect, environment effect and their interaction.*

Use one seed lot and randomise experimental units across the four groups. Rotate or block positions to account for light, airflow and temperature gradients. The active and sham conditions should appear equivalent to carers and assessors wherever feasible.

**For music or meditation studies.** Pre-register the session, people, recording or practice, duration and schedule. Add acoustically matched or equipment-only comparisons where the research question requires them.

Record AHEH profiles and recognised plant outcomes separately. Analyse germination or growth at the level actually randomised; repeated leaves, seedlings within one tray or multiple readings from one plot are not automatically independent experimental units.

**Decision rule.** Advance the hypothesis only if the coded profile and the pre-specified independent outcome are reliable, alternatives are controlled and the result is replicated.

# The Surroundings Become Part of the Plant's Story

The growing environment includes the familiar conditions of plant science—light, temperature, humidity, air, carbon dioxide, water, sound, vibration and management. AHEH adds a proposed environmental profile that may be adaptive, depleted within 400–752 Hz or non-adaptive below 400 Hz or above 752 Hz.

Music, chanting and meditation are therefore not treated as magic labels. They are documented exposures that may combine acoustic, physical, human, management and proposed AHEH pathways. Each pathway must be separated before a plant change is attributed to adaptive or non-adaptive frequencies in the surroundings.

## Three things to remember

- A pleasant sound or peaceful practice is not automatically an adaptive plant environment; assess and test the actual condition.
- Acoustic frequency and the proposed 400–752 Hz AHEH test interval are different variables.
- FO-15 and FO-16 motivate controlled tests; FO-17, H17.5 and H17.6 specify what those tests must distinguish.

**Research Window.** Can a factorial, sham-controlled study distinguish seed and environment effects?

## Context sources

AHEH Foundations Book Reader-Story Master Design, Chapter 13; AHEH Integrated Three-Document Alignment Master Design; Foundation Findings Register, FO-15 to FO-17; Consolidated Hypothesis Register, H17.5 and H17.6; recognised controlled-environment agriculture, plant physiology, acoustic/mechanical-stimulation and experimental-design literature; AHEH Research Monograph, Chapters 8, 17, 21 and 22.

**Bridge to Part IV, Chapter 14.** Soil, seed, water, inputs and the growing environment have now formed one connected plant story. Chapter 14 gathers the complete set of twenty-one Foundation observations and shows how they built the AHEH research programme.

PART IV • WHAT THE FOUNDATION OBSERVED AND HOW IT ASSESSES

CHAPTER 14

# Twenty-One Observations That Built AHEH

***A field notebook opens—not with one dramatic claim, but with patterns accumulated over time.***





*Figure 14.1. The twenty-one controlled items form six connected observation stories.*

Aura Research Foundation's AHEH programme began by recording what appeared to recur across plants, seeds, water, inputs, growing spaces, harvested foods and human responses. This chapter gathers those records without turning them into settled facts. The observations explain why the research questions exist; they do not answer those questions in advance.

# One Register—Several Evidence Statuses

**Reader's question.** What exactly has Aura Research Foundation observed so far?





*Figure 14.2. The status label describes maturity inside the programme, not independent validation.*

The fixed register contains eleven repeated observations; seven preliminary or high-priority preliminary items; one related observation; one derived hypothesis; and one candidate observation. Repeated means recurring within the Foundation's procedure. It does not mean replicated by an independent team.

**Established Science.** Observation can generate a hypothesis. Confirmation requires controlled study, qualified measurement, appropriate comparators, independent outcomes and reproducibility.

**Register rule.** FO-01 to FO-21 remain the single controlled origin record. New details are attached to the relevant item until a separate, auditable observation series justifies a new number.

# Six Stories, Not Twenty-One Loose Claims





*Figure 14.3. Every cluster leads to a different validation priority.*

The six-cluster map follows the Soil–Seed–Water–Plant–Food–Human journey. It also prevents one favourable observation from being stretched across unrelated stages. A plant response cannot prove a food effect; a food profile cannot prove a human-health benefit.

## The common evidence discipline

- Preserve the wording, internal status and mandatory boundary of every item.
- Record favourable, null, mixed and adverse observations with equal care.
- Pair every proposed AHEH profile with recognised plant, water, soil, food or human outcomes.

**Reader Takeaway.** The register is a map of questions ready to be tested—not a catalogue of proven mechanisms or benefits.

# Cluster 1 — Plant Range, Deficits and Support

**FO-01 — Repeated observation.** Plants produced distinguishable responses at tested frequencies within the proposed 400–752 Hz adaptive interval.

Boundary: this does not establish emitted photons, universal resonance or a physical field mechanism.

**FO-02 — Repeated observation.** Some adaptive frequencies showed reduced response and were recorded operationally as deficits.

Boundary: a reduced reading does not prove cellular deficiency, disease or impaired homeostasis.

**FO-03 — Repeated observation.** Support matched to an identified deficit was followed by increased response at the corresponding frequency.

Boundary: sequence does not establish physical transfer into the plant or improved plant health.

**FO-04 — Repeated observation.** Targeted support was sometimes followed by increased combined adaptive field extent.

Boundary: combined extent is an investigational summary—not biomass, yield or cellular health.

**What this cluster built.** The proposed band, deficit concept, matched-support question and need for direct plant-physiology comparison.

# Cluster 2 — Water and AFCIW

Water carries ordinary chemistry, microbiology, temperature and handling history. The Foundation's water observations add an investigational response question without replacing potable-water or irrigation-water standards.

**FO-05 — Repeated observation.** Water exposed to an adaptive-frequency input later produced a corresponding OMRDA response.

Boundary: separate handling, vessel, temperature, dissolved constituents, time, operator and order effects.

**FO-06 — Repeated observation.** Plants irrigated with AFCIW showed increased corresponding response; combined extent sometimes increased.

Boundary: this does not establish absorption, cellular entry, homeostasis or agronomic benefit.

**FO-07 — Related observation.** Human responses were reported after differently conditioned waters; separate UV-treated mineral-water observations were recorded.

Boundary: the observations do not establish that UV disinfection is harmful. Microbiological and chemical water safety remain primary.

## The next useful test

Compare matched, sham, off-target and untreated waters while holding chemistry, microbiology, vessel, temperature, storage and handling equivalent. Plant and human studies remain separate evidence lanes.

**What this cluster built.** A matched-water pilot and a strict rule that safety qualification comes before interpretation.

# Cluster 3A — Soil/Earth and SGIZ

**FO-08 — Preliminary observation.** Different Soil/Earth locations were associated with different plant response profiles.





*Figure 14.4. The expanded FO-08 field proposition. Association is not yet causation.*

Within FO-08, the Foundation reports mapped Earth points described operationally as SGIZ or geopathic-stress locations. At some such points it recorded adaptive-frequency depletion, proposed non-adaptive responses below 400 Hz or above 752 Hz, weak or absent growth, failure to establish and, in some instances, plant death.

**Mandatory boundary.** These outcomes remain associated with location. Characterise soil chemistry, compaction, drainage, salinity, moisture, temperature, pathogens, contaminants, shade, root obstruction, utilities and management before attributing an AHEH cause.

**Why it stays FO-08.** SGIZ, depletion and poor-growth details expand the documented location observation; they do not yet constitute a separately controlled observation series.

# Cluster 3B — Fertilisers, Manures and Plant Inputs

**FO-09 — Repeated observation.** Fertilisers, manures, pesticides and foliar sprays produced distinguishable plant responses.

Boundary: chemical class alone is not causal; product, formulation, dose, timing and crop condition matter.

**FO-10 — Repeated observation.** Selected natural manures, biofertilisers, microbial preparations and organic sprays were generally associated with increased adaptive responses.

Boundary: this does not mean every natural, organic or biological input is effective, adaptive or safe.

**FO-11 — Repeated observation.** Some selected synthetic fertilisers and pesticides were associated with reduced adaptive responses or responses outside 400–752 Hz.

Boundary: do not generalise to all synthetic inputs. Agronomic benefit and safety are product- and context-specific.

## No moral labels

The plant receives an actual preparation—not the word natural, biological or synthetic. A fair study records the named product, composition, batch, dose, timing, application route, crop stage, nutrient delivery, pest pressure, toxicity, residues and environmental conditions.

**What this cluster built.** Named-product comparisons with agronomic and AHEH outcomes kept separate.

# Cluster 4 — Seed, Germination and Early Growth

**FO-12 — Preliminary observation.** Seed lots showed different baseline OMRDA response profiles.

Boundary: identity, vigour, treatment, condition and handling remain alternative explanations.

**FO-13 — High-priority preliminary finding.** Adaptive-frequency-treated seeds showed greater adaptive response and increased germination percentage.

Boundary: requires randomisation, sham handling, adequate numbers, blinded scoring and independent replication.

**FO-14 — Preliminary observation.** Reported response differences after seed treatment continued into germination or early seedling development.

Boundary: persistence across crops, seasons and laboratories is not established.

## Why germination matters

Germination percentage and timing can be counted independently. That makes the seed story one of the clearest places to test whether a qualified AHEH profile corresponds with a recognised biological outcome.

## What stronger evidence requires

- One characterised seed lot; coded matched, sham, off-target and untreated groups.
- Pre-defined germination and abnormal-seedling rules; blinded scoring and complete reporting.

**What this cluster built.** A randomised seed-treatment trial and the later Seed × Environment hypothesis.

# Cluster 5 — The Growing Environment





*Figure 14.5. Music and meditation observations remain within the growing-environment cluster.*

**FO-15 — Repeated observation.** Growing-environment condition or harmonisation was followed by increased adaptive responses in some plants.

Programme extension: the Foundation also records music, chanting and meditation in growing areas as exposures associated with distinguishable adaptive or non-adaptive environmental profiles. A practice name alone does not determine the classification.

**FO-16 — High-priority preliminary finding.** Seeds or plants in an adaptive-frequency-supported environment showed greater adaptive response and increased germination percentage.

Boundary: give the complete exposure description and log sound, light, temperature, humidity, $CO_2$, people, equipment, handling and management; include sham conditions and replication.

**FO-17 — Derived hypothesis.** Seed treatment and environmental support may act independently, additively or interactively.

Boundary: this is a factorial prediction derived from FO-13 and FO-16—not a separate established finding.

**Why the register remains at 21.** Music and meditation are retained as an FO-15 programme extension until a separately documented, coded observation series supports a new identifier.

# Cluster 6 — Harvest, Food and the Human Bridge

**FO-18 — Repeated observation.** Selected natural or biological farming systems generally showed greater combined plant and food responses than selected intensive synthetic-input comparisons.

Boundary: avoid ‘old is good, modern is bad’; compare defined and matched systems.

**FO-19 — Preliminary observation.** Harvested foods showed distinguishable profiles associated with the originating plant or production history.

Boundary: separate cultivar, maturity, moisture, freshness, handling, storage, processing and composition.

**FO-20 — Candidate observation.** Storage, handling, transport and processing may modify the measured food profile.

Boundary: documentation is limited; direction, magnitude and stability remain open.

**FO-21 — Preliminary observation.** Consumption of selected natural/biological-system foods was followed by greater human adaptive response than selected modern synthetic-input comparisons.

Boundary: this does not establish superior nutrition, cellular repair, disease prevention or treatment.

**The translation rule.** Traceability, food composition, contaminants and safety must be locked before any coded food-to-human study. A human response requires ethics, consent and recognised outcomes.

# The Observations Now Face Their Tests





*Figure 14.6. No FO item becomes evidence merely by repetition within the originating network.*

## First pilot priorities

- Plant profile: test repeatability and compare it with direct plant physiology.
- Water: use matched, sham, off-target and untreated conditions under equal safety and chemistry.
- SGIZ/Site: map Earth points, characterise every conventional site variable and compare coded positions.
- Seed and environment: use factorial designs that separate seed treatment, support and interaction.
- Food-to-human: proceed only after traceability, composition, safety and ethics gates.

**Possible decisions.** Support the pre-specified result, refine the method, repeat the study, or record non-support. Null and adverse findings remain part of the programme.

# The Beginning of AHEH Research —not Its Final Proof

The twenty-one items preserve the programme's origin: proposed plant responses within 400–752 Hz; deficits and matched support; conditioned water; Soil/Earth and SGIZ locations; named agricultural inputs; seed and germination; the growing environment, including music and meditation exposures; harvest, storage, food and the cautious human bridge.

The additions requested in this chapter do not change the controlled count. Earth-point, depletion and plant-establishment details deepen FO-08. Music, chanting and meditation deepen FO-15. This keeps the Book aligned with the Monograph and White Paper while leaving a clear route for future observations to earn separate identifiers through complete records.

## Three things to remember

- Internal status labels describe the Foundation record; they are not independent confirmation.
- Every observation retains its mandatory boundary and ordinary alternative explanations.
- The next step is qualified, coded and reproducible assessment—not stronger wording.

**Research Window.** Which observations are sufficiently documented and feasible for the first independent pilot studies?

## Context sources

AHEH Foundations Book Reader-Story Master Design, Chapter 14; AHEH Integrated Three-Document Alignment Master Design; controlled Foundation Findings Register, FO-01 to FO-21; revised Chapter 9 SGIZ/Earth-point field proposition; Chapter 13 growing-environment, music and meditation framework; AHEH Research Monograph, Chapter 13 and Appendices C–D.

**Bridge to Chapter 15.** The register tells us what the Foundation reports. Chapter 15 now asks how a plant, seed, water, input or food sample is followed with OMRDA—and why operator mediation, coding and repeatability must remain visible.

PART IV • WHAT THE FOUNDATION OBSERVED AND HOW IT ASSESSES

CHAPTER 15

# Following a Plant Response with OMRDA

***The label is hidden. A reference is selected. The operator observes—and the trial is repeated.***





*Figure 15.1. A response belongs to the complete reference–apparatus–operator–sample system.*

Chapter 14 preserved what the Foundation reports. This chapter follows how one of those observations is made. The assessment does not begin with a known answer. It begins with a coded target, a declared reference setting, a standardised operator and apparatus, a recorded movement and enough repetition to reveal whether the response is dependable.

# What OMRDA Is—and What It Is Not

**Reader's question.** How does the Foundation assess a plant, seed, water, input or food sample?

AHEH uses OMRDA as an operator-mediated assessment system. A reference condition, apparatus, operator, sample or target, trial order, room and recording rule all contribute to the observation. Removing the operator from the description would hide a central part of the method.

## What the procedure records

- A coded sample or defined target and its handling history.
- The nominated reference setting and the order in which it is presented.
- A defined apparatus movement or deflection observed under stated conditions.
- Repeated trials, invalid trials, non-responses and later reassessment.

**AHEH position.** The recorded pattern may be described publicly as a Plant Aura response within the Foundation framework.

**Mandatory boundary.** OMRDA is not presented as a direct photon detector, spectrum analyser, calibrated field-strength meter, chemical analyser or established plant-health test.

A deflection is therefore an observation before it is a mechanism. It cannot by itself show what physical carrier exists, whether the plant emits a matching frequency, whether energy entered tissue, or whether the plant is healthier.

**Reader Takeaway.** Describe the whole assessment system before interpreting any response.

# A Five-Step Coded Assessment





*Figure 15.2. Raw coded trial records come before profiles, comparisons or explanations.*

## What protects the sequence

- The code is generated and retained by someone outside the assessment task.
- Reference order is randomised or counterbalanced and declared in advance.
- Operator posture, grip, distance, orientation, rest and trial timing are standardised.
- The response rule is fixed before the code is opened.
- Every repeat, non-response, disagreement and invalid trial remains in the record.

> **Blinding principle.** The assessor should not know sample identity, treatment, expected direction or previous result while recording the trial.

The same sequence can follow a plant, seed, water, input, soil or food sample. The details of collection, storage, presentation and environmental control must match the type of target.

# References Organise the Question

The Foundation uses nominated reference settings to ask whether a coded target produces a distinguishable response at that setting. Across AHEH, the proposed adaptive interval is 400–752 Hz inclusive. A reduced response at an eligible value within the interval is recorded operationally as a deficit; a response below 400 Hz or above 752 Hz is classified as proposed non-adaptive.

## A reference label is not a physical conclusion

- The nominal setting identifies the condition presented in the protocol.
- It does not prove that the sample emits, contains or absorbed that physical frequency.
- It does not establish dose, field strength, wavelength, photon count or receptor.
- Independent instruments are required for any direct physical-signal claim.

> **Boundary note.** The 400–752 Hz classification belongs to the Foundation’s operational research model. It is not an established plant spectrum or universal biological hazard band.

## Reference control

The reference set, code, order and storage history must be traceable. Where an electronic source or other physical reference is used, its output should be verified independently with suitable calibrated equipment. This qualifies the reference source; it does not convert OMRDA into a direct physical detector.

> **Fair comparison.** Include matched, off-target, sham or blank references and repeated no-sample trials so specificity can be tested rather than presumed.

## The question OMRDA can help pose

Does the coded target produce a repeatable, setting-specific operator–apparatus response under conditions in which identity, order and expectation are controlled?

# The Operator Cannot Be Hidden





*Figure 15.3. Operator mediation creates testable sources of variation and bias.*

Grip, posture, muscle tone, tremor, attention, expectation, fatigue, stress, training and handedness may affect an operator-mediated movement. Room layout, observers, time, order and apparatus position may also matter. These are not reasons to dismiss the procedure; they are reasons to test it rigorously.

## Standardisation before eligibility

- Define training, posture, grip, rest, trial duration and invalid-trial criteria.
- Document operator identity and state without revealing the sample code.
- Examine learning, fatigue, carry-over and expectation effects.

**Qualification rule.** An operator is research-eligible only after showing pre-specified performance under blinded coded trials—not because of experience, confidence or agreement with an expected answer.

# Deflection Is an Observation before a Mechanism

During a trial, the Foundation records a defined apparatus deflection. Depending on the approved procedure, the record may include whether movement occurred, its direction, onset, stability and angle on a declared 0°–180° scale. The raw observation should be preserved before it is converted into any summary.

## What a raw record should show

- Trial code, date and time; target type, condition and presentation method.
- Reference setting, order, blank/sham status and repeat number.
- Operator and apparatus IDs; position, orientation and room conditions.
- Observed angle or category, latency, stability, invalid-trial reason and comments.

> **Interpretation limit.** A larger angle is not automatically a stronger physical field, greater photon emission, better plant health, higher yield, safer food or superior nutrition.

## Repeat before comparing

A single movement may reflect random variation, expectation, order, handling or environment. The response becomes a candidate measure only when repeated coded trials follow the same rule and their uncertainty is reported.

> **Mechanism remains open.** Apparatus behaviour, neuromuscular mediation, environmental coupling and other physical or procedural explanations must be examined rather than selected in advance.

## No silent exclusions

Non-responses, reversals, disagreements and unusable trials belong in the dataset. Removing them after the code is opened would make the apparent pattern unreliable.

# From a Reading to a Plant Aura Profile





*Figure 15.4. Every summary remains traceable to its underlying frequency-specific records.*

> **Plant Aura.** The public umbrella term for the Foundation's proposed plant response. Frequency-Specific Plant Aura refers to one nominated reference setting.

## Small technical note

PARP—Plant Adaptive Response Profile—is the primary technical pattern across pre-specified settings and conditions. PBFR—Plant Biophysical Field Radius—is a protocol-defined spatial response at a specified condition, not field strength or photon flux. CAFE—Combined Adaptive Field Extent—is a secondary summary across eligible adaptive settings and never replaces the raw profile.

> **Legacy crosswalk only.** HBEF, MBDR and FAEF belong only in terminology history or cross-document mapping; they are not current public headline measures for this AHEH Book.

A summary is useful only if the underlying setting-specific trials are reliable. Combining unstable readings does not create a stable biological measure.

# Reassessment Must Be a Comparison—not a Memory

The Foundation often compares a baseline assessment with a later assessment after water conditioning, seed treatment, an input, environmental support or another defined intervention. The later result must be gathered under conditions comparable to baseline and without revealing which change is expected.

## Keep the comparison symmetrical

- Same sample identity or prospectively matched biological units.
- Same reference set, coding rule, apparatus position and response definition.
- Randomised order and sufficient washout or spacing between trials.
- Comparable time, room, temperature, handling and operator-rest conditions.
- Independent plant, water, soil or food outcome recorded on its own track.

> **Reassessment rule.** A post-intervention increase is not accepted because it looks favourable. It must exceed expected repeat variation, separate from sham and off-target conditions and recur in a pre-specified analysis.

## Two questions remain separate

- Measurement question: did the coded operator–apparatus response change reliably?
- Biological question: did a recognised plant outcome change, and was that relationship pre-specified?

> **No automatic benefit.** An increased adaptive response does not by itself establish better germination, physiology, recovery, yield, food quality or human benefit.

The next chapter will apply this discipline to three separate support pathways rather than treating every increase as one undifferentiated intervention.

# When Does the Method Become Dependable?





*Figure 15.5. Reliability belongs to the complete system—not to the apparatus alone.*

## The four questions

- Test–retest: does the same coded target receive a consistent classification across separated repeats?
- Intra-operator: does one operator remain consistent across days and randomised orders?
- Inter-operator: do eligible operators agree without seeing identity or one another's result?
- Inter-apparatus: do qualified apparatuses agree under a common blinded trial set?

> **Agreement is more than correlation.** Use pre-specified classification agreement, disagreement, measurement error and uncertainty. Two operators can rise and fall together yet still disagree on the actual result.

> **Stop gate.** If blinded reliability and agreement are inadequate, refine or stop the measure before testing mechanisms, agronomic benefit or food-to-human translation.

# A Reading Becomes Useful Only through Reliability

Following a plant response with OMRDA means following the entire chain: coded target, declared reference, apparatus, operator, environment, response rule, raw record, repeat and reassessment. The operator remains visible because the method is mediated through human–apparatus interaction.

Plant Aura gives the public a simple name for the Foundation's proposed response. PARP, PBFR and CAFE organise technical records. None of these terms converts an operator-mediated deflection into a directly detected physical field or a recognised plant-health outcome.

## Three things to remember

- A nominal 400–752 Hz reference is an operational test setting—not proof that the target emits or contains that frequency.
- Coding, blinding, random order and complete raw records protect the observation from expectation and selective reporting.
- Test–retest, inter-operator and inter-apparatus reliability must pass before wider claims are examined.

**Research Window.** What are the test–retest, inter-operator and inter-apparatus reliability and agreement under blinding?

## Context sources

AHEH Foundations Book Reader-Story Master Design, Chapter 15; AHEH Integrated Three-Document Alignment Master Design; controlled Foundation Findings Register; recognised measurement-science, blinding, inter-rater agreement and reproducibility principles; AHEH Research Monograph, Chapters 14, 15 and 20.

**Bridge to Chapter 16.** With the assessment chain visible, Chapter 16 follows what happens after an eligible deficit is identified: support through seed treatment, AFCIW or defined inputs, and the growing environment—each tested against matched, off-target, sham and untreated conditions.

PART IV • WHAT THE FOUNDATION OBSERVED AND HOW IT ASSESSES

## CHAPTER 16

# Matched Support and the Three Intervention Pathways

***After a reduced response is identified, the next question is not simply 'What can we add?' It is 'Where, when and against what controls should support be tested?'***





*Figure 16.1. One eligible deficit can lead to three different—and separately testable—pathways.*

Chapter 15 made the assessment chain visible. This chapter follows the decision that comes next. A support condition is chosen prospectively, delivered through only one clearly defined pathway, and compared with off-target, sham and untreated conditions while ordinary plant care remains equal.

# ‘Matched’ Begins before the Intervention

**Reader’s question.** How is an identified adaptive-frequency deficit investigated?

Within the Foundation model, an eligible adaptive-frequency deficit means a reduced coded response at a pre-specified reference within the proposed inclusive 400–752 Hz interval. Support is called matched only when its nominated setting corresponds to that eligible deficit according to a rule written before reassessment.

**FO-03 — Repeated observation.** Support matched to an identified deficit was followed by an increased response at the corresponding frequency.

## Four conditions for a genuine match

- The baseline response is obtained through a qualified, coded and repeatable assessment.
- The eligible reference and matching rule are declared before group assignment.
- The delivery route, duration, timing and exposure condition are defined and recorded.
- The result is compared with off-target, sham and untreated conditions—not only with baseline.

**Not matching after the event.** Selecting whichever post-treatment setting increased most would be outcome-driven and cannot establish frequency specificity.

## Different starting classifications

A reduced response within 400–752 Hz, a response below 400 Hz and a response above 752 Hz are distinct operational classifications. A within-band matched-support study must not be presented as evidence that the same procedure neutralises every proposed non-adaptive response. These classifications remain investigational and require blinded reliability, independent measurement and biological validation.

# Three Pathways, One Testable Question





*Figure 16.2. The pathways may converge on the plant, but their effects must first be isolated.*

## Why separation matters

Seed, water, inputs and environment act at different times and through many recognised biological routes. If several are altered together, a favourable result cannot reveal which element mattered. Early experiments therefore change one pathway at a time; combinations come later through factorial designs.

- Pathway 1 asks whether treatment before germination changes seed and seedling outcomes.
- Pathway 2 asks whether AFCIW or one characterised input changes outcomes during growth.
- Pathway 3 asks whether one defined surrounding exposure changes the growing plant.

**Reader Takeaway.** A support pathway is a research intervention—not a replacement for viable seed, safe water, suitable soil, nutrition, pest management or climate control.

# Pathway 1 — Support Carried by the Seed

The first pathway places the intervention before sowing. One characterised seed lot is divided randomly into coded matched, off-target, sham and untreated groups. Every group then receives the same germination substrate, water, temperature, light, depth and handling.

## The Foundation observation

**FO-13 — High-priority preliminary finding.** Adaptive-frequency-treated seeds showed a greater Foundation-measured adaptive response and increased germination percentage.

This observation generated a testable question; it is not independent proof. Seed quality, viability, moisture, dormancy, microbes, handling, temperature and chance can all influence germination.

## What a fair seed study records

- Cultivar, lot, age, storage, moisture, viability and sample-size calculation.
- Exposure setting, duration, distance, orientation, apparatus/source identity and environmental conditions.
- Germination percentage, time to germination, emergence, vigour and abnormal seedlings scored blind.
- OMRDA response on its separate track, with operator and trial coding preserved.

**Support criterion.** A matched group should separate from off-target and sham groups and show a pre-specified independent seed or seedling benefit that replicates in a new lot.

**Non-support criterion.** No difference, equal change in sham/off-target groups, or failure to replicate weakens the matched-seed hypothesis.

# Pathway 2 — Support through Water or a Defined Input

The second pathway follows something delivered during cultivation. AFCIW is water exposed to a pre-specified eligible adaptive-frequency condition within the AHEH research model. A defined input may instead be one named fertiliser, manure, pesticide or biological product assessed at a recorded formulation, dose and timing.

## The Foundation observation

**FO-06 — Repeated observation.** Plants irrigated with AFCIW showed an increased corresponding Foundation-measured response; combined extent sometimes increased.

## Water safeguards come first

- Source, pH, electrical conductivity, dissolved ions, microbiology, vessel and storage are equivalent or measured.
- Matched, off-target, sham and untreated waters receive identical handling, temperature and irrigation volume.
- Water safety is qualified before plant or later food interpretation.

## Defined inputs require the same discipline

Do not label an entire category adaptive or non-adaptive. Compare the actual product, composition, dose, route and schedule. Nutrient availability, toxicity, salinity, pH, pathogens and residues remain conventional explanatory variables.

**No ‘water memory’ conclusion.** AFCIW is an operational preparation label. Any persistence, physical carrier or biological mechanism must be measured independently rather than assumed.

**One change at a time.** AFCIW and a fertiliser or pesticide treatment should not be bundled in the first test; separate their effects before studying interaction.

# Pathway 3 — Support in the Growing Environment

The third pathway acts around the plant rather than through the seed or irrigation stream. The test exposure may be a defined adaptive-frequency support condition, a sound or music programme, a meditation-associated presence protocol, or another specified environmental arrangement. Each must be treated as its own intervention.

## The Foundation observation

> **FO-16 — High-priority preliminary finding.** Seeds or plants in an adaptive-frequency-supported environment showed a greater Foundation-measured adaptive response and increased germination percentage.

## Describe the actual environment

- Record sound spectrum, level, timing and distance for music—do not infer the full exposure from the song label.
- For meditation-associated trials, standardise duration, number and position of people, activity, silence, movement and time of day.
- Monitor light, temperature, humidity, airflow, vibration, electromagnetic background and human traffic.
- Randomise plots or chambers and prevent sound, light or other exposure leaking between groups.

> **Important distinction.** The audible frequency content of music is not automatically the same as the Foundation's operational 400–752 Hz reference classification. Both must be recorded and tested without conflation.

An adaptive label must follow a pre-specified assessment rule. Calm music, silence, meditation or any other practice is not presumed beneficial merely because it appears gentle or familiar.

# Matched Is Meaningful Only beside Its Controls





*Figure 16.3. The four conditions separate matching from handling, expectation and ordinary change.*

## What each comparison asks

- Matched versus off-target: is any effect specific to the prospectively corresponding setting?
- Matched versus sham: is it greater than handling, expectation and procedural attention?
- Matched versus untreated: is it different from normal growth and ordinary care?

**Blinding rule.** The assessor, scorer and analyst should not know group identity. Where the person delivering an exposure cannot be blinded, that role should be separated from outcome collection.

**Equal agronomy.** Water volume, substrate, nutrition, pest care, light, temperature, spacing and observation timing remain equivalent unless one is the factor being tested.

# An Increased Reading Is Not Yet Plant Benefit





*Figure 16.4. The two outcome families remain distinct.*

## Pre-specify the independent outcome

Choose the biological outcome before opening the codes: germination or emergence; biomass, roots or photosynthesis; relevant stress or pest measures; and, where appropriate, yield, composition, residues and safety.

> **No automatic translation.** A higher Plant Aura, PARP or CAFE summary does not by itself prove better growth, greater resilience, higher yield, safer produce, improved nutrition or human health benefit.

## How results may combine

- Both lanes improve specifically: the proposed relationship deserves replication.
- OMRDA changes alone: biological meaning remains unresolved.
- Plant outcome changes alone: examine known biology and question the proposed response measure.
- Neither changes: report the null result and refine or stop.

# Advance through Gates—Do Not Stack Too Soon





*Figure 16.5. Every pathway can stop, refine, repeat or advance.*

## Combinations come after isolated effects

If seed and environment pathways each show qualified effects, a factorial study can test seed only, environment only, both and neither. The same logic applies to water and defined inputs. This reveals whether pathways add, interact, cancel or merely duplicate one another.

## Dose, timing and duration matter

- Test more than one dose or duration only when the comparison is powered and declared in advance.
- Record whether support occurs before sowing, during germination, during growth or near harvest.
- Retain adverse, mixed, null and delayed outcomes; do not report only favourable windows.

> **Stop gate.** If baseline reliability fails, controls change equally, plant care differs, safety is uncertain or results do not replicate, the intervention should not advance to crop-system or food-to-human claims.

# Matched Support Is a Question, Not a Promise

The Foundation's observations suggest three places where an identified adaptive-frequency deficit may be investigated: before germination through seed treatment, during cultivation through AFCIW or a defined input, and around the plant through a specified growing-environment condition. These pathways are related, but they are not interchangeable.

A condition becomes matched only through a prospective eligibility rule. It becomes persuasive only if it separates from off-target, sham and untreated controls, survives blinded and repeatable assessment, and is accompanied by an independent plant outcome.

## Three things to remember

- Change one pathway first; study combinations only after isolated effects are understood.
- Keep agronomy, water quality, safety and recognised plant measurements fully visible.
- Report null, mixed and adverse findings alongside favourable observations.

**Research Window.** Is a matched effect frequency-specific, greater than sham/off-target handling and accompanied by an independent plant outcome?

## Context sources

AHEH Foundations Book Reader-Story Master Design, Chapter 16; AHEH Integrated Three-Document Alignment Master Design; controlled Foundation Findings Register, FO-03, FO-06, FO-13 and FO-16; hypotheses H17.2, H17.3, H17.5 and H17.6; recognised experimental-design, agronomy, seed-testing, water-quality and measurement-science principles; AHEH Research Monograph, Chapters 17, 19 and 21.

**Bridge to Part V, Chapter 17.** With the three intervention pathways separated and controlled, the story now follows the living plant into harvest: does a distinguishable profile remain traceable in the produce after it leaves the plant?

PART V • FROM LIVING PLANT TO THE ENERGY HYGIENE OF FOOD

CHAPTER 17

# Harvest: Does the Plant's History Continue?

***Produce is cut from the living plant and placed into a coded harvest basket. The biological connection changes, but the traceable history remains.***





*Figure 17.1. The moment of harvest changes the biology, not the need for traceability.*

Part V follows the plant into food. It asks whether a proposed adaptive profile associated with the growing plant can still be distinguished after harvest—and whether any apparent continuity survives the ordinary influences of cultivar, maturity, moisture, freshness, handling, composition and time.

# At the Cut, the Story Changes

**Reader's question.** Does harvested produce retain a distinguishable adaptive profile linked to its origin?

Harvest separates the edible part from the whole living plant, yet many tissues remain biologically active. Respiration, water loss, enzyme activity, ripening and senescence continue. Temperature, damage, atmosphere and time can alter the produce from the first minute after cutting.

## What clearly continues

- Cultivar and genetic identity, unless lots are mixed.
- A composition shaped by growth, maturity, nutrition, water and stress.
- Physical condition, moisture, defects, microbial exposure and residues.
- A documented connection to a plot, plant group, harvest time and handling chain.

## What AHEH adds as a question

AHEH proposes that harvested produce may retain a Foundation-measured profile associated with the originating plant and production history, including responses classified within the proposed 400–752 Hz interval. This is a hypothesis about a coded response pattern—not established proof of a stored frequency, transferred energy or physical carrier.

**Established anchor.** Harvest quality depends on cultivar, maturity, environment, handling, composition and time. These variables must be measured or controlled before an additional AHEH interpretation is attempted.

**Reader Takeaway.** After harvest, identity and handling must remain locked or the story cannot be tested.

# Plant History Has Several Layers





*Figure 17.2. Known biological and production influences remain visible beneath the proposed profile.*

## Do not compress the history into one label

Two fruits may look alike yet differ in cultivar, ripeness, water status, light exposure, nutrient supply, pest injury or time since harvest. Two production systems may carry similar labels yet use different products, doses, schedules and storage conditions.

- Record the plant and plot history rather than relying on ‘natural’, ‘organic’, ‘biological’, ‘integrated’ or ‘synthetic’ as explanations.
- Measure maturity and composition wherever they may explain the response.
- Treat the proposed AHEH profile as one additional outcome, not as a summary of every quality dimension.

> **Interpretation rule.** A profile associated with origin remains an association until coding, matching, repeated lots, independent outcomes and replication exclude reasonable alternatives.

# Keep an Unbroken Harvest Identity





*Figure 17.3. Traceability links the coded sample to its origin without unblinding the assessor.*

## The minimum harvest record

- Site, plot, treatment arm, cultivar, seed lot and plant or row identity.
- Date, clock time, maturity index, weather, irrigation interval and harvest method.
- Lot weight and count, sample selection rule, defects, temperature and moisture.
- Code creator, custody transfers, storage container and time to each assessment.

**Prevent selection bias.** Do not choose the best-looking produce after seeing the treatment. Use a declared whole-lot or random sampling rule and retain exclusions with reasons.

**Split-sample rule.** Profile assessment, composition and safety testing should receive equivalent coded portions from the same homogenised or systematically sampled lot.

# FO-18 — A Difference between Selected Systems

**Foundation repeated observation.** Selected natural or biological farming systems generally showed greater combined plant and food responses than selected intensive synthetic-input comparisons.





*Figure 17.4. Fair comparison begins by unpacking system labels into actual practices.*

## The observation does not rank all systems

FO-18 arose from selected comparisons within the Foundation network. It does not establish that every natural or biological system is adaptive, or that every synthetic input or intensive system is non-adaptive. Poorly managed biological production and well-managed conventional production remain possible; mixed systems are common.

## Match before interpreting

- Cultivar, soil type, climate, water, nutrient availability and pest pressure.
- Maturity, harvest time, yield level, grading, storage and time to assessment.
- Actual input names, formulations, doses, application times and residues.

**Boundary.** Avoid 'old is good, modern is bad'. Compare defined, matched and reproducible production systems.

# FO-19 — A Profile Associated with Origin

> **Foundation preliminary observation.** Harvested foods showed distinguishable profiles associated with the originating plant or production history.

This observation is the hinge between plant and food in the AHEH story. If a coded harvested lot can be distinguished reproducibly, the next question is whether the difference tracks the plant's measured profile, the defined production history, ordinary composition—or some mixture of these.

## Four explanations must remain open

- True association with a qualified originating-plant response under the AHEH model.
- Cultivar, maturity, water status, freshness or chemical-composition differences.
- Harvest, container, storage, temperature, transport or sample-presentation effects.
- Operator, apparatus, coding, order, expectation or random variation.

## What would strengthen continuity

- A pre-specified plant-to-produce relationship repeated across several coded lots.
- Persistence after matching maturity, moisture, composition and handling.
- Agreement across eligible operators, apparatuses and an independent laboratory.

> **What would weaken it.** Failure of blinded reliability, disappearance after matching known variables, equal differences in sham samples, inconsistent direction or non-replication weakens the continuity hypothesis.

> **No mechanism shortcut.** A distinguishable OMRDA profile does not by itself demonstrate retained electromagnetic radiation, photon emission, memory or transferred energy.

# Maturity, Moisture, Freshness and Time

Harvested produce is not a fixed object. A tomato harvested green and one harvested ripe differ biologically and chemically. A leafy sample can lose water rapidly. Fruit can continue ripening; cut tissue can oxidise; microbes can multiply. These changes may alter appearance, composition and any operator-mediated response.

## Use measurable checkpoints

- Maturity index: colour, firmness, soluble solids, dry matter or crop-specific criteria.
- Water status: mass loss, moisture, relative water content or water activity where relevant.
- Freshness interval: exact time from harvest to coding, assessment, analysis and storage.
- Handling environment: temperature, humidity, light, atmosphere, vibration and damage.

## Compare at equal biological stages

A coded sample assessed immediately after harvest should not be compared casually with another assessed a day later. Where simultaneous assessment is impossible, randomise sequence, balance delays and model time explicitly.

> **Composition is not a nuisance variable.** Sugars, acids, pigments, minerals, water, fibre, phytochemicals and residues can reveal why lots differ. They are essential evidence, not obstacles to an AHEH interpretation.

## The 400–752 Hz question remains operational

Any frequency-specific continuity claim refers to a repeatable coded response at nominated references. Direct claims about a physical signal require independent calibrated instrumentation and a defined mechanism test.

> **Safety remains independent.** A favourable proposed profile never overrides microbial, contaminant, residue, toxin or regulatory findings.

# One Fruit Cannot Represent a Farming System

A single attractive fruit, one plot or one harvest date cannot support a general conclusion. Plants vary within rows; fields vary across space; harvests vary across days and seasons. The experimental unit must match the claim.

## Build the comparison in layers

- Within a lot: select several units by a random or systematic rule.
- Within a plot: preserve plant, row and spatial location where relevant.
- Across plots: use genuine replicate plots, not many fruits from one plot as independent replicates.
- Across time: repeat harvests at equivalent maturity and pre-specified intervals.
- Across seasons and locations: repeat with a new lot, field team and environmental context.

## Pair before coding

Where matched comparisons are used, pair lots prospectively on cultivar, maturity, yield class, harvest time and handling. Randomise codes only after the pairing rule is locked. Analysis should retain plot and season structure rather than pooling every produce unit as if independent.

> **Multi-lot rule.** A result must recur across lots; one large lot must not create the appearance of replication through many subsamples.

## Preserve an archive

Where stability and safety allow, retain coded archive portions and complete metadata for repeat assessment or an independent laboratory. Document freezing, drying or other preservation because it may change the sample.

> **Report the whole distribution.** Show lot-to-lot variation, discordant profiles, invalid trials, null findings and adverse quality results—not only group averages or favourable examples.

# The Harvest Lot Travels in Three Evidence Lanes





*Figure 17.5. Linked samples preserve one origin while keeping each form of evidence distinct.*

## The continuity test

- First qualify the plant and produce response measures under blinded reliability rules.
- Pre-specify whether the produce is expected to resemble its originating plant, differ by production system or remain stable across time.
- Compare the profile relationship with composition, maturity, moisture and handling data.
- Repeat across lots, seasons and independent operators or laboratories.

**Concordance is informative.** A reproducible plant-to-produce profile relationship accompanied by a pre-specified composition or quality outcome merits further study. Discordance is equally important and must be reported.

**No food claim yet.** At this stage, ‘Energy Hygienic Food’ is not a certification, safety conclusion, nutritional superiority claim or health guarantee. Later chapters define the additional gates.

# Harvest Preserves Identity—Continuity Must Be Tested

The plant's biological connection changes at harvest, but its cultivar, composition, growing history and traceable origin do not disappear. These known continuities make a plant-to-produce comparison possible—and also create alternative explanations that must be controlled.

FO-18 reports differences among selected production-system comparisons. FO-19 reports distinguishable harvested-food profiles associated with origin. Both observations now require coded, matched, multi-lot and multi-season tests before a retained AHEH profile can be inferred.

## Three things to remember

- Lock cultivar, maturity, moisture, freshness, handling and lot identity before assessment.
- Compare actual production practices; do not let farming-system labels decide the answer.
- Keep the OMRDA profile, recognised quality, composition and safety results in separate but linked evidence lanes.

**Research Window.** Can profile differences persist across coded, matched, multi-lot and multi-season comparisons?

## Context sources

AHEH Foundations Book Reader-Story Master Design, Chapter 17; AHEH Integrated Three-Document Alignment Master Design; controlled Foundation Findings Register, FO-18 and FO-19; hypotheses H18.2 and H18.3; recognised harvest physiology, post-harvest biology, food traceability, sampling and experimental-design principles; AHEH Research Monograph, Chapters 12, 16, 18 and 22.

**Bridge to Chapter 18.** The coded lot now leaves the field. Chapter 18 follows it through washing, cutting, transport, refrigeration, packaging, cooking and storage to ask whether the proposed profile persists, weakens or changes predictably.

CHAPTER 18

# Processing and Storage: Preserving or Disturbing the Profile

***The produce moves through washing, cutting, transport, refrigeration, packaging, cooking and time before anyone eats it.***





*Figure 18.1. Each ordinary post-harvest step becomes a documented research exposure.*

Chapter 17 locked the identity of the harvested lot. This chapter keeps that identity intact while the food changes. At every checkpoint, recognised changes in freshness, composition and safety are examined first; the additional question is whether the qualified coded AHEH profile persists, weakens or changes predictably.

# Food Continues to Change after Harvest

**Reader's question.** What happens to the proposed profile after harvest?

Harvested produce continues to respire, lose water, ripen, senesce and respond to damage. Enzymes keep working; oxygen and light drive reactions; microorganisms may grow; temperature changes their rates. Processing can deliberately transform texture, flavour, digestibility, shelf life and safety.

## The established-science anchor

- Time and temperature influence respiration, reaction rates and microbial growth.
- Moisture, oxygen and light influence water loss, oxidation, colour and nutrients.
- Mechanical damage exposes cells and increases contact with air and microbes.
- Packaging and atmosphere alter gas exchange, humidity, light and contamination risk.
- Heating, freezing, drying, grinding and fermentation create distinct physical and chemical changes.

## The additional AHEH stability question

AHEH asks whether a qualified coded produce profile, including operational responses within the proposed 400–752 Hz interval, persists, weakens, increases, shifts or disappears under defined conditions. It does not assume one universal direction.

**Measurement boundary.** A changed OMRDA profile does not by itself prove that processing removed, added or transferred a physical frequency. Direct signal claims require independent calibrated measurement.

**Reader Takeaway.** Energy Hygiene cannot be inferred if traceability, freshness, composition or safety information is missing.

# The Forces Acting on a Stored Food





*Figure 18.2. Ordinary causes must remain visible before a profile change is interpreted.*

## Record the exposure—not merely its name

- 'Cold storage' requires temperature, fluctuation, humidity, duration, airflow and atmosphere.
- 'Transport' requires time, temperature, vibration, stacking, container and route interruptions.
- 'Packaging' requires material, permeability, headspace, seal, light barrier and contact history.
- 'Room storage' requires temperature, humidity, light, pests, people and time.

> **No automatic label.** Refrigerated is not automatically adaptive; ambient is not automatically non-adaptive. The defined condition and its measured outcomes decide the comparison.

The same lot may be divided into coded portions and assigned randomly to conditions. This controls origin while allowing the effect of one post-harvest variable to be isolated.

# FO-20 — A Candidate Observation

**Foundation candidate observation.** Storage, handling, transport and processing may modify the measured food profile.

The Foundation's records suggest that post-harvest conditions may preserve, reduce or alter a measured response. Documentation is presently limited, and no universal direction, magnitude or period of stability has been established. FO-20 therefore opens a systematic programme rather than closing the question.

## What must be tested

- Whether the baseline food profile is reliable before any exposure.
- Whether change exceeds test–retest variation and differs from matched handling controls.
- Whether direction and size follow exposure intensity, duration or time.
- Whether the finding recurs across lots, crops, operators, apparatuses and laboratories.
- Whether change accompanies recognised composition, freshness, sensory or safety outcomes.

## Candidate explanations

A result may reflect genuine sample change, ordinary composition or moisture change, temperature and handling, microbial activity, container effects, coding or order, operator mediation, apparatus variation or chance. Each explanation deserves a test.

**H17.7 — Post-harvest stability hypothesis.** Under pre-specified conditions, a qualified coded food profile may persist or change in a reproducible exposure-related manner.

**Non-support.** Unreliable baselines, equal change in controls, inconsistent direction, disappearance after ordinary variables are matched or failure to replicate weakens the hypothesis.

# Sample the Journey—Do Not Reconstruct It Later





*Figure 18.3. Checkpoint samples show when a change appears and whether it persists.*

## A prospective time-course

- Declare the checkpoints and primary stability outcome before opening codes.
- Collect equivalent portions using a random or systematic sampling rule.
- Measure elapsed time and sample temperature—not only clock dates.
- Use matched containers, portion sizes, presentation order and operator conditions.

**Destructive testing.** Composition or microbiology may consume the sample. Use pre-planned split portions from the same lot and retain an archive where stability and safety allow.

**Chain-of-custody rule.** Every transfer, opening, re-packing, thaw, delay and deviation remains in the record. A missing interval breaks the stability story.

# Transport, Cold Chain and Packaging

Transport and storage are active parts of food quality, not empty time between field and plate. A brief warm period may accelerate respiration or microbial growth. Condensation may change surface moisture. Vibration and compression may bruise tissue. Packaging may protect the food while also changing its atmosphere.

## Cold-chain variables

- Product temperature at loading, arrival, each checkpoint and opening.
- Mean temperature, excursions, rate of cooling, humidity, airflow and duration.
- Freezing, ice-crystal damage, thawing method and repeated freeze–thaw cycles.

## Packaging variables

- Material identity, batch, permeability, light transmission and contact surface.
- Seal integrity, headspace gas, condensation, absorbent materials and package size.
- Whether the sample was whole, cut, washed, dried, vacuum-packed or modified-atmosphere packed.

> **Paired comparison.** Divide one coded lot prospectively among defined storage conditions. Hold portion, container geometry, sampling time and assessment sequence equal wherever possible.

## Safety can force a stop

If temperature control fails or microbial, toxin, contaminant or package-integrity findings are unsafe, the food is not suitable for consumption research—regardless of its proposed profile.

> **No trade-off.** A favourable AHEH response never compensates for spoilage, unsafe temperature, microbial contamination, residues, allergens or packaging hazards.

# Cooking and Processing Are Defined Transformations





*Figure 18.4. Each transformation needs its own protocol.*

## The food matrix matters

Boiling, steaming, frying, baking, pressure cooking and reheating differ in temperature, time, water, oxygen and contact materials. Drying and grinding alter moisture and surface area; fermentation uses microorganisms; freezing slows reactions but can damage cells.

## A fair process comparison

- Use equivalent portions from the same coded lot and a pre-specified recipe.
- Record time–temperature history, medium, vessel, pressure and endpoint.
- Collect composition, sensory, microbial and contaminant information.
- Assess coded AHEH portions at equivalent temperatures and times.

> **Do not rank categories.** Raw is not automatically adaptive, and cooked is not automatically disturbing. A transformation may improve safety or digestibility while changing other qualities; every outcome remains visible.

# Test Stability with Paired, Coded Portions

A strong stability experiment begins with one qualified harvest lot. Equivalent portions are allocated randomly to a defined test condition, a matched handling control and, where useful, alternative intensities or durations. Assessors and analysts remain blind to condition.

## Define stability before testing

- Profile: which pre-specified setting-specific responses will be compared?
- Tolerance: what change is within ordinary test–retest variation?
- Time: at which checkpoints must persistence or change be assessed?
- Direction: is the hypothesis persistence, weakening, increase or a patterned shift?
- Independent outcome: which quality, composition or safety measure is primary?

## Use more than one lot

Repeat the full allocation with several independent harvest lots. Retain plot, lot and time structure in analysis. Multiple readings from one portion are repeat measurements, not new biological replicates.

> **Matched handling control.** If the test portion is opened, moved, placed near equipment or held for ten minutes, the control portion receives the same handling without the test exposure.

## Decision rule

Advance only if baseline measurement is reliable, the coded difference exceeds repeat variation, controls remain stable, ordinary variables are documented, safety is acceptable and the direction recurs in a new lot.

> **The 400–752 Hz limit.** A stable operational response within the proposed interval is not a food-safety standard, nutrient measure, shelf-life guarantee or direct physical-frequency measurement.

# Let the Data Choose the Stability Story





*Figure 18.5. The study must permit every direction, including no reproducible pattern.*

## Link—not merge—the outcome families

- AHEH lane: coded setting-specific response, repeatability and control separation.
- Quality lane: maturity, moisture, composition, sensory change and shelf-life indicators.
- Safety lane: temperature control, microbes, contaminants, residues, toxins and allergens.
- Process lane: exact treatment, intensity, duration, equipment, container and deviation record.

**Interpretation examples.** A profile may change while recognised quality does not; quality may change while the profile does not; both may change; or neither may change. Each result answers a different question.

**No selective window.** Do not choose the one checkpoint that looks favourable after reviewing the data. Report the complete time course, missing samples, invalid trials, null findings and adverse results.

# Preservation or Disturbance Must Be Demonstrated

Between harvest and the plate, food changes through time, temperature, moisture, oxygen, light, microbes, mechanical damage, packaging and processing. These recognised changes can explain both quality differences and apparent measurement differences.

FO-20 proposes that storage, handling, transport or processing may modify the Foundation-measured food profile. Because documentation remains limited, the responsible test allows persistence, weakening, increase, shift, disappearance or no reproducible change.

## Three things to remember

- Keep the harvest code and chain of custody intact through every checkpoint.
- Define each exposure by intensity, duration, sequence and food matrix—not by a broad label.
- Never let a proposed AHEH result override freshness, composition, safety or regulatory evidence.

**Research Window.** Which observed changes are explained by ordinary handling, and does an AHEH measure add reliable information?

## Context sources

AHEH Foundations Book Reader-Story Master Design, Chapter 18; AHEH Integrated Three-Document Alignment Master Design; controlled Foundation Findings Register, FO-20; hypothesis H17.7; recognised post-harvest physiology, cold-chain, food-processing, packaging, microbiological-safety, traceability and measurement-science principles; AHEH Research Monograph, Chapters 12, 17, 21 and 24.

**Bridge to Chapter 19.** The full journey is now visible—from seed and plant through harvest, processing and storage. Chapter 19 asks what it could responsibly mean for food itself to be Energy Hygienic beside safety, nutrition and traceability.

PART V • FROM LIVING PLANT TO THE ENERGY HYGIENE OF FOOD

CHAPTER 19

# Because Food Also Needs Energy Hygiene

***Two foods can appear equally fresh on a market shelf while carrying very different seed, water, input, environment, harvest and storage histories.***





*Figure 19.1. Similar appearance does not establish similar history.*

The journey that began with one seed has reached the food shelf. Physical appearance can tell us something, but not everything. Labels, records and laboratory tests add essential information. AHEH then asks one additional, carefully bounded question: has the proposed Energy Hygiene of the food also been preserved?

# Food Already Has Essential Standards

**Reader's question.** What would it mean for food itself to be Energy Hygienic?

Before an AHEH description is considered, food must be judged through recognised food systems. Clean handling reduces contamination. Safety assessment considers biological, chemical and physical hazards. Nutritional characterisation describes relevant composition. Traceability links the food to its lot, source and handling history.

## Four foundations that cannot be skipped

- Physical hygiene: clean water, clean hands, clean surfaces and protection from cross-contamination.
- Safety: appropriate microbiological, contaminant, residue, toxin, allergen and regulatory checks.
- Nutrition: measured composition and evidence-based interpretation—not appearance or an Aura response.
- Traceability: cultivar, lot, origin, harvest, processing, storage, custody and deviations.

**Established-science anchor.** Food classifications and claims require suitable composition, contaminant, residue, microbiological, regulatory and nutritional evidence.

## AHEH does not create an exemption

The WHO's safer-food principles and relevant Codex standards remain fully applicable. A proposed favourable AHEH profile cannot make spoiled, contaminated, mislabelled, nutritionally uncharacterised or untraceable food acceptable.

**Non-negotiable boundary.** Food safety is a gate, not one item that can be traded against another result.

# Five Questions Belong on the Same Plate





*Figure 19.2. Proposed Energy Hygiene sits beside—not above—the established food questions.*

## Why the fifth question is different

The first four domains already have recognised methods and regulatory uses. The fifth is an AHEH research domain. Its measurements, thresholds, repeatability, relevance and relationship to independent food outcomes still require validation.

- A food may be safe but nutritionally modest; nutrition and safety answer different questions.
- A food may be traceable yet mishandled; traceability makes the problem discoverable.
- A proposed AHEH response may be repeatable yet add no useful information beyond known food variables.

> **Reader Takeaway.** Food can be called Energy Hygienic only as an investigational research description until validated standards exist.

# Two Terms—One Subject and One Intended Outcome

## Energy Hygiene of Food

This is the subject under investigation: whether a safe, traceable and nutritionally characterised plant-derived food carries a reliable operational profile associated with its complete production and post-harvest history.

## Energy Health Food

This is the intended investigational working outcome: plant-derived food that is safe, traceable and nutritionally characterised, and whose qualified adaptive profile has been preserved without being dominated by proposed non-adaptive responses.

> **What ‘qualified’ must mean.** The method, operator, reference settings, repeatability, coding, blinding, controls and decision rules have passed their declared gates before the food is described.

## What the term does not mean

- It is not a regulatory category, certification mark or permission to make a food claim.
- It does not prove superior nutrition, longer shelf life, better taste or freedom from hazards.
- It does not guarantee a human Aura response, good health, disease prevention or treatment.
- It does not establish literal physical frequencies in the food without direct calibrated measurement.

> **Responsible wording.** Use ‘proposed,’ ‘investigational,’ ‘qualified under the study method’ and ‘requires independent validation.’

# The Profile Cannot Be Separated from the Journey




*Figure 19.3. The food profile is a proposed cumulative outcome, not a label attached at the end.*

## One proposed interval—different biological stages

Within the Foundation model, plants and humans are proposed to respond across the same 400–752 Hz inclusive interval, although their biology and mechanisms may differ. For plant-derived food, the interval remains an operational assessment map—not an established food-science bandwidth.

- A response within 400–752 Hz is classified as proposed adaptive.
- A reduced response at an in-band setting is classified as an adaptive-frequency deficit.
- Responses below 400 Hz or above 752 Hz are classified as proposed non-adaptive.

> **THz-to-Hz boundary.** The proposed modulation from biological THz-scale activity to nominal Hz responses is an Aura Research Foundation hypothesis, not established photobiology or direct proof of frequency conversion.

# What the Foundation Observed—and What It Did Not Prove

**FO-18 • Repeated observation.** Selected named natural or biological systems generally showed greater combined plant and food responses than selected intensive synthetic-input comparisons.

**FO-19 • Preliminary observation.** Harvested foods showed distinguishable profiles associated with the originating plant or production history.

**FO-20 • Candidate observation.** Storage, handling, transport and processing may modify the measured food profile.

## The boundaries travel with the observations

- FO-18 does not mean ‘old is good’ or ‘modern is bad.’ Named systems must be matched and compared.
- FO-19 must separate cultivar, maturity, moisture, freshness, composition and handling.
- FO-20 has limited systematic documentation; direction, magnitude and stability remain open.

These findings originated within the Aura Research Foundation programme. They are useful for selecting questions and controls, but repeated internal observation is not independent scientific confirmation.

**Evidence rule.** Report positive, negative, mixed, null, inconclusive and adverse findings. The full pattern—not the most favourable example—defines the research status.

# Turn the Idea into Two Testable Hypotheses

**H18.3 — Natural/Biological Input-System Food.** Matched coded foods from a named production system differ reproducibly while composition, residues and safety are assessed independently.

## A fair comparison requires

- Named systems and complete inputs—not broad natural-versus-synthetic labels.
- Matched crop, cultivar, maturity, harvest time, moisture and post-harvest handling.
- Independent composition, residue, contaminant and microbiological results.

**H18.4 — Food Energy Quality.** A locked food or produce adaptive profile is reliable and predicts an independent outcome beyond known food covariates in new lots.

## What would weaken H18.4?

- Poor test–retest reliability or unstable baseline classification.
- Loss of the difference after moisture, maturity, composition or handling is controlled.
- A score adjusted after the results are known, or failure in new lots or laboratories.
- No added prediction beyond accepted food-quality variables.

**Causal caution.** Association with a growing system does not prove that the proposed profile caused a composition, safety, sensory or human outcome.

# Qualification Must Move in One Direction





*Figure 19.4. A later AHEH result cannot repair a failed earlier gate.*

## The responsible sequence

- Lock the lot identity, sample custody and history before assessment.
- Pass food-safety and suitability checks before any consumption pathway.
- Characterise the ordinary variables that could explain the difference.
- Demonstrate reliable coded measurement before classifying the profile.
- Test the locked prediction in new material and an independent setting.

> **Stop rule.** If identity, safety, measurement reliability or replication fails, the study stops, refines or repeats. It does not advance by interpretation alone.

# A Useful Food Profile Must Predict





*Figure 19.5. Prediction in unseen lots is stronger than explaining familiar samples after the event.*

## What is locked before codes open?

- Reference settings, operator procedure, valid-reading rules and repeat limits.
- Profile score, primary independent outcome, covariates and statistical decision rule.
- Lot count, exclusions, missing-data handling and replication criterion.

## What may be said now?

A research team may describe a coded sample’s result under a named protocol and its evidence status. It should not place an ‘Energy Hygienic’ certification on commercial food or imply guaranteed nutrition or health before validated standards, independent replication and applicable regulatory review exist.

> **Claims boundary.** Food descriptions must not be false, misleading or likely to create an erroneous impression. Investigational terminology must remain visibly investigational.

# Because Food Also Needs Energy Hygiene

Food reaches us carrying a history. Soil/Earth, Seed, Water, fertilisers and pesticides, the growing environment, plant regulation, harvest, handling, processing and storage can each leave recognised traces—and each becomes an AHEH research checkpoint.

The Energy Hygiene of Food is the subject under investigation. Energy Health Food is the intended working outcome: safe, traceable and nutritionally characterised plant-derived food whose qualified proposed adaptive profile has been preserved. Neither term is presently a certification or health guarantee.

## Five things to remember

- Appearance cannot replace identity, history or laboratory evidence.
- Safety, nutrition and traceability remain independent and non-bypassable.
- The 400–752 Hz interval is a proposed operational AHEH model requiring validation.
- FO-18 to FO-20 generate questions; H18.3 and H18.4 make them testable.
- A locked profile matters only if it is reliable and adds prediction in new lots and laboratories.

**Research Window.** Can a locked food-profile measure predict an independent quality outcome in new lots and laboratories?

## Context sources

AHEH Foundations Book Reader-Story Master Design, Chapter 19; AHEH Integrated Three-Document Alignment Master Design; controlled Foundation Findings Register, FO-18 to FO-20; hypotheses H18.3 and H18.4; WHO, Five Keys to Safer Food; Codex General Guidelines on Claims (CXG 1-1979), Guidelines on Nutrition Labelling (CXG 2-1985), and Principles for Traceability/Product Tracing (CXG 60-2006); AHEH Research Monograph, Chapters 16, 18, 23 and 24.

**Bridge to Chapter 20.** The food has now been qualified as far as the evidence permits. Chapter 20 asks the next and more demanding question: can safe, coded and qualified food produce a reproducible human adaptive response?

PART V • FROM LIVING PLANT TO THE ENERGY HYGIENE OF FOOD

CHAPTER 20

# From Food to Human Adaptive Wellbeing

***The journey returns to the family table—but now the food is coded and qualified before any claim about a human response is considered.***





*Figure 20.1. At the human stage, familiarity gives way to protection, coding and control.*

The food on the plate is no longer simply ‘Food A’ or ‘Food B.’ Its identity, production history, composition, safety and AHEH research profile have been documented. Only then may a university team ask whether controlled consumption is followed by a reproducible human response.

# Human Research Belongs at the End

**Reader's question.** Can safe, qualified plant-derived food produce a reproducible human adaptive response?

A human response cannot repair uncertainty earlier in the chain. If the plant evidence is weak, the food lot is not traceable, the meal is not safe, the AHEH method is unreliable or the protocol lacks ethical approval, consumption research should not proceed.

## The established-science anchor

- Independent ethics review before enrolment and any study-specific procedure.
- Free, informed and documented consent in language the participant understands.
- A registered protocol with defined outcomes, risks, controls and stopping rules.
- Dietary control, allergy screening, safe preparation and monitoring of adverse events.
- Clinically or nutritionally meaningful conventional outcomes—not a new measure alone.

**Participant first.** The rights, dignity, welfare, privacy and freedom to withdraw of each participant take priority over the research question.

**Reader Takeaway.** Human research belongs at the end of the evidence chain, never at the beginning.

# Five Gates before a Human Claim





*Figure 20.2. Every unpassed safety or evidence gate stops progression.*

## The sequence matters

The Foundation model does not begin with a person eating an unqualified food and then work backwards. It begins with the method, continues through plant and food evidence, protects participants through independent review, and ends with blinded analysis of both investigational and conventional outcomes.

- A passed gate permits the next test; it does not guarantee the next result.
- A later Human Aura response cannot retrospectively prove a plant frequency or food mechanism.

> **No bypass.** Safety failure, unmanageable risk, unreliable measurement or an untraceable food lot stops the pathway regardless of an apparently favourable response.

# FO-21 — A Preliminary Human Observation

**Foundation observation FO-21.** Consumption of selected natural or biological-system foods was followed by a greater measured human adaptive response than selected modern synthetic-input comparisons.

## What was observed

Under the Foundation's operator-mediated assessment, selected food comparisons were followed by different Human Aura responses. The observation helped create a food-to-human research question. It did not establish why the responses differed or whether the difference represented a nutritional or health benefit.

## What FO-21 does not establish

- Superior nutrition, better absorption, cellular repair or restored homeostasis.
- Prevention, diagnosis, treatment or cure of any disease or medical condition.
- A universal advantage of every natural or biological system over every modern system.
- A causal chain from a farm practice through the food to the human response.

## Alternative explanations remain active

Food composition, portion, expectation, meal order, fasting duration, time of day, hydration, posture, activity, environment, operator influence, measurement variation and chance may each contribute. A controlled study is designed to separate them.

**Evidence status.** FO-21 is a preliminary Foundation observation. It is a reason to test—not a reason to recommend a food for health benefit.

# HNRP: Recording the Human Response





*Figure 20.3. HNRP is an investigational response profile, not a clinical endpoint.*

## The public-language outcomes

- Overall Human Aura: response assessed with the declared combined proposed adaptive reference.
- Frequency-Specific Human Aura: response at pre-specified individual reference settings.
- HNRP: Human Nutritional Response Profile after a defined, coded food exposure.

**Timing is part of the endpoint.** Baseline and post-meal time points must be declared in advance. Choosing the most favourable time after viewing the data makes the result exploratory.

**Meaning boundary.** A repeatable Overall or Frequency-Specific Human Aura response does not by itself prove nutrition, cellular repair, disease prevention or treatment.

# Two Hypotheses Protect the Meaning of the Result

**H18.5 — Food-to-Human Nutrition.** Controlled consumption of qualified coded foods yields a repeatable Overall or Frequency-Specific Human Aura response recorded as HNRP; benefit requires a registered conventional endpoint.

## H18.5 is supported only when

- The food is qualified, the codes remain concealed and the response exceeds repeat variation.
- The direction recurs across participants, periods or an independent study as specified.
- Any word such as ‘benefit’ is tied to a pre-registered conventional outcome and safety evidence.

**H18.6 — Farm-to-Human Continuity.** Every traceable arrow from growing condition to plant, produce and human response is temporally ordered, and the registered chain or mediation model replicates.

## The broken-link rule

If any required arrow is missing, reversed in time, unreliable or non-replicating, the complete continuity claim is not supported. A response at the final human stage cannot fill an undocumented farm, plant, harvest, storage or food link.

**Chain rule.** Support at one level permits—but never guarantees—testing at the next level.

# A Fair Meal Comparison Controls the Ordinary





*Figure 20.4. A crossover can reduce between-person variation when scientifically and ethically suitable.*

## What must be held steady

- Food portion, preparation, serving temperature, meal timing and permitted accompaniments.
- Fasting interval, hydration, recent activity, sleep, caffeine, medication and relevant diet history.
- Room conditions, posture, assessor, apparatus, measurement timing and presentation order.

## What must remain free

Participants may refuse or withdraw without penalty. Investigators must stop or modify the study when safety, tolerance or ethical criteria require it. A study design never overrides individual welfare.

> **Blinding limit.** Foods may differ in taste, colour or texture. Record whether participants and staff could guess the code, and interpret expectation effects honestly.

# Keep Human Aura and Conventional Outcomes Separate





*Figure 20.5. The two outcome families are analysed separately, then compared.*

## Four possible patterns

- Both lanes change in the registered direction: examine replication and alternatives.
- Human Aura changes but the conventional outcome does not: no benefit is established.
- The conventional outcome changes but Human Aura does not: accepted evidence remains valid.
- Neither changes: report the null result and reconsider the hypothesis or study sensitivity.

**No substitution.** HNRP cannot serve as a hidden replacement for nutrient status, physiology, function, symptoms, diagnosis or clinical outcome.

**Report the full result.** Include effect size, uncertainty, adherence, exclusions, missing data, code guesses, adverse events and deviations—not only statistical significance.

# Ethics and Safety Are Part of the Science

Any study involving people must be independently reviewed and conducted under applicable law, institutional requirements and a written protocol. Consent explains the purpose, procedures, foreseeable risks and burdens, alternatives, privacy, voluntary participation and the right to withdraw.

## Before the first participant

- Complete food-safety review, allergy and dietary-risk screening, and safe preparation plans.
- Register the study, primary outcomes, analysis, adverse-event process and stopping rules.
- Define eligibility fairly and add safeguards for vulnerable participants or dependent relationships.
- Protect identifiable data, coded samples and any retained biological material.

## During and after the study

- Monitor tolerance and adverse events; provide appropriate clinical referral when needed.
- Preserve treatment codes, audit trails and publication independence.
- Report unfavourable, null, mixed and inconclusive results as completely as favourable results.

> **Medical boundary.** AHEH food research does not diagnose, prescribe treatment, replace medical care or justify changing medication or a medically indicated diet.

> **Communication boundary.** A participant's HNRP is a research record under the protocol—not a personal health certificate or future-health prediction.

# From Food to Human Adaptive Wellbeing

The AHEH journey has now crossed its final biological bridge. It began with Soil/Earth and Seed, moved through Water, inputs and the growing environment, followed the living Plant into Harvest, processing and storage, and qualified the Food before approaching a human participant.

FO-21 provides a preliminary Foundation observation. H18.5 asks whether controlled consumption produces a repeatable HNRP; H18.6 asks whether the complete farm-to-human chain is traceable, correctly ordered and reproducible. Neither hypothesis permits a health conclusion from Human Aura alone.

## Five things to remember

- Human research begins only after measurement, plant, food-safety and ethics gates pass.
- Overall and Frequency-Specific Human Aura form HNRP under a defined protocol.
- A registered conventional endpoint is required before any nutritional or physiological benefit is considered.
- Participant welfare and freedom to withdraw remain more important than completion of the study.
- A final human response cannot prove missing links earlier in the Soil-to-Human journey.

**Research Window.** Does a repeatable human Aura response correspond with a pre-registered conventional nutritional or physiological outcome?

## Context sources

AHEH Foundations Book Reader-Story Master Design, Chapter 20; AHEH Integrated Three-Document Alignment Master Design; controlled Foundation Findings Register, FO-21; hypotheses H18.5 and H18.6; World Medical Association, Declaration of Helsinki (2024); WHO research-ethics guidance and informed-consent resources; SPIRIT–CONSORT guidance; AHEH Research Monograph, Chapters 18, 24 and 25.

**Bridge to Part VI, Chapter 21.** The complete journey has produced two families of results: investigational AHEH outcomes and established plant, food and human outcomes. Chapter 21 asks how they should be compared without allowing either to silently replace the other.

PART VI • EVIDENCE, COLLABORATION AND THE FUTURE

## CHAPTER 21

# Two Families of Research Outcomes

***A researcher opens two scorecards. One records AHEH outcomes; the other records established soil, plant, food and human outcomes.***





*Figure 21.1. The study needs both scorecards, but they remain distinct.*

A result in one scorecard cannot silently fill a blank in the other. Only after each family has been analysed according to its own pre-specified rules may the researcher compare their patterns and decide what the study has—and has not—shown.

# What Belongs in Each Family?

**Reader's question.** How should an AHEH finding be judged?

## Family A — Investigational AHEH outcomes

- Overall and Frequency-Specific Plant Aura under the defined Foundation method.
- A locked food or produce adaptive profile and its post-harvest stability.
- Overall and Frequency-Specific Human Aura and the HNRP time course.
- Operator, apparatus, code, setting, repeatability and uncertainty records.

## Family B — Established outcomes

- Soil and water chemistry, microbiology, nutrients and contaminants.
- Seed germination, plant physiology, growth, damage, resilience and yield.
- Food composition, residues, safety, freshness, sensory and storage outcomes.
- Human dietary, nutritional, physiological, functional, safety and adverse outcomes.

**The governing rule.** Analyse the two families separately; compare them prospectively; never let one replace the other.

**Reader Takeaway.** A higher Aura reading is not automatically better plant growth, safer food or improved human health.

# The Families Meet Only at Interpretation





*Figure 21.2. Comparison happens after—not instead of—separate analysis.*

## The established-science anchor

Reliable inference depends on a defined measurement, pre-specified outcomes, an appropriate comparison, effect sizes, uncertainty, complete reporting and replication. Statistical significance alone does not establish importance or mechanism.

- State the quantity, unit or operational endpoint before interpreting it.
- Report the size and direction of the effect with uncertainty.
- Distinguish same-condition repeatability from changed-condition reproducibility.

> **AHEH proposition.** Investigational AHEH outcomes are analysed separately, then compared prospectively with established outcomes.

# Agreement Is Only One Possible Result





*Figure 21.3. Every pre-specified pattern is scientifically informative.*

## Concordance

When both families change in the registered direction, the result supports further investigation. It does not prove that the AHEH response caused the established outcome, or that an unmeasured frequency mechanism explains both.

## Partial agreement

Some settings, time points or conventional outcomes may agree while others do not. Report the complete pattern and apply the declared multiplicity rule; do not retain only the favourable pair.

**Next question.** Can the same paired pattern recur with the same direction, timing and effect size in a new lot, operator or laboratory?

**Causal boundary.** Concordance supports an association or temporal relationship only to the level permitted by the design and controls.

# Disagreement Is Evidence Too

## AHEH changes; established outcomes do not

This pattern may mean that the AHEH measure captures a different feature, responds earlier, lacks relevance to the chosen outcome, is influenced by an uncontrolled variable or is not reliable. It cannot be called biological or health benefit without the independent outcome.

## Established outcomes change; AHEH does not

The recognised result remains valid. The AHEH method may be insensitive, incorrectly specified, mistimed or unrelated to that outcome. The finding does not become weaker merely because the investigational measure did not move.

## What to examine before explaining

- Was the timing capable of detecting the registered sequence?
- Were baseline reliability, coding and blinding adequate?
- Were ordinary covariates—moisture, maturity, nutrition, environment or participant state—controlled?
- Was the study large and precise enough to distinguish a meaningful effect from noise?

> **No rescue interpretation.** Do not invent a new mechanism after the result simply to preserve the hypothesis. Mark it exploratory and design a new test.

> **Scientific value.** A well-measured disagreement can reveal where the proposed AHEH model needs refinement or rejection.

# Null, Inconclusive and Adverse Are Different

## Null result

The study was capable of answering the question, but the registered effect was not supported within the stated uncertainty. A null result may weaken a specific hypothesis without rejecting every AHEH proposition.

## Inconclusive result

The question could not be answered because measurement reliability, sample size, protocol adherence, code integrity, missing data or uncertainty was inadequate. ‘Inconclusive’ is not a softer word for positive or negative.

## Adverse outcome

Plant damage, poorer germination, unsafe residues, microbial risk, participant intolerance or any other registered harm remains visible even if an AHEH outcome appears favourable. Safety and welfare can require an immediate stop.

> **Report all directions.** Positive, negative, mixed, null, inconclusive and adverse findings belong in the same outcome record.

## Absence of evidence and evidence of absence

A small or imprecise study may fail to detect an effect that exists. A precise result that rules out the declared meaningful effect is stronger evidence against it. The uncertainty interval helps the reader distinguish these situations.

> **Decision rule.** Stop, refine, repeat or advance according to the pre-specified gate—not according to which result is most appealing.

# Build the Inference from the Bottom Up





*Figure 21.4. A polished interpretation cannot repair an unstable lower step.*

## Five questions before a conclusion

- Validity: what exactly was measured, and under which conditions?
- Reliability: how much variation occurs within and across operators, apparatuses, times and sites?
- Magnitude: how large is the registered difference, and how uncertain is it?
- Specificity: does it differ from sham, off-target, untreated or matched-control conditions?
- Replication: does the locked result recur in new material and an independent laboratory?

**Added-information test.** Even a repeatable AHEH result must show whether it predicts anything beyond accepted variables and outcomes.

# Apply the Same Rule across All 21 Observations





*Figure 21.5. Every Foundation observation needs an independent outcome family.*

## Examples across the journey

- Plant response is compared with physiology, damage, recovery, resilience and growth.
- AFCIW response is compared with water chemistry, microbiology and plant outcomes.
- Soil and input responses are compared with nutrients, pest pressure, residues and crop performance.
- Seed responses are compared with germination, vigour and later plant outcomes.
- Food and HNRP responses are compared with composition, safety and registered human outcomes.

> **Foundation material.** The two-family outcome rule governs FO-01 to FO-21; the observation register creates hypotheses, not independent validation.

# Write the Interpretation before Writing the Story

A transparent report begins with the registered question and shows both scorecards in full. It then states which comparison was primary, what changed, by how much, with what uncertainty, under which conditions and whether the result replicated.

## The interpretation panel should show

- Registered primary and secondary outcomes in both families.
- Effect estimates, uncertainty intervals and the declared meaningful thresholds.
- Reliability, missing data, exclusions, deviations and code integrity.
- Concordant, divergent, null, inconclusive and adverse findings.
- Alternative explanations and whether controls weaken them.
- The stop, refine, repeat, replicate or advance decision.

## Language follows evidence

> **Observation.** ‘Under the defined procedure, the coded AHEH outcome differed between groups.’

> **Comparison.** ‘The registered established outcome did—or did not—change in the same direction.’

> **Boundary.** ‘The result does not establish mechanism, nutrition, safety or health benefit beyond the outcomes directly tested.’

# Two Scorecards, One Honest Decision

The two-family rule protects both curiosity and scientific discipline. It allows AHEH outcomes to be examined without borrowing authority from established measures, and it protects recognised soil, plant, food and human evidence from being dismissed when an investigational result disagrees.

Concordance can support the next test. Divergence can refine or weaken the model. A capable null study can challenge a hypothesis. An inconclusive study identifies what must be repaired. Adverse outcomes can stop the programme. None should be hidden.

## Five things to remember

- Analyse investigational AHEH and established outcomes separately.
- Compare only the outcomes, timing and rules specified before codes are opened.
- Report effect size and uncertainty—not direction or statistical significance alone.
- Treat disagreement, null findings and adverse outcomes as evidence.
- Ask whether the AHEH result adds repeatable information beyond accepted measures.

**Research Window.** Do AHEH outcomes add repeatable information beyond accepted measures—including in cases where the two families disagree?

## Context sources

AHEH Foundations Book Reader-Story Master Design, Chapter 21; AHEH Integrated Three-Document Alignment Master Design; two-family outcome rule across FO-01 to FO-21; NIST guidance on repeatability, reproducibility and measurement uncertainty; SPIRIT–CONSORT transparent-reporting principles; AHEH Research Monograph, Chapters 23 and 25.

**Bridge to Chapter 22.** Two complete scorecards require many kinds of expertise. Chapter 22 explains why universities and multiple disciplines are needed to qualify the method, test the hypotheses and interpret the complete evidence chain.

PART VI • EVIDENCE, COLLABORATION AND THE FUTURE

CHAPTER 22

# How Universities Can Test the Framework

***A university team stands before six research gates. The first question is not how large the programme can become, but what must be tested first.***





*Figure 22.1. Each stage opens only after its evidence and safety gate is met.*

The proposed framework spans measurement, plant biology, agriculture, food and human response. No single observation, profession or institution can establish the entire chain. Independent collaboration is therefore part of the method—not a ceremonial endorsement.

# Why Independence and Many Disciplines Matter

**Reader's question.** What should independent researchers test first?

A plant response can look convincing while arising from moisture, temperature, nutrition, handling, operator expectation or ordinary biological variation. A good collaboration assigns each question to people who can test it without needing the AHEH proposition to succeed.





*Figure 22.2. Different disciplines protect different links in the evidence chain.*

**Collaboration boundary.** Participation in a study is not endorsement of AHEH, the 400–752 Hz proposition, OMRDA or any health claim.

**Reader Takeaway.** The framework becomes more credible when independent experts are free to disagree, publish null findings and stop unsafe work.

# WP1 — First Qualify the Measurement

Before testing crops, food or people, researchers must determine whether the investigational AHEH assessment produces stable and interpretable records. The operator, apparatus, samples, codes, room conditions and timing must be defined.

## Questions at the first gate

- Can the same trained operator obtain sufficiently consistent results under the same conditions?
- Do different trained operators agree beyond chance and expectation?
- Do different apparatuses and independent sites produce comparable classifications?
- Can coding, blinding, sham handling and decoy samples reduce expectation and cueing?
- Is the claimed 400–752 Hz profile operationally distinguishable from below-400, above-752 and within-band depletion classifications?

> **Go condition.** A defined, repeatable procedure with acceptable agreement and a locked analysis rule.

> **No-go condition.** Unstable readings, strong operator dependence, failed coding or results indistinguishable from sham require stopping or redesign.

A measurement that has not passed this gate cannot be rescued by an interesting plant result. The accepted plant outcomes remain valid; the AHEH interpretation remains unqualified.

# WP2 — Begin with One Modest Plant Pilot





*Figure 22.3. A small, transparent answer is the responsible first success.*

After measurement qualification, the team selects one narrow test—such as seed germination or a water-to-plant pilot. It does not attempt to prove the entire Soil-to-Food-to-Human story at once.

## A reader-friendly pilot question

Under coded and otherwise matched conditions, does the specified intervention produce a repeatable AHEH classification and a pre-specified established outcome—for example germination proportion, emergence time, root length or plant growth?

- Use adequate biological replication and the true experimental unit.
- Record ordinary conditions: variety, seed lot, water, temperature, light and substrate.
- Report effect size, uncertainty, null findings, exclusions and adverse effects.

> **Do not overread the pilot.** One successful crop, lot or operator does not establish universal plant benefit, a physical mechanism or healthier food.

# WP3 — Test Each Link Before Combining Them

The component stage examines the seven propositions H17.1–H17.7: Soil/Earth condition; seed baseline and adaptive support; matched-frequency water; soil and foliar inputs; growing-environment support; seed × environment interaction; and post-harvest stability.

## Each component receives its own fair comparison

- Soil/Earth: measure chemistry, moisture, biology and site conditions alongside the AHEH classification, including coded SGIZ propositions.
- Seed: randomise seed lots and distinguish handling effects from the proposed frequency support.
- Water: retain chemistry and microbiological safety; compare AFCIW with matched sham and off-target water.
- Inputs: name the fertiliser, manure, pesticide or biological product, including dose and timing; avoid “natural is good” assumptions.
- Environment: record light, temperature, humidity, air movement, sound and human activity; test music or meditation conditions without assuming their frequency status.
- Post-harvest: track maturity, handling, processing, packaging, storage and time.

> **Component gate.** Advance only those effects that remain after ordinary variables, sham handling and plausible alternatives are addressed.

# WP4 — Move from Components to Crop Systems

A farm is not a collection of isolated boxes. Soil, seed, water, inputs and environment interact. WP4 therefore tests the integrated hypotheses H18.1–H18.4: plant homeostasis, the growing system, food from natural/biological input systems and the proposed Energy Hygiene of Food.

## What an integrated trial must preserve

- Comparable crop variety, planting date, density, irrigation opportunity and harvest maturity.
- Transparent definitions of biological, synthetic and integrated management—without moral labels.
- Recognised outcomes: physiology, disease and pest pressure, yield, quality, soil and microbiome measures.
- Separate AHEH outcomes: Plant Aura, frequency-specific classifications and the proposed food profile.
- Multi-season, multi-location and independently replicated testing before broad claims.

> **Two scorecards continue.** An AHEH change cannot substitute for yield, plant health, composition or safety; an established result does not automatically validate the AHEH mechanism.

The aim is not to decide in advance which farming system is “adaptive.” The aim is to discover which specified practices produce which repeatable outcomes, for whom, where and under what conditions.

# WP5 — Follow the Crop after Harvest

Food continues to change after it leaves the plant. Washing, cutting, cooking, refrigeration, drying, packaging, transport and storage can alter composition, safety, sensory quality and the proposed AHEH profile.

## The post-harvest test

- Code produce identity, field treatment, maturity, harvest time and lot.
- Apply defined processing and storage conditions with matched controls.
- Measure recognised composition, freshness, residues, contaminants, microbes and sensory outcomes.
- Measure the investigational profile separately and test whether it adds information beyond accepted measures.

> **Safety gate.** No favourable AHEH reading can override spoilage, contamination, unsafe residues or inadequate food handling.

## The question before human translation

Can the identity and pre-specified differences of the food be reproduced across new lots, and do they remain meaningful after ordinary quality and safety variables are known?

> **Reader Takeaway.** The food entering a human study must be traceable, compositionally characterised and safe before its AHEH status is considered.

# WP6 — Human Research Comes Last

The food-to-human hypotheses H18.5 and H18.6 concern nutrition response and farm-to-human continuity. They can be examined only after the measurement, plant, crop, food-quality and safety gates are passed.

## A staged pathway

- Begin with laboratory and sensory qualification of coded foods, not health promises.
- Use ethics review, informed consent, eligibility criteria, adverse-event monitoring and medical boundaries.
- Compare safe coded foods while controlling dietary context, timing, participant state and expectations.
- Record Overall and Frequency-Specific Human Aura and HNRP separately from accepted nutritional, physiological or functional outcomes.
- Do not infer disease prevention, treatment or general health improvement from an Aura or HNRP response alone.

> **Non-bypassable boundary.** AHEH research does not replace clinical care, food regulation, nutrition science or human-research ethics.

Human translation is therefore not the quickest demonstration. It is the last and most carefully protected step in a long evidence chain.

# Let the Gate Decide the Next Step





*Figure 22.4. Decisions follow the registered gate, not enthusiasm for the result.*

## Four honest decisions

- Stop when the measure is unreliable, safety is compromised or the central result is credibly refuted.
- Refine when the question is answerable but the method, timing or comparison needs repair.
- Repeat when the first study is informative but still local to one lot, crop, operator or site.
- Advance only when the minimum reliability, safety and evidence thresholds are met.

> **Null findings matter.** A capable null study can redirect resources away from an unsupported proposition. An inconclusive study calls for repair, not a positive claim.

> **No gate-shopping.** The programme may not change its success rule after codes are opened merely to preserve a preferred story.

# A Responsible First Invitation

AHEH does not need every university to accept the entire framework. It needs one capable independent team willing to define and test one answerable question—beginning with measurement qualification and one modest plant pilot.

## Five things to remember

- Independent collaboration is a method of testing, not an endorsement.
- WP1–WP6 protect the order of evidence from measurement to human translation.
- Reliability and safety gates cannot be bypassed by an interesting outcome.
- Every positive, mixed, null, inconclusive and adverse result must remain visible.
- A small, transparent, independently reproducible result is the responsible first success.

**Research Window.** What minimum result permits progression, and what unreliable, null or adverse result stops or redirects the programme?

## Context sources

AHEH Foundations Book Reader-Story Master Design, Chapter 22; AHEH Integrated Three-Document Alignment Master Design; Foundation hypotheses H17.1–H17.7 and H18.1–H18.6; AHEH Research Monograph, Chapters 20–28.

**Bridge to Chapter 23.** Testing protects the evidence. Responsible language protects the people who hear about it—and the future of the idea itself.

PART VI • EVIDENCE, COLLABORATION AND THE FUTURE

## CHAPTER 23

# Responsible Adoption and Communication

***A field observation is about to become a public message. Before it is shared, its evidence status and boundaries must travel with it.***





*Figure 23.1. The evidence record should shape every public sentence.*

Communication is not an afterthought. Words influence growers, families, consumers, practitioners, researchers and institutions. If the wording becomes stronger than the evidence, an honest observation can be transformed into a misleading promise.

# What Can Be Understood and Shared Now?

**Reader's question.** What can people responsibly understand, document and communicate now?

## The framework may be explained

- AHEH is a Foundation-originated research framework within Food and Nutrition under Pillar 3 — Lifestyle Energy Hygiene.
- It proposes that plants may utilise the inclusive 400–752 Hz adaptive interval also proposed for humans.
- It classifies below-400 and above-752 responses as non-adaptive and recognises possible within-band depletion.
- It follows the cumulative journey through Soil/Earth, Seed, Water, inputs, environment, plant, harvest, processing, storage, food and human response.

## The evidence status must accompany it

The 400–752 Hz plant interval, THz-to-Hz modulation, SGIZ influence, OMRDA outcomes, AFCIW, Energy Hygiene of Food and food-to-human continuity are proposed or investigational constructs. Foundation observations generate hypotheses; independent validation remains necessary.

**Reader Takeaway.** A concept can be described clearly without being presented as proven, certified or medically effective.

# Let Language Climb Only with Evidence





*Figure 23.2. The strength of the sentence must not exceed the strength of the evidence.*

## Appropriate examples

- “The Aura Research Foundation reports this observation under its operational method.”
- “AHEH proposes an adaptive plant-frequency interval of 400–752 Hz.”
- “This coded pilot found a difference in the registered outcome under these conditions.”
- “Independent replication is required before broader interpretation.”

> **Avoid premature conclusions.** Do not convert an Aura response into better growth, safer food, superior nutrition, disease prevention or human health benefit unless those outcomes were independently tested.

# Approved Meaning and Prohibited Shortcuts

## Responsible meaning

- “Energy Hygienic Food” or “Energy Health Food” describes an intended investigational outcome within AHEH.
- A favourable AHEH classification means the defined operational assessment produced that result under stated conditions.
- The finding may justify a controlled study or replication when reliability and safety requirements are met.

## Shortcuts that must not be used

- “This food is scientifically proven to be healthier” when composition, safety and human outcomes were not tested.
- “400–752 Hz certified” without an independently validated measurement and recognised certification scheme.
- “Non-adaptive frequencies caused the crop failure” when soil, water, disease, pests, weather and management were not excluded.
- “This food prevents or treats disease” based on Plant Aura, Human Aura or HNRP alone.

> **Plain-language rule.** Say what was measured, what changed, under which conditions and what remains unknown.

> **No hidden substitution.** Patents, copyright, long experience, testimonials and repeated internal observations do not equal independent scientific validation.

# Different Audiences Need the Same Evidence

## Growers and practitioners

May learn the framework, keep observation records and participate in approved studies. They should continue recognised agronomy, crop protection, food handling and safety practices, and should not guarantee outcomes.

## Consumers and families

May understand the proposed Soil-to-Food-to-Human chain and ask about traceability, quality and research status. They should not be encouraged to replace a balanced diet, food-safety advice or medical care with an AHEH label.

## Students and educators

May study the concepts as hypotheses, compare them with established plant and food science, identify alternative explanations and design fair tests. Teaching must distinguish Foundation terminology from accepted physical quantities.

## Universities and institutions

May independently test, criticise, refine or reject specific propositions. Collaboration should protect publication independence, adverse-result reporting, data integrity and the right not to endorse commercial claims.

> **One evidence register.** The meaning and status of FO-01 to FO-21 should remain the same for every audience—even when the language becomes simpler.

# Make the Evidence Record Travel with the Claim





*Figure 23.3. A controlled meaning prevents the story from drifting as it travels.*

## A minimum communication record

- Observation or hypothesis code, date, source and version.
- Material, crop, place, operator, apparatus and assessment conditions.
- Comparison groups, accepted outcomes, exclusions and adverse findings.
- Current status: reported observation, proposed hypothesis, pilot finding or independent replication.
- Approved short description, prohibited inference and date of review.

> **Correction is part of integrity.** When later evidence changes the interpretation, update the public summary while preserving the original record and the reason for the change.

# Essential Standards Remain Essential





*Figure 23.4. AHEH adds a research question; it does not cancel established duties of care.*

## Four non-negotiable boundaries

- Agronomy: continue soil testing, crop nutrition, irrigation, integrated pest management and licensed recommendations.
- Food safety: continue hygiene, residue, contaminant, microbiological, storage and regulatory controls.
- Nutrition: assess composition, dietary adequacy, portion, preparation and the whole dietary pattern.
- Medical: AHEH and OMRDA are not medical diagnostic tools and do not replace prevention, diagnosis or treatment by qualified professionals.

> **Safety overrides profile.** A favourable investigational frequency or Aura result cannot make unsafe water, contaminated produce or spoiled food acceptable.

# Awareness Is Different from Certification

## Responsible awareness

Awareness invites people to understand a proposed framework, observe carefully, preserve traceability and support independent testing. It is transparent about origin, evidence status, uncertainty and boundaries.

## Certification requires more

A credible certification programme requires validated measurements, defined standards, competent independent assessment, auditability, consumer protection, regulatory compatibility and rules for failures, appeals and withdrawal. AHEH has not established such a recognised certification merely by naming a desired outcome.

## Research participation requires protection

- Do not imply that a farmer, university or participant endorses the framework or a product.
- Use informed consent and protect privacy, farm data, commercial information and publication freedom.
- Separate service, training, device sales or licensing from research recruitment and interpretation.

**IP boundary.** Intellectual-property protection records ownership or priority; it does not establish scientific validity, safety or efficacy.

**Trust test.** Would the sentence remain fair if the study result were null or adverse? If not, rewrite it.

# A Five-Question Communication Check

## Before publishing, teaching, advertising or sharing

- Status — Have we identified whether this is an observation, hypothesis, controlled finding or independent replication?
- Specificity — Have we named the material, method, outcome and conditions rather than using a broad claim?
- Comparison — Have we shown the established outcome family and any disagreement, null or adverse result?
- Boundary — Have we stated what the result does not establish, including mechanism, certification and health benefit?
- Audience — Could a reasonable grower, consumer or patient misunderstand the statement and take an unsafe action?

## A responsible correction pattern

Replace “AHEH-treated produce is healthier” with: “Under the Foundation’s investigational method, this coded produce lot showed the registered AHEH profile. Composition, safety and human health benefit require separate testing.”

> **Keep the complete result.** Do not remove disagreement, null findings, uncertainty or adverse events to make a shorter and more attractive message.

> **Reader Takeaway.** The clearest communication is often the most precise—not the most confident.

# Responsible Language Protects the Future

AHEH can be discussed, taught and researched without overstating what is known. Careful language does not weaken the concept. It makes each observation traceable, each hypothesis testable and each later correction possible.

## Five things to remember

- Explain the framework and its proposed 400–752 Hz plant–human continuity clearly.
- Keep established science, Foundation observations and AHEH hypotheses visibly distinct.
- Do not use Aura or frequency language as a substitute for agronomy, food safety, nutrition or medical evidence.
- Do not call food proven, certified or health-giving before the required independent evidence exists.
- Correct public summaries when the evidence register changes.

**Research Window.** Can public summaries remain consistent with the evidence register as the research programme and practitioner network grow?

## Context sources

AHEH Foundations Book Reader-Story Master Design, Chapter 23; AHEH Integrated Three-Document Alignment Master Design; FO-01 to FO-21 evidence-status rules; AHEH Research Monograph, Chapters 23, 28 and 29.

**Bridge to Chapter 24.** The story can now return to the meal with curiosity intact, boundaries visible and the future still open.

PART VI • EVIDENCE, COLLABORATION AND THE FUTURE

## CHAPTER 24

# A Beginning, Not a Conclusion

***The reader returns to the meal from Chapter 1. The plate has not changed—but the unseen journey behind it can now be seen.***





*Figure 24.1. A simple meal carries a long history and many unanswered questions.*

The purpose of this book was not to make the meal mysterious. It was to make its history visible—from the Earth and seed to the growing plant, harvest, food and the person who eats it.

# See the Whole Journey




*Figure 24.2. Every link must be documented and tested without losing the whole story.*

AHEH proposes that the eventual food may reflect a cumulative production and post-harvest history. It asks whether the inclusive 400–752 Hz plant adaptive profile, within-band depletion and non-adaptive responses below 400 Hz or above 752 Hz can be measured reproducibly and related to accepted outcomes.

> **The central promise is a question.** Because Food Also Needs Energy Hygiene asks whether food quality has an additional, testable dimension—not whether current food science is unnecessary.

> **Reader Takeaway.** The chain is only as credible as its weakest untested link.

# What the Book Has Proposed

## The Foundation’s working model

- Plants are living, regulating systems whose ordinary homeostasis is shaped by genetics, soil, water, climate, nutrition, stress, organisms and management.
- AHEH additionally proposes that plants may utilise the same 400–752 Hz adaptive interval proposed for humans.
- Below-400 and above-752 responses, and weakened responses within the interval, are classified as non-adaptive or depleted under the Foundation method.
- The THz-to-Hz idea is a modulation hypothesis, not a claim that plant photons have already been shown to convert literally into the named Hz settings.
- Soil/Earth, Seed, Water, inputs, growing environment, harvest, processing and storage may support or disturb the proposed profile.
- Food-to-human continuity and HNRP are later-stage research propositions, not established nutrition or medical outcomes.

> **Established science remains primary.** Plant physiology, agronomy, soil and water science, microbiology, food composition, food safety, nutrition and medicine retain their own recognised measures and standards.

# What Remains Unanswered





*Figure 24.3. A responsible conclusion leaves the open questions visible.*

## The framework can advance—or change—through answers

The proposed interval, OMRDA assessment, SGIZ influence, AFCIW, music and meditation environment observations, food profile and human response all require controlled and independent examination. Some propositions may be supported, some narrowed, some replaced and some rejected.

> **Contradiction is not failure.** A reliable null or opposing result can prevent error and reveal which part of the model should not continue.

> **No final claim.** This book creates public understanding and a research invitation; it does not create food certification, medical proof or permission to bypass safety standards.

# An Invitation to Farmers and Growers

Farmers and growers already read plants through germination, colour, roots, flowering, pests, weather, yield and quality. AHEH asks them to add disciplined observation—not to abandon that knowledge.

## A responsible contribution

- Document the field, crop, seed lot, water, inputs, environment, harvest and storage conditions.
- Keep untreated, sham or matched comparisons where a study protocol requires them.
- Record ordinary outcomes and unexpected harms, not only favourable AHEH readings.
- Preserve lot identity and traceability from plant to produce.
- Invite agronomists and independent researchers before changing important crop practices.

> **The grower's value.** Careful field knowledge can make a research question realistic, locally relevant and safe.

The future of AHEH will not be decided by a single ideal plot. It will depend on whether defined results recur across seasons, soils, climates, crops, operators and institutions.

# An Invitation to Students and Scientists

The framework offers questions across measurement science, physics, plant physiology, soil and water science, microbiology, agronomy, food science, nutrition, psychology, statistics and ethics.

## Bring constructive scepticism

- Define each operational term so it can be tested by people outside the Foundation.
- Distinguish nominal Hz test settings from directly measured physical emissions or biological frequencies.
- Design coding, blinding, sham, off-target and matched comparisons that challenge expectation and cueing.
- Measure alternative explanations with the same seriousness as the preferred hypothesis.
- Report effect sizes, uncertainty, missing data, deviations, negative results and adverse outcomes.
- Ask whether AHEH measures add repeatable information beyond accepted variables.

> **Scientific freedom.** Researchers must be free to confirm, refine, contradict or reject a proposition and to publish the complete result.

# An Invitation to Universities and Institutions

Universities can turn a broad claim into a series of answerable questions. They can separate apparatus performance from operator response, the plant from its environment, food identity from safety and human Aura from recognised nutrition or physiology.

## A practical beginning

- Qualify the measurement method before biological interpretation.
- Select one modest seed, germination or water-to-plant pilot.
- Pre-register the question, experimental unit, outcome families, analysis and decision gate.
- Protect ethics, data integrity, publication independence and responsible communication.
- Share enough method detail for a genuinely independent replication.

> **The first institutional decision.** Who will independently co-design WP1 measurement qualification and one controlled plant pilot?

A collaboration need not begin by accepting the framework. It begins by agreeing that a clearly stated and responsibly bounded question deserves a fair test.

# An Invitation to Families and Readers

Readers do not need to become researchers to benefit from the central discipline of this book: see the whole food journey, ask what is known, distinguish an observation from a conclusion and resist simple promises.

## Questions worth carrying forward

- Where did this food come from, and can its history be traced?
- Was it produced, harvested, processed and stored safely?
- What recognised quality and nutrition information is available?
- If an AHEH description is used, what exactly was measured and what is its evidence status?
- Does the statement promise more than the study actually tested?

> **Responsible choice.** Curiosity about Energy Hygiene should strengthen attention to safe food, balanced nutrition and evidence—not replace them.

The book’s phrase “Because Food Also Needs Energy Hygiene” is therefore an invitation to inquire responsibly into food’s full history and possible additional profile.

# Let Knowledge Grow through Correction





*Figure 24.4. A living framework must remain open to correction.*

An idea grows responsibly when its definitions remain stable, methods become reproducible, results can be contradicted, records are preserved and public language changes when the evidence changes.

## The Foundation’s continuing responsibilities

- Preserve the original observations and distinguish them from later independent findings.
- Provide operational detail sufficient for fair testing while protecting legitimate background IP.
- Welcome criticism, publish negative and adverse findings and correct earlier interpretations.
- Keep the Book, Research Monograph and Executive White Paper aligned to one controlled meaning.

> **Validation is earned.** Neither repetition within the Foundation nor intellectual-property protection replaces independent reproducibility.

# Because Food Also Needs Energy Hygiene

The journey began with a meal and a simple question: what happened before this food reached us? AHEH has offered one proposed answer—that the food may carry a cumulative Energy Hygiene history shaped from Soil/Earth, Seed, Water, inputs and environment through harvest, processing and storage.

The desired direction is healthier plants, safer and better-characterised food systems and responsible exploration of human adaptive wellbeing. These are goals for research and collaboration, not promised outcomes.

## What the reader can carry from this book

- Understand the proposed 400–752 Hz plant–human adaptive continuity and its present investigational status.
- Protect both outcome families: AHEH measures and established soil, plant, food and human measures.
- Document the entire journey and keep safety, ethics and ordinary science non-bypassable.
- Invite independent testing that can support, refine, contradict or reject each proposition.
- Communicate with language no stronger than the evidence.

**Research Window.** Which university, discipline and first modest pilot should begin the next stage of responsible AHEH research?

## Context sources

AHEH Foundations Book Reader-Story Master Design, Chapter 24; AHEH Integrated Three-Document Alignment Master Design; Foundation observations FO-01 to FO-21; hypotheses H17.1–H17.7 and H18.1–H18.6; AHEH Research Monograph and Executive Research White Paper.

**A beginning, not a conclusion.** Understand • Grow • Preserve • Measure • Document • Share • Research

EPILOGUE

# The Journey Returns to the Plate

## *Because Food Also Needs Energy Hygiene*





*Figure E-1. The plate is the visible end of a journey whose responsibility is shared.*

We began with an ordinary meal. We return to it with a longer view. Behind every grain, fruit, vegetable, pulse or herb stand Earth, seed, water, inputs, surroundings, living regulation, harvest and the care taken after harvest.

> **The lasting question.** Can every link be made visible, safe, traceable and testable—and can the proposed Energy Hygiene of food be examined without replacing established science?

EPILOGUE

# A Meal Is Also a History

AHEH asks the reader to see food neither as a mysterious object nor as the product of soil alone. Food is the outcome of a connected biological and human journey. A strong beginning can be altered by later conditions; a difficult beginning can sometimes be improved by sound agronomy and careful handling.

## What the story has made visible

- The seed carries identity, vigour, treatment and storage history.
- Soil/Earth and the growing site shape the root environment and must be characterised conventionally.
- Water, fertilisers, manures, pesticides and other inputs act through named products, doses and timing.
- Light, temperature, air, sound, human activity and management form the growing environment.
- Harvest, transport, processing and storage can change both recognised food properties and the proposed AHEH profile.
- The human bridge begins only after traceability, composition, safety, ethics and consent are protected.

> **Reader Takeaway.** The history matters only when it can be documented clearly enough to examine.

EPILOGUE

# The Tagline Becomes a Shared Responsibility




*Figure E-2. Responsibility is distributed across the complete journey.*

“Because Food Also Needs Energy Hygiene” is not permission to label food, promise health or bypass testing. It is a compact reminder that the complete production and post-harvest history deserves responsible attention.

> **Shared rule.** Protect safety first. Measure what is claimed. Preserve the record. Use language no stronger than the evidence.

EPILOGUE

# Carry the Question Forward

The Foundation has offered observations, controlled terms and a research pathway. The next chapter of the idea must be written through qualified measurement, fair comparison, independent replication and complete reporting —including null, mixed and adverse results.

## The reader’s seven verbs

**UNDERSTAND • GROW • PRESERVE • MEASURE • DOCUMENT • SHARE • RESEARCH** Each verb limits the next: understanding guides action; measurement checks interpretation; documentation protects memory; research tests the proposition.

If future evidence supports part of the framework, it should be advanced only to the level demonstrated. If evidence weakens or contradicts it, the framework should be corrected. That is how an unfamiliar question becomes useful knowledge.

**Closing thought.** The meal is shared. The responsibility for understanding its complete history can be shared too.

FOUNDERS' CLOSING NOTE

# A Beginning Held Open

***A personal invitation from the founders***

When we began observing plants, water, seeds, inputs and growing spaces, we did not know where the questions would lead. Field experiences gradually formed a pattern; the pattern required names; the names required boundaries; and the boundaries required a research programme.

We have presented that journey in a reader's language because public understanding should not have to wait for technical familiarity. At the same time, clarity must never become certainty that the evidence has not earned.

We are grateful to the farmers, families, students, practitioners and researchers whose questions encouraged us to record more carefully. We are equally grateful to those who ask difficult questions, because a framework meant for research must be open to examination and correction.

> **Our request.** Read with curiosity. Test with independence. Report with honesty. Protect people, plants and food systems throughout the process.

FOUNDERS' CLOSING NOTE

# Beginning, Not a Conclusion

This book is not our final answer. It is our invitation to make the question precise enough for others to test. We do not ask universities or readers to endorse AHEH in advance. We ask that the propositions be understood as stated and examined under fair, transparent conditions.

Independent results may confirm a proposed relationship, narrow it, reveal an ordinary explanation or show that it does not reproduce. Each outcome can improve knowledge when the method and record remain visible.

We therefore close with the same spirit in which the work began: attention to living systems, respect for established safeguards, care with language and hope for responsible collaboration.

**Er. Srinivas Baba Mannem**
**Dr. Kanaka Mahalakshmi Mannem**

*Aura Research Foundation • Hyderabad, Telangana, India*

**A beginning, not a conclusion.** Research • Reproducibility • Validation • Collaboration

APPENDIX A

# Plain-Language Glossary

## *A–C*

**Adaptive frequency.** A Foundation-defined test setting within the proposed inclusive 400–752 Hz interval at which a plant or human response is assessed operationally.

**Adaptive-frequency deficit.** A reduced response at a selected setting inside 400–752 Hz. It is not automatically a nutrient deficiency, disease or impaired cellular function.

**Adaptive interval.** The proposed inclusive operational range from 400 Hz through 752 Hz used consistently in the AHEH and Human Energy Hygiene frameworks.

**AFCIW.** Adaptive-Frequency-Conditioned Irrigation Water: water exposed to a defined adaptive-frequency input for an investigational plant study. Ordinary water quality and safety remain primary.

**AHEH.** Agro-Horticultural Energy Hygiene: an investigational framework asking whether the complete Soil-to-Food pathway preserves, supports, weakens or disturbs a proposed adaptive-frequency condition.

**Aura.** In this book, an operational Foundation term for the response pattern assessed through its method—not a substitute for a calibrated physical field quantity.

**Candidate observation.** An item needing systematic documentation before its direction, magnitude or stability can be characterised.

APPENDIX A

# Plain-Language Glossary

## *C–E*

**Coded assessment.** A procedure in which the assessor does not know the sample identity or assigned condition while recording the response.

**Combined adaptive field extent.** An investigational summary derived from responses across the proposed adaptive interval. It is not biomass, yield, nutrition or health.

**Concordance.** A pre-specified pattern in which an investigational AHEH outcome and an established outcome change together. Concordance alone does not prove cause.

**Energy Health Food.** An investigational intended outcome: safe, traceable and nutritionally characterised plant-derived food whose proposed adaptive profile has been preserved. It is not a present certification category.

**Energy Hygiene.** A broader framework for examining proposed adaptive and non-adaptive influences across Environmental, Personal and Lifestyle domains.

**Energy Hygiene of Food.** The proposed adaptive-frequency history of plant-derived food across production, harvest, processing and storage, considered beside safety, composition and nutrition.

**Established outcome.** A recognised measure from soil science, plant physiology, agronomy, food safety, nutrition or human research.

APPENDIX A

# Plain-Language Glossary

## *F–H*

**FO identifier.** A controlled number, FO-01 to FO-21, assigned to one Foundation observation or programme proposition so its wording and status remain traceable.

**Foundation observation.** A pattern reported within Aura Research Foundation's procedure. Repetition inside the originating programme is not independent replication.

**Frequency-specific plant response.** The recorded response associated with one nominated AHEH test setting rather than a combined summary across the interval.

**Geopathic stress.** A Foundation-associated location concept examined under FO-08. It remains investigational and must be separated from recognised soil, site, utility and environmental variables.

**Growing environment.** The measurable surroundings of the plant: light, temperature, humidity, air, $CO_2$, sound, structure, people, equipment and management, plus the additional AHEH question.

**HNRP.** Human Nutrition Response Profile: an investigational human response record used only in ethically approved, coded studies alongside recognised outcomes.

**Human Energy Hygiene.** The application of the three-pillar Energy Hygiene framework to human environmental, personal and lifestyle influences. AHEH belongs upstream within Food and Nutrition in Pillar 3.

APPENDIX A

# Plain-Language Glossary

## *I–O*

**Independent replication.** A new team repeats a defined study with sufficient method detail and freedom to report confirming, null, mixed or contradictory results.

**Investigational outcome.** A proposed AHEH response or profile whose measurement meaning and biological relevance still require qualification.

**Matched support.** An intervention selected to correspond with an identified within-band deficit. It must be compared with off-target, sham and untreated conditions.

**Non-adaptive response.** The Foundation's proposed classification for a response below 400 Hz or above 752 Hz. It is not an established toxic exposure or diagnosis.

**Null result.** A study result that does not show the pre-specified difference or relationship. Null results remain part of the complete record.

**OMRDA.** Operator-Mediated Response Detection and Assessment: the Foundation's operator–apparatus method. The complete system—not the apparatus alone—requires reliability testing.

**Off-target condition.** A comparison intervention or setting that does not match the nominated target. It helps test specificity.

**Overall Plant Adaptive Aura.** A public summary term for the combined plant response across the proposed adaptive interval; the technical endpoint must always be specified.

APPENDIX A

# Plain-Language Glossary

***P–S***

**Plant Energy Hygiene.** The proposed maintenance and protection of a plant's adaptive-frequency condition across the complete production and post-harvest chain.

**Proposed.** Language indicating that a concept, interval, mechanism or relationship remains to be validated; it is not presented as settled science.

**Repeatability.** Agreement when the same procedure is repeated under closely similar conditions.

**Reproducibility.** Agreement when relevant conditions change, such as operator, apparatus, material, location or institution.

**Research Window.** The open question at the end of a chapter that identifies what still needs to be measured or tested.

**SGIZ.** A Foundation term for a mapped site or Earth point investigated under FO-08. It requires explicit operational definition and conventional site characterisation.

**Sham condition.** A comparison that mimics handling and appearance without delivering the proposed active intervention.

**Soil/Earth.** The plant's root environment and physical location, including recognised soil variables and the separate investigational AHEH site question.

APPENDIX A

# Plain-Language Glossary

### *T–W*

**THz-to-Hz hypothesis.** The Foundation proposal that higher-frequency biological activity may be reflected through lower operational responses. Carrier, modulation, measurand and biological meaning remain unvalidated.

**Traceability.** The ability to follow a coded seed, plant, harvest lot or food sample back through its documented origin and handling history.

**Two families of outcomes.** The rule that investigational AHEH outcomes and established scientific outcomes are analysed separately before their patterns are compared.

**Untreated condition.** A comparison group that receives ordinary care but not the proposed intervention.

**Within-band deficit.** A weak or reduced response at a setting between 400 Hz and 752 Hz inclusive; it remains inside the proposed adaptive interval.

> **Glossary boundary.** These definitions explain how terms are used within the AHEH programme. They do not by themselves establish physical mechanism, biological benefit, food quality or human-health effect.

APPENDIX B

# The 400–752 Hz Concept at a Glance

## *The inclusive proposed interval*





*Figure B-1. The operational AHEH classification keeps inclusive boundaries and within-band deficits distinct.*

**Key status.** The interval is Foundation-defined and investigational until connected independently to a calibrated physical measurand and biological meaning.

APPENDIX B

# Inside the Interval

### *Adaptive setting and within-band deficit*

AHEH uses every nominated setting from 400 Hz through 752 Hz as part of one proposed adaptive interval. The endpoints 400 Hz and 752 Hz are included.

## Two different findings can occur inside the same interval

**Adaptive response.** A response recorded at a nominated setting within the interval under the Foundation's operational method.

**Within-band deficit.** A lower response at one of those settings. The setting has not moved outside the interval; the recorded response is reduced.

A deficit is an operational description. It does not diagnose nutrient deficiency, disease, impaired homeostasis or reduced yield. Those possibilities require recognised biological and agronomic measures.

**Matched-support question.** Does support selected for the identified setting produce a greater, repeatable change than off-target, sham and untreated comparisons?

APPENDIX B

# Outside the Interval

***Proposed non-adaptive classification***

Responses below 400 Hz and above 752 Hz are classified by the Foundation as proposed non-adaptive responses. The term belongs to the AHEH research model.

## What the label does not establish

- It does not prove that a plant emitted or absorbed a physically measured signal at that frequency.
- It does not identify a toxin, pathogen, nutrient imbalance, geophysical mechanism or plant disease.
- It does not make a named input, sound, practice, place or technology harmful by category.
- It does not justify removing ordinary agronomic, environmental or food-safety controls.

> **Fair test.** Show that the response is reliable and condition-specific, then compare it with recognised plant or food outcomes while plausible ordinary explanations remain visible.

APPENDIX B

# How to Read the Numbers Responsibly

**Nominal setting.** The number selected within the Foundation's assessment or intervention procedure.

**Measured physical quantity.** A calibrated physical signal with unit, sensor, uncertainty, bandwidth and traceable measurement conditions.

**Biological outcome.** A recognised change such as germination, photosynthesis, growth, yield, composition, residue, safety or a registered human measure.

These three levels must not be collapsed into one. A nominal 500 Hz setting is not automatically evidence of a 500 Hz emission from a plant, and an operational response is not automatically evidence of benefit.

**THz-to-Hz boundary.** AHEH explores a possible reflection or modulation relationship between optical/photonic-range activity and low-frequency operational responses. It does not claim a demonstrated literal conversion.

**At a glance.** 400–752 Hz inclusive: proposed adaptive interval. Weak inside the interval: deficit. Below 400 or above 752: proposed non-adaptive. Every classification remains a research proposition.

APPENDIX C

# FO-01 to FO-21 Reader Summary

## *Cluster 1 • Plant range, deficits and matched support*




*Figure C-1. Six connected stories preserve one controlled observation register.*

**FO-01 — Repeated observation.** Plants produced distinguishable responses at tested frequencies within the proposed 400–752 Hz interval. *Boundary: No emitted photon, universal resonance or field mechanism is established.*

**FO-02 — Repeated observation.** Some within-band settings showed reduced response and were recorded as deficits. *Boundary: This does not prove cellular deficiency, disease or impaired homeostasis.*

**FO-03 — Repeated observation.** Support matched to an identified deficit was followed by increased corresponding response. *Boundary: Sequence does not establish transfer into the plant or improved health.*

**FO-04 — Repeated observation.** Targeted support was sometimes followed by increased combined adaptive field extent. *Boundary: The summary is not biomass, yield or cellular health.*

APPENDIX C

# Cluster 2 • Water and AFCIW

Water chemistry, microbiology, temperature, vessel, storage and handling remain essential comparison variables.

**FO-05 — Repeated observation.** Water exposed to an adaptive-frequency input later produced a corresponding OMRDA response. *Boundary: Separate handling, vessel, temperature, constituents, time, operator and order effects.*

**FO-06 — Repeated observation.** Plants irrigated with AFCIW showed increased corresponding response; combined extent sometimes increased. *Boundary: No absorption, cellular entry, homeostasis or agronomic benefit is established.*

**FO-07 — Related observation.** Human responses were reported after differently conditioned waters; separate UV-treated mineral-water observations were recorded. *Boundary: This does not establish that UV disinfection is harmful; water safety remains primary.*

**Reader test question.** Can matched, sham, off-target and untreated waters be compared while ordinary quality and handling remain equivalent?

APPENDIX C

# Cluster 3 • Soil/Earth and Inputs

**FO-08 — Preliminary observation.** Different Soil/Earth locations were associated with different plant profiles; SGIZ/Earth-point extensions included depleted or outside-band responses and poor establishment at some locations. *Boundary: Characterise soil, drainage, salinity, moisture, pathogens, contaminants, shade, roots, utilities and management before attributing cause.*

**FO-09 — Repeated observation.** Fertilisers, manures, pesticides and foliar sprays produced distinguishable plant responses. *Boundary: Class alone is not causal; product, formulation, dose, timing and crop condition matter.*

**FO-10 — Repeated observation.** Selected natural manures, biofertilisers, microbial preparations and organic sprays were generally associated with increased adaptive responses. *Boundary: Not every natural, organic or biological input is effective, adaptive or safe.*

**FO-11 — Repeated observation.** Some selected synthetic fertilisers and pesticides were associated with reduced adaptive or outside-band responses. *Boundary: Do not generalise to all synthetic inputs; benefit and safety are context-specific.*

**Reader rule.** Compare named products and characterised sites—not moral labels or categories.

APPENDIX C

# Cluster 4 • Seed, Germination and Early Growth

**FO-12 — Preliminary observation.** Seed lots showed different baseline OMRDA response profiles. *Boundary: Identity, vigour, treatment, condition and handling remain alternatives.*

**FO-13 — High-priority preliminary finding.** Adaptive-frequency-treated seeds showed greater adaptive response and increased germination percentage. *Boundary: Requires randomisation, sham handling, adequate numbers, blinded scoring and independent replication.*

**FO-14 — Preliminary observation.** Reported differences after seed treatment continued into germination or early seedling development. *Boundary: Persistence across crops, seasons and laboratories is not established.*

## Why this cluster is testable

Germination percentage, timing and abnormal seedlings can be counted independently. One characterised seed lot can be allocated to coded matched, off-target, sham and untreated groups.

**Priority.** Pre-define germination rules, preserve all seeds in the denominator and report every lot.

APPENDIX C

# Cluster 5 • The Growing Environment

**FO-15 — Repeated observation.** Growing-environment condition or harmonisation was followed by increased adaptive responses in some plants; music, chanting and meditation remain programme extensions within this item. *Boundary: A practice name does not determine classification; separate microclimate, sound, people, equipment and operator effects.*

**FO-16 — High-priority preliminary finding.** Seeds or plants in an adaptive-frequency-supported environment showed greater adaptive response and increased germination percentage. *Boundary: Requires full exposure description, environmental logging, sham condition and replication.*

**FO-17 — Derived hypothesis.** Seed treatment and environmental support may act independently, additively or interactively. *Boundary: This is a factorial prediction derived from FO-13 and FO-16, not a separate established finding.*

## What to record

Sound waveform and level, light, temperature, humidity, $CO_2$, people present, equipment, timing, handling and plant care—alongside the nominated AHEH exposure.

**No presumption.** Music, silence or meditation is not automatically adaptive because it appears gentle or familiar.

APPENDIX C

# Cluster 6 • Harvest, Food and the Human Bridge

**FO-18 — Repeated observation.** Selected natural or biological systems generally showed greater combined plant and food responses than selected intensive synthetic-input comparisons. *Boundary: Avoid “old good, modern bad”; compare defined and matched systems.*

**FO-19 — Preliminary observation.** Harvested foods showed distinguishable profiles associated with the originating plant or production history. *Boundary: Separate cultivar, maturity, moisture, freshness, handling, storage, processing and composition.*

**FO-20 — Candidate observation.** Storage, handling, transport and processing may modify the measured food profile. *Boundary: Documentation is limited; direction, magnitude and stability remain open.*

**FO-21 — Preliminary observation.** Consumption of selected natural/biological-system foods was followed by greater human adaptive response than selected modern synthetic-input comparisons. *Boundary: No superior nutrition, cellular repair, disease prevention or treatment is established.*

**Translation gate.** Lock traceability, composition, contaminants, safety, ethics and consent before coded Food-to-Human research.

APPENDIX D

# Questions to Document Responsibly

*For readers, farmers and students*





*Figure D-1. Documentation makes a question examinable without making it true in advance.*

## Before beginning

- What is the one question?
- What ordinary causes could explain a difference?
- What comparison is fair?
- What safety or regulatory requirement cannot be bypassed?
- What result would count as non-support?

**Scope.** These prompts support observation and learning. They do not authorise unqualified treatment, food claims or human experimentation.

APPENDIX D

# Questions for Readers and Families

- Can I trace the food to a grower, lot, place or production description?
- What is known about freshness, storage, processing, ingredients, residues and safety?
- Am I hearing an observation, a hypothesis, a controlled finding or an independently replicated result?
- Does a label promise more than the evidence directly measured?
- Would the claim remain fair if the result were null, mixed or adverse?
- Is a favourable AHEH description being used to distract from nutrition or safety information?

## A simple household record

Record the food identity, source, purchase date, storage and preparation. If noting personal experience, describe what happened without diagnosing cause or generalising to others.

> **Reader boundary.** Personal experience can generate a question; it cannot establish food superiority or health benefit.

APPENDIX D

# Questions for Farmers and Growers

- Which crop, cultivar, seed lot and field position are being compared?
- What are the soil chemistry, physical condition, drainage, moisture, salinity and site gradients?
- What named water source, fertiliser, manure, pesticide or foliar product was used—with batch, dose, timing and route?
- What were light, temperature, humidity, rainfall, sound, equipment and management conditions?
- Were plants randomised or blocked, and were assessors coded where possible?
- Which accepted outcomes—germination, growth, physiology, pest injury, yield, quality, residues—were recorded?
- Were poor growth, plant death, no difference and adverse events preserved in the record?

**Farm rule.** Never alter safe agronomy or regulated pesticide practice merely to improve an investigational reading.

APPENDIX D

# Questions for Students and Educators

- Can the proposition be rewritten as a testable comparison?
- Which variable is changed, which are held equal and which are measured?
- Is the experimental unit the seed, pot, tray, plot, harvest lot or person?
- What would sham, off-target and untreated conditions look like?
- How will allocation, coding, scoring and exclusions be decided before results are known?
- How will the AHEH outcome and accepted outcome family be analysed separately?
- Can another class or institution reproduce the method from the record?
- How will null, contradictory and adverse results be shared?

**Best first project.** Choose a safe, small question—such as coded germination—with countable outcomes and no human intervention.

APPENDIX E

# Selected Sources and Further Reading

### *Evidence role 1 • Plant life, light and the growing environment*

This is a reader's route, not the consolidated technical bibliography. Read every source for its evidence role: established context does not validate the AHEH interval, OMRDA or an AHEH health claim.

**Taiz and colleagues — Plant Physiology and Development** Broad foundation for plant water relations, mineral nutrition, growth, signalling and environmental responses.

**Buchanan, Gruissem and Jones — Biochemistry & Molecular Biology of Plants** Reference for established cellular, biochemical and molecular processes in plants.

**Jones — Plants and Microclimate** How radiation, temperature, humidity, air movement and water exchange shape the plant environment.

**Paik and Huq (2019) — Plant photoreceptors** Scientific context for recognised light sensing and signalling; not evidence for the AHEH low-frequency interval.

**Prasad and colleagues (2013); Oros and Alves (2018)** Examples of ultraweak-photon-emission imaging research. Such work supplies adjacent optical context, not validation of a THz-to-Hz mechanism.

APPENDIX E

# Soil, Water, Agronomy and Food Handling

**FAO soil-health and sustainable crop-production resources** Recognised context for soil physical, chemical and biological condition, plant nutrition and field management.

**FAO and WHO — Sustainable Healthy Diets: Guiding Principles (2019)** A whole-diet perspective connecting health and sustainability without substituting an AHEH classification.

**Codex — General Principles of Food Hygiene (CXC 1-1969)** Core food-hygiene and safety principles across production and handling.

**Codex — Principles for Traceability/Product Tracing (CXG 60-2006)** Framework for following food and feed through defined stages of production and distribution.

**ISO 22005:2007 — Traceability in the feed and food chain** System-design principles for traceability records and links between lots and stages.

APPENDIX E

# Food, Nutrition and Responsible Claims

**WHO — Five Keys to Safer Food** Accessible principles for keeping food clean, separating raw and cooked food, cooking, temperature control and safe materials.

**Codex — General Guidelines on Claims (CXG 1-1979)** International context for truthful, non-misleading food claims.

**Codex — Guidelines on Nutrition Labelling (CXG 2-1985)** Recognised nutrition-information context that remains distinct from an investigational AHEH profile.

**National food-safety and pesticide-residue standards** The applicable local authority and current regulation remain controlling for products, residues, contaminants and safety.

**Reader reminder.** An Energy Hygiene description cannot make contaminated, spoiled, mislabelled or nutritionally unsuitable food acceptable.

APPENDIX E

# Measurement, Reliability and Transparent Reporting

**NIST guidance on measurement uncertainty** How a result is accompanied by quantified doubt, traceability and a stated measurement process.

**NIST terminology for repeatability and reproducibility** Useful distinctions between repeated conditions and changes in operator, equipment, place or time.

**SPIRIT guidance** What should be specified prospectively in a study protocol.

**CONSORT guidance** Transparent reporting principles for controlled trials, including participant flow, outcomes and harms.

**Open Science Framework and recognised study registries** Practical routes for time-stamped protocols, materials, analysis plans and results, subject to ethics and confidentiality.

**Method rule.** Pre-specification, blinding and open reporting cannot rescue an unreliable measure, but they make reliability and bias visible.

APPENDIX E

# Human Research Ethics and Safety

**World Medical Association — Declaration of Helsinki (2024)** Ethical principles for medical research involving human participants, including independent review and informed consent.

**WHO research-ethics and informed-consent resources** Practical context for fair recruitment, understandable information, risk review and participant protection.

**Applicable institutional ethics committee requirements** Human research proceeds only under current local law, institutional approval and a registered protocol.

**Recognised nutrition and clinical-outcome methods** Human responses require accepted physiological, dietary and safety outcomes; an HNRP is not a diagnosis or clinical endpoint.

**Non-negotiable boundary.** Food-to-Human research is the last staged step. It never begins with an unqualified measurement, unsafe food or informal consent.

APPENDIX E

# AHEH Programme and Technical Companions

**AHEH Foundations Book Reader-Story Master Design** Controls the reader journey, chapter purpose, accessible wording and evidence boundaries.

**AHEH Integrated Three-Document Alignment Master Design** Controls the suite identity, proposed interval, terminology, FO register and cross-document meaning.

**AHEH Research Monograph** Technical companion for definitions, hypotheses, OMRDA qualification, protocols, statistics, ethics and limitations.

**AHEH Executive Research White Paper** Institutional overview of the proposition, validation gates and collaboration request.

**Aura Research Foundation field records and FO-01 to FO-21 register** Programme provenance and hypothesis-generating material; not independent validation.

**How to cite responsibly.** Identify Foundation-originated material as reported observation or proposal. Reserve “independently replicated” for work performed under transparent, qualified conditions by an independent team.

APPENDIX F

# About Aura Research Foundation





*Figure F-1. The Foundation preserves the origin of the programme and invites independent examination.*

Aura Research Foundation, based in Hyderabad, Telangana, India, is the originating organisation for the AHEH observation programme described in this book.

> **Scientific position.** Foundation ownership, experience, documentation or intellectual-property protection records origin; it does not constitute independent scientific validation.

APPENDIX F

# The Founders

## Er. Srinivas Baba Mannem

Co-founder and author of the AHEH three-document suite. His role in this book is presented through the Foundation's observation journey, the formulation of operational questions and the invitation for measurement qualification and independent research.

## Dr. Kanaka Mahalakshmi Mannem

Co-founder and author of the AHEH three-document suite. Her role is presented through the development, documentation and responsible communication of the Foundation's Energy Hygiene and Food-to-Human research questions.

Together, the founders have chosen to present AHEH as a research framework with visible limitations, rather than as a food certification or health guarantee.

> **Authorship boundary.** The descriptions above state programme roles and authorship. Readers should not treat titles, experience or founder status as evidence that an AHEH proposition is valid.

APPENDIX F

# The Work Presented in This Suite

**FOUNDATIONS BOOK** The connected story for readers, farmers, students, educators and interested professionals.

**RESEARCH MONOGRAPH** The technical framework: definitions, observations, hypotheses, qualification, protocols, statistics, ethics and governance.

**EXECUTIVE RESEARCH WHITE PAPER** The concise institutional proposition, research gates and multidisciplinary collaboration pathway.

## One controlled centre

All three documents retain the same proposed inclusive 400–752 Hz interval, within-band deficit, outside-band non-adaptive classification, FO-01 to FO-21 register and scientific boundaries.

AHEH remains an upstream food-quality research extension within Food and Nutrition under Pillar 3—Lifestyle Energy Hygiene. It is not a fourth pillar.

APPENDIX F

# Invitation and Responsible Contact

Aura Research Foundation invites universities, research organisations and qualified collaborators to examine the AHEH questions through staged, pre-specified and independently reportable studies.

## A responsible collaboration should protect

- freedom to question, refine, contradict or reject a proposition;
- sufficient method disclosure for reproducibility;
- participant, plant, environmental and food safety;
- complete reporting of favourable, null, mixed and adverse findings;
- clear separation of research participation from endorsement or certification.

**Programme close.** Because Food Also Needs Energy Hygiene is an invitation to research the complete history of food—not a conclusion announced before testing.

*Aura Research Foundation • Hyderabad, Telangana, India*

INDEX

# A–C

## *Subjects and controlled terms*

**adaptive frequency,** 42–51, 54–60, 254–257
**adaptive-frequency deficit,** 52–61, 134–135, 249, 255
**adaptive interval, proposed 400–752 Hz,** 42–51, 62–71, 248, 254–257
**AFCIW,** 102–111, 154–156, 248, 259
**Agro-Horticultural Energy Hygiene (AHEH),** 3–12, 22–31, 248
**agricultural inputs,** 22–31, 112–121, 260, 280
**Aura, operational term,** 142–151, 248
**Aura Research Foundation,** 132–143, 246–247, 274–277
**Beginning, Not a Conclusion,** 232–241, 246–247
**Because Food Also Needs Energy Hygiene,** 182–191, 240–245, 277
**blinding and coding,** 142–151, 202–221, 264–267
**candidate observation,** 141, 248, 263
**causal interpretation,** 62–81, 202–211, 224–230
**combined adaptive field extent,** 135, 142–151, 249
**communication, responsible,** 222–231, 244–245, 277
**concordance and divergence,** 202–211, 249
**CONSORT,** 198–201, 271–272
**controlled terms,** 42–81, 248–257

INDEX

# D–H

## *Subjects and controlled terms*

**data integrity,** 202–211, 212–221, 271
**deficit, within-band,** 52–61, 249, 255
**Earth points,** 82–91, 137, 260
**Energy Health Food,** 182–191, 249
**Energy Hygiene Framework, three pillars,** 12–21
**Energy Hygiene of Food,** 182–191, 249
**environment, growing,** 122–131, 140, 262
**environmental logging,** 122–131, 262, 266
**established science,** 32–41, 202–211, 222–231, 268–273
**ethics, human research,** 192–201, 221, 272
**evidence roles,** 9, 202–211, 224–227, 268–273
**evidence-status register,** 132–143, 222–227, 258–263
**fertilisers,** 112–121, 138, 260
**food composition,** 182–201, 263, 270
**food safety,** 3–12, 172–201, 228–229, 270–272
**Food-to-Human pathway,** 192–201, 263
**Foundation observation,** 132–143, 250, 258–263
**geopathic stress,** 82–91, 137, 250, 260
**germination,** 92–101, 139–140, 261
**growing environment,** 122–131, 140, 262
**harvest,** 162–171, 263
**HNRP,** 192–201, 250, 272
**human adaptive wellbeing,** 192–201
**Human Energy Hygiene,** 12–21, 42–51, 250

INDEX

# I–P

## *Subjects and controlled terms*

**independent replication,** 149–151, 202–221, 222–231, 245, 250
**inputs, plant,** 112–121, 138, 260
**investigational outcome,** 202–211, 250
**Lifestyle Energy Hygiene,** 12–21, 192–201, 276
**matched support,** 56–60, 152–161, 250
**measurement qualification,** 142–151, 202–221, 271
**meditation, growing environment,** 122–131, 140, 262
**music, growing environment,** 122–131, 140, 262
**natural and biological inputs,** 112–121, 138, 260, 263
**non-adaptive response,** 62–71, 82–91, 112–131, 250, 254–257
**null result,** 202–211, 222–231, 245, 250
**nutrition,** 12–21, 182–201, 270–272
**OMRDA,** 142–151, 250
**off-target condition,** 56–60, 152–161, 250
**Overall Plant Adaptive Aura,** 42–51, 142–151, 250
**pesticides,** 112–121, 138, 260
**plant adaptive-frequency story,** 32–81
**Plant Energy Hygiene,** 42–81, 251
**plant physiology,** 32–41, 202–211, 269
**post-harvest change,** 172–181, 263
**processing,** 172–181, 263
**proposed, meaning of,** 42–81, 222–231, 251

INDEX

# Q–Z

## *Subjects and controlled terms*

**repeatability,** 142–151, 202–221, 251, 271
**reproducibility,** 142–151, 202–231, 245, 251
**Research Window,** throughout chapters, 251
**responsible adoption,** 222–231
**SGIZ,** 82–91, 137, 251, 260
**sham condition,** 56–60, 152–161, 251
**soil and Earth,** 22–31, 82–91, 137, 251, 260
**sound exposure,** 122–131, 140, 262
**SPIRIT,** 198–201, 271
**storage,** 172–181, 263
**synthetic inputs,** 112–121, 138, 260, 263
**THz-to-Hz hypothesis,** 72–81, 252, 257
**traceability,** 22–31, 162–201, 252, 270
**two families of outcomes,** 202–211, 252
**ultraweak photon emission,** 72–81, 269
**untreated condition,** 56–60, 152–161, 252
**universities and collaboration,** 212–221, 277
**water,** 22–31, 102–111, 136, 259
**water safety,** 102–111, 136, 259
**within-band deficit,** 52–61, 252, 255

INDEX

# Foundation Observation Identifiers

## *FO-01 to FO-21*

**FO-01 — plant responses in proposed interval,** 135, 258
**FO-02 — within-band deficits,** 135, 258
**FO-03 — matched support,** 135, 258
**FO-04 — combined adaptive extent,** 135, 258
**FO-05 — conditioned-water response,** 136, 259
**FO-06 — plants irrigated with AFCIW,** 136, 259
**FO-07 — related human-water observations,** 136, 259
**FO-08 — Soil/Earth and SGIZ,** 137, 260
**FO-09 — input-related response differences,** 138, 260
**FO-10 — selected natural/biological inputs,** 138, 260
**FO-11 — selected synthetic inputs,** 138, 260
**FO-12 — seed-lot baseline profiles,** 139, 261
**FO-13 — treated seed and germination,** 139, 261
**FO-14 — continuation into early growth,** 139, 261
**FO-15 — growing environment; music/meditation extension,** 140, 262
**FO-16 — supported environment and germination,** 140, 262
**FO-17 — seed × environment hypothesis,** 140, 262
**FO-18 — selected farming-system comparisons,** 141, 263
**FO-19 — food profile and origin,** 141, 263
**FO-20 — processing and storage,** 141, 263
**FO-21 — preliminary Food-to-Human response,** 141, 263

INDEX

# Figures and Food-Journey Stages


## Selected figures

**Three-Pillar Energy Hygiene Framework,** Figure 2.1, 12; Figure 2.2, 14; Figure 2.3, 17
**complete AHEH continuum,** Figure 3.1, 22; Figure 3.2, 24; Figure 24.2, 233
**proposed 400–752 Hz interval,** Figure 5.2, 44; Figure 6.2, 54; Figure B-1, 254
**THz-to-Hz hypothesis,** Figures 8.1–8.3, 72, 77, 79
**Soil/Earth and SGIZ,** Figures 9.1–9.4, 82, 85, 87, 89; Figure 14.4, 137
**growing environment,** Figures 13.1–13.4, 122, 125, 126, 130; Figure 14.5, 140
**two outcome families,** Figures 20.5, 199; 21.1–21.5, 202–209
**research and collaboration gates,** Figures 22.1–22.4, 212, 213, 215, 220
**responsible communication,** Figures 23.1–23.4, 222, 224, 227, 228

## Food-journey stages

**Soil/Earth,** 22–31, 82–91, 137, 260
**Seed,** 22–31, 92–101, 139, 261
**Water,** 22–31, 102–111, 136, 259
**Inputs,** 22–31, 112–121, 138, 260
**Growing environment,** 22–31, 122–131, 140, 262
**Living plant,** 32–81, 132–143
**Harvest,** 162–171, 141, 263
**Processing and storage,** 172–181, 141, 263
**Food,** 182–191, 263
**Human,** 192–201, 263

**Book close.** UNDERSTAND • GROW • PRESERVE • MEASURE • DOCUMENT • SHARE • RESEARCH


AHEH®
BECAUSE FOOD ALSO NEEDS ENERGY HYGIENE
Every meal carries a journey.
SOIL / EARTH • SEED • WATER + INPUTS
GROWING ENVIRONMENT • PLANT • HARVEST
PROCESSING + STORAGE • FOOD • HUMAN
PROPOSED INCLUSIVE ADAPTIVE-FREQUENCY INTERVAL
400–752 Hz
A Foundation-defined, investigational concept.
Measurement qualification, controlled study and
independent replication are required.
UNDERSTAND • GROW • PRESERVE • MEASURE • DOCUMENT • SHARE • RESEARCH
AURA RESEARCH FOUNDATION
Hyderabad, Telangana, India
www.energyhygienix.com